






CAMP



workbook 2020





Legend

CAMP

Products carrying the CAMP brand. Exceptions are made for several categories and products that carry the CASSIN brand in homage to the memory of Riccardo Cassin and his company, which C.A.M.P. purchased in 1997. The CAMP brand embodies an eclectic and unique blend of history, innovation, lightweight, quality, and sleek Italian design.

CASSIN

Products carrying the CASSIN brand. The roots of this technical equipment date back to 1935 when Riccardo Cassin made the first ascent of the north face of the Cima Ovest di Lavaredo (now rated 5.11d). He established his innovative climbing company down valley from C.A.M.P. in 1952. C.A.M.P. purchased the CASSIN brand in 1997 and honors Riccardo's memory by stamping his name on some of the most technical products in the line including Technical Ice Axes & Crampons, Big Wall/Aid Climbing, and Bouldering. Other select products with an established history under the CASSIN brand also carry his name.

NEW '20

New products for 2020.

UPDATED '20

Products with updates for 2020.

LIGHT&FAST

Products that are either the lightest in the world or lightest in their class.

1ST CLASS

Products with superior points of innovation making them the absolute top of the line.

BEST SELLER

Popular products that typically strike a fine balance between performance and price

LADY

Products designed specifically for women.

JUNIOR

Products designed specifically for children.

SKI COMP

Products designed for ski mountaineering competitions. Usually the lightest and fastest in the world

CC4U

Special markings for ice axes and crampons to show when points are dull beyond their safe limit.

Index

Ice Axes	3-15
Technical Ice	7-9
Mountaineering	9-15
Crampons	17-35
Technical Ice	21-23
Mountaineering	23-30
Hiking	31-35
Trekking Poles	37-40
Rock Protection	41-48
Pitons	49-55
Carabiners & Quickdraws	57-90
Carabiners	64-81
Quickdraws	82-90
Webbing	91-95
Rope Tools	97-118
Descenders and belay devices	101-103
Ascenders	103-107
Aiders	108
Pulleys	109-114
Ropes Courses	115-118
Ropes	119-127
Dynamic	123-125
Semi-static	126
Cords	127
Harnesses	129-144
Climbing	134-140
Alpinism-Ski Mountaineering	141
Groups	142-143
Chest harnesses	143
Junior	144
Chalk & Chalk Bags	145-147
Bouldering	149-151
Helmets	153-161
Via ferrata	163-170
Lanyards	167-168
Via Ferrata Kits	169
Via Ferrata Gloves	170
Campack	171-194
Mountaineering	176-183
Climbing	184
Ski Mountaineering	185-189
Trail Multisport	190-194
Essential Line	195-226
Essential Clothing	198-200
Essential Winter Outerwear	202-218
Essential Sleeping Bags	220-221
Essential Equipment	222-226
Winter Gloves	227-241
Geko Line	232-233
G Line	234-238
Mitt 'N Line	239-241
Snow Gear	243-247
Avalanche Shovels	245-246
Probes	247
Promotionals	249-253

Authentic mountain culture

2019 marks the 130th anniversary of C.A.M.P. 1889 was the middle of the Belle Epoque. It was the same year that the Eiffel Tower took center stage at the Universal Exhibition in Paris and the same year that the famous green, red, and white pizza was dedicated to Margherita Queen of Italy. On April 16, Charlie Chaplin was born in London. On July 8, the first issue of The Wall Street Journal was released in New York. The cities were already restless and people had to seek peace in the mountains. In the Orobic sector of the Alps close to the town of Lecco, the thousand souls of Premana were going about their business as usual.

The Premanese are people born and raised in the hills. They have been dedicated for centuries to artisan metalworking and in 1889, Nicola Codega would set up his workshop in the upper part of the village and begin the long history of C.A.M.P.

Back to the present and the contrast is exciting. That black and white world of 1889 has given way to a multi-colored and complex reality. C.A.M.P. has seen far and gone farther with a focus always on innovation and a youthful spirit. That youthful spirit is something that C.A.M.P. continues to embrace, most noticeable in Janja Garnbret who in 2018 won three consecutive Lead World Cups and now has her eyes set on the Tokyo Olympics. It was in 2014 that C.A.M.P. started to sponsor Garnbret when she was only 15 years old!

On the snow slopes of Monte Rosa, the 2019 edition of the Mezzalama Trophy will be remembered not only for the terrible weather, but also for the incredible second place finish of the extremely young team of Giulia Murada, Ilaria Veronese, and Giulia Martini, with a combined age of 63!

And in the mountains, we take a moment to reflect on the greatest mountaineering accomplishment of 2018 with the first ascent of the huge North Face of Latok 1 (7145 m, Karakorum). Tried and tried again for decades, it was Luka Strazar and his team who would finally put it down. Luka made a presentation to the C.A.M.P. staff during a recent trip to Premana and he marveled at everything he saw that lies behind the tools he uses on the mountains. It is with this sense of wonder, awe, appreciation and youthful spirit that we continue our enterprise and to face the new challenges and possibilities that the future will hold. Firmly rooted in the past, setting the bar in the present and excited for what is yet to come!

Carlo Caccia, journalist and text editor of C.A.M.P.



Janja Garnbret competing in the Lead World Cup in Arco, Italy - © Klaus Dell'Orto



The young gun team of Giulia Murada, Ilaria Veronese and Giulia Martini at the starting line of the Mezzalama 2019...with a combined age of just 63, they took second place! - © Maurizio Torri



Luka Strazar during the first ascent of the huge North Face of Latok 1 (7145 m, Karakorum) - © Aleš Česen

130 years and one thought: always do something special

Tradition and innovation are two seemingly contradictory words. Tradition looks to the past while innovation looks to the future. Yet we regularly find ourselves talking about C.A.M.P. with both words in the same sentence. We talk about our history and we talk about our products. We talk about our products as a result of our history and we talk about our history being driven by our products. For us, the two words are intertwined.

2019 marks the 130th anniversary of C.A.M.P. and though the words seem contradictory, they still feel like the right words to describe what sets our company apart. With tradition, we are not talking banally about custom. We take the word to its Latin root Tradere which is 'to hand over.' For us, tradition is the transmission of a unique patrimony of experience and knowledge, richer and richer from one generation to another, on which innovation is based. In this way, the two words are not contradictory. Indeed, they become complimentary, allowing us to look ahead and proceed in one direction only, striving today as yesterday to always create something special. It is an ambitious goal, but in 130 years, this has been and continues to be our approach.

Our aim is to be special not only in the most complex products for the most technical users, but also with the simplest products that bring the joy of the mountains to the masses. For 2020, we have updated many of our best sellers from the Stalker Universal crampon with an improved fit for modern boots to the Energy harness that is now part of a complete range of harnesses that bring a precision fit, modern materials and aesthetics, and lightweight design to the entry-level user.

On the cutting edge, we are proud to introduce the Impulse harnesses that we designed using the latest technology to create harnesses that are comfortable enough to work the project, but still light enough to send it. We have also revamped our entire range of HMS locking carabiners utilizing elements of our tried and true designs and improving in places like the gate/nose interface and strength-to-weight ratio. The new Turbohand further expands our proven Turbo technology with special rollers where the rope runs to increase upward efficiency and reduce wear and tear.

Finally, we have also updated the CAMPack M Series. Backpacks being a symbol of travel where we put our things and contain our world so we can take them to other places and broaden our horizons without losing our roots, we like to think of the new range as a synthesis of our way of being. We are adventurers on a journey that has lasted 130 years and brought us to the present, only so we can continue to go forward in the quest for what is next.

Eddy Codega
President



ICE AXES



Keenan Griscom competing in the 2019 Ouray Ice Competition at age 14 - © Brook Hayer

ICE AXES

Ice axes may be the category that best represents C.A.M.P.'s reputation for lightweight and innovation. There are certainly other categories that can tell the same story, but nowhere else will climbers find such an uncommon blend of the lightest products in the world, pioneering materials, advanced engineering, and innovative design.

Construction and Design. Manufacturing ice axes is at the core of our company's history with innovations like the first modular-headed ice axe forging the way for more than 125 years. The Varrone Valley that is capped by Premana, where C.A.M.P. is based, is world-renowned for forging and advanced metallurgy. This means our picks are still forged by master craftsmen with the knowledge and skill that only a lineage developed via the old-school system of apprenticeship can create. Assemblies and finishing are also completed by the same craftsman and the result is an end product unlike any other. Add to this C.A.M.P.'s commitment to innovation, lightweight and advanced materials and you have the most advanced range of ice axes ever conceived.

The CASSIN X-Team. This signature product family was relaunched with the X-All Mountain ice tool which took the vertical ice world by storm with its perfect swing and true all-mountain functionality. Today, the Cassin X-Team is a complete range of tools designed for every kind of climbing, from the most advanced dry tooling and mixed climbing with the X-Dream to the most remote and technical peaks with the X-Dream Alpine. The versatile X-Light and the benchmark X-All Mountain feature a 3 part handle that allows the tools to be modified not only for specific terrain, but precision-tuned for hand and glove size as well. The grip is also compatible with older models of X-All Mountain and X-Light tools.

Other Innovations. C.A.M.P. is proud to offer the Corsa as one of the lightest ice axes in the world. And we are even more proud to present the unparalleled Corsa Nanotech, which blends the lightweight benefits of aluminum alloy with the durability and strength of steel in a truly brilliant way. The proprietary Sandvik Nanoflex® steel used on the pick and spike is 70% stronger and 20% harder than traditional chromoly steel. A real work of art, the Corsa Nanotech is on display in the Deutsches Museum that highlights masterpieces of science and technology in Munich, Germany. Such innovation is a common theme with C.A.M.P. equipment where technological advances meet striking aesthetics.



Category leaders



Technical Ice

Ref.	Product name	Weight		Modular head	Pick material	Shaft material	Spike material	CE
		g	oz					EN 13089
3051	X-DREAM	600	21.2	•	Chromoly Steel	2.5 mm 7075 Alu		Type 2
3064	X-DREAM ALPINE	630	22.2	•	Chromoly Steel	2.5 mm 7075 Alu	6 mm 7075 Alu	Type 2
2521	X-ALL MOUNTAIN	595	21.0	•	Chromoly Steel	2.5 mm 7075 Alu	Chromoly steel	Type 2

Mountaineering

Ref.	Product Name	Weight		Pick material	Shaft material	Spike material	Leash	CE
		g	oz					EN 13089
2518	X-LIGHT - Hammer 50 cm	525	18.5	Chromoly Steel	2.5 mm 7075 Alu	Chromoly steel		Type 2
2519	X-LIGHT - Adze 50 cm	520	18.4	Chromoly Steel	2.5 mm 7075 Alu	Chromoly steel		Type 2
2291	ALPINA 50 cm	500	17.6	Chromoly Steel	2.5 mm 7075 Alu	Chromoly steel	Alpina	Type 2
	ALPINA 57 cm	540	19.1					
	ALPINA 65 cm	585	20.7					
	ALPINA 73 cm	610	21.5					
2290	NEVE 50 cm	455	16.1	Chromoly Steel	2.5 mm 6082 Alu	Chromoly steel	Touring	Type 1
	NEVE 57 cm	495	17.5					
	NEVE 65 cm	535	18.9					
	NEVE 73 cm	585	20.7					
	NEVE 80 cm	625	22.1					
1428	CORSA 50 cm	202	7.1	7075 Aluminum	1.3 mm 7075 Alu			Type 1
	CORSA 60 cm	250	8.8					
	CORSA 70 cm	281	9.9					
1429	CORSA NANOTECH 50 cm	246	8.7	7075 Aluminum / Nanoflex®	1.3 mm 7075 Alu	Nanoflex®		Type 1
	CORSA NANOTECH 60 cm	276	9.7					
	CORSA NANOTECH 70 cm	306	10.8					

Ice axes classification and marking according to EN 13089:2015

- **Class 1:** an ice axe primarily for snow and ice.
In the past this category was labeled class circled 'B'. Marking is not required on hardware in this class.
- **Class 2:** an ice axe for snow, ice, dry-tooling and more technical routes.
The ice axe shaft and interchangeable picks with this classification are marked with a circled letter 'T'.



Sandvik Nanoflex® is a ground-breaking stainless steel alloy which perfectly combines mechanical resistance, hardness and toughness, allowing the material to have a strength-to-weight ratio higher than titanium, aluminum and other conventional alloys. The amazing features of this material are created through a special heat treatment which gives rise to nanoparticles in its crystalline matrix, thus creating a hard and highly resistant structure. Sandvik Nanoflex® has a tensile strength which goes well beyond 200 kg/mm² and an extremely high resistance to breaking, all while maintaining its malleability and resilience (this means being able to absorb elastic deformation energy). Sandvik Nanoflex® has a tensile strength 70% greater than that of traditional heat-treated chromoly steel and is 20% harder. This means the metal is less likely to break under stress (resistance) and it will wear down more slowly and stay sharp longer (hardness). These properties allow a significant reduction in the amount of steel used, thereby saving weight while increasing performance: not only is it super strong, but thinner metal penetrates ice with less effort and less fracturing.

Technical Ice



CASSIN
X-Dream
3051



CASSIN
X-Dream Alpine
3064



CASSIN
X-All Mountain
2521

Mountaineering



CASSIN
X-Light - Hammer
2518



CASSIN
X-Light - Adze
2519



CAMP
Alpina
2291



CAMP
Neve
2290



CAMP
Corsa
1428



CAMP
Corsa Nanotech
1429



X-Dream video

CASSIN X-Dream**3051****1ST CLASS****CC4U**

ICE CLIMBING, MIXED CLIMBING

- Hyperlight, perfectly balanced, fully featured tool for technical dry, mixed and ice climbing
- Ergonomic handle with patented adjustment system to change between Dry and Ice angles
- The handle is constructed from extreme cold resistant polymer laid over the hot-forged aluminum alloy spine
- 4 different picks (Mixed supplied as standard, Ice, Race and total Dry can be purchased separately) provide further refinement for different styles of climbing
- Micro-adjustable trigger finger ledges and X-Rest insert adjust the overall height and size of the handle
- X-Triggerommel attaches to the shaft for a third ledge
- X-Grip 2 included

The X-Dream combines two tools in one – a fully optimized tool for technical ice and an aggressive dry tooling machine. This amazing ice axe not only features three different T rated picks for various terrain, but it also incorporates a patented adjustment system in the ergonomic handle to fine tune the swing and torque even further. A quick turn of the allen bolt above the grip allows the tool to be switched between Dry and Ice positions by changing the angle of the handle in relation to the angle of the pick. In the Dry position, the handle kicks upward for a more down and out pull. The Ice position drops the handle for a more natural swing. Climbers can further refine the X-Dream with micro-adjustable trigger finger ledges (choose from two inserts – the X-Finger Small or the X-Finger Large – that can be flipped over to adjust the position) and the X-Rest insert which adjusts the overall height of the handle. All four picks feature the refined beak and tooth configuration CASSIN tools are known for. They are designed to provide solid sticks with minimal penetration making them the perfect choice for brittle ice and technical mixed terrain. The Ice pick brings the tip 6 mm closer to the handle for performance similar to the popular X-All Mountain tool. It also features a small hammer that adds the perfect amount of head weight for thin and brittle ice. The Race pick features a sharp beak for grappling with rock. The Mixed pick is a blend between the two with similar angles to the Ice pick but only a small hammer plate and teeth reaching further down the shaft like the Race pick. The Total Dry pick is designed for maximum performance on overhanging dry tooling routes and in competitions.

**CASSIN X-Dream Race Pick****3052** 113 g

- T-rated pick - Extreme beak is optimized for overhanging dry tooling

T-rated pick optimized for the X-Dream ice tools. The extreme beak and tooth configuration are designed for the overhanging dry tooling routes.

**CASSIN X-Dream Mixte Pick****2803** 115 g

- T-rated pick - Optimized for technical mixed climbing and steep ice

T-rated pick designed to deliver the optimal balance of performance on both technical mixed and ice terrain. New multi-part design allows the same pick to be used alone or with the hammer (ref. 2688) or the adze (ref. 2689).

**CASSIN X-Dream Ice Pick****2804** 102 g

- T-rated pick - Optimized for technical ice

T-rated pick optimized for the best performance on technical ice. New multi-part design allows the same pick to be used alone or with the hammer (ref. 2688) or the adze (ref. 2689).

**CASSIN X-Dream Total Dry Pick****2523** 110 g

- T-rated pick for overhanging dry tooling routes and competitions

A new pick designed for maximum performance on overhanging dry tooling routes and in competitions. The Total Dry Pick has even more aggressive geometry than the Race Pick and a constant thickness of 4 mm with a special heat treatment to increase durability and rigidity.

Ref.	Product name	Weight		Modular head	Pick material	Shaft material	Spike material	CE EN 13089
		g	oz					
3051	X-DREAM	600	21.2	•	Chromoly Steel	2.5 mm 7075 Alu		Type 2



X-Dream Alpine video



CASSIN X-Dream Alpine

3064

1ST CLASS

CC4U

ALPINISM, ICE CLIMBING

- Hyperlight, perfectly balanced, fully featured tool for alpine climbing and long technical ice routes
- Comes standard with the X-Dream Ice pick and X-Trigger Fast shaft pommel which is adjustable without tools
- Handle features an integrated spike
- Ergonomic handle with patented adjustment system allows climbers to change between Dry and Ice angles
- The handle is constructed from extreme cold resistant polymer laid over the hot-forged aluminum alloy spine
- Optional Mixed and Race picks for amazing versatility
- Fully modular and adjustable for your hand size and route type
- 2 trigger finger ledges (X-Finger Small and X-Finger Large) are included to allow climbers to fine-tune the position of the index finger
- 5 mm X-Rest insert (included) allows climbers to adjust the overall height and size of the handle
- X-Grip 2 friction tape on shaft for good purchase during technical maneuvers

The X-Dream Alpine is the alpine climbing version of the award-winning X-Dream ice tool. It features the same innovative design and geometry that have made the X-Dream so popular, with the addition of the alpine handle that incorporates a spike designed for use in the cane position. The standard Ice pick with integrated hammer makes the X-Dream Alpine perfect for pounding pitons and clearing icicles. The X-Trigger Fast shaft pommel provides an adjustable third grip position for choking up high or matching on the tool, and a variety of inserts allow the main grip to be modified both in volume and shape to help climbers craft the perfect grip. The result is a fully optimized tool for technical ice, mixed climbing, and adventurous alpine terrain. The most innovative feature on the X-Dream Alpine remains with the angle-adjustable handle that allows climbers to switch between Dry and Ice positions. Turn the Allen bolt above the grip to switch between the two positions. In the Dry position, the handle rotates upward for a more downward and outward pull. The Ice position drops the handle for a more natural swing and grip on slabby and vertical terrain.

All four picks feature the refined beak and tooth configuration that CASSIN tools are known for. They are designed to provide solid sticks with minimal penetration making them the perfect choice for brittle ice and technical mixed terrain. The included Ice pick delivers a swing that is very similar to the popular X-All Mountain tool with a little extra head weight from the small hammer. The optional Race pick is designed to be used with the regular X-Dream handle and features a sharp beak for grappling with rock along with more aggressive teeth both on the underside and topside of the pick. The optional Mixte pick is a blend between the two with similar angles to the Ice pick but only a small hammer plate and teeth reaching further down the shaft like the Race pick. The optional Total Dry pick is designed for maximum performance on overhanging dry tooling routes and in competitions.

CASSIN X-Dream Grip

3065 170 g

The original X-Dream handle with no spike (standard on the original X-Dream) for the best clearance on technical ice and mixed terrain. Sold separately so climbers can modify their X-Dream Alpine tools for dry-tooling and technical ice.

CASSIN X-Dream Alpine Grip

3066 176 g

The X-Dream Alpine Handle has an integrated spike to optimize the tool for alpine climbing and use in cane position. Sold separately so climbers with the original X-Dream tools can swap handles according to specific objectives.

Ref.	Product name	Weight		Modular head	Pick material	Shaft material	Spike material	CE EN 13089 Type 2
		g	oz					
3064	X-DREAM ALPINE	630	22.2	•	Chromoly Steel	2.5 mm 7075 Alu	6 mm 7075 Alu	



CASSIN X-All Mountain

2521

CC4U

ICE CLIMBING, ALPINISM

- Optimized pick angle and tooth configuration climbs all angles of ice remarkably well
- Hot-forged aluminum alloy head allows for 2 configurations: pick & adze and pick & hammer
- T-rated chromoly steel pick and T-rated 7075-T6 aluminum alloy shaft (CE-UIAA type 2)
- 3 part handle can be optimized for different conditions and hand size
- Interchangeable steel spike is large enough to stick on low angle glacier ice and has a hole large enough to clip a carabiner for use with lanyards

The X-All Mountain ice tool changed expectations about how tools should swing and penetrate ice. Everything about the X-All Mountain makes it easier to get single-swing sticks and the more technical the ice, the more it outperforms the competition. The handle is now 3 parts that can be assembled in the precise way that fits the terrain being climbed and allows the climber to fine-tune the position of the upper pommel. It also increases mechanical resistance to the specific stresses on each part of the handle. Everything else about the geometry, balance and weight remain the same.



CASSIN X-Light

2518 Hammer

2519 Adze

CC4U

ALPINISM

- A lightweight, versatile tool for the technical alpinist
- Hot-forged aluminum alloy head allows for 2 configurations: adze and hammer
- T-rated chromoly steel pick and T-rated 7075-T6 aluminum alloy shaft (CE-UIAA type 2)
- 3 part handle can be optimized for different conditions
- Interchangeable steel spike has a hole large enough to clip a carabiner for use with lanyards

The X-Light takes the same quality forged components and profiled geometries as the X-Dream and X-All Mountain tools, but simplifies the shaft to make it the most suitable axe for low-angle terrain typical of light and fast technical ascents. Two different head configurations (adze and hammer) allow the tool to be perfectly optimized for the objective. The single-curve shaft is optimized with the angle of the pick for solid performance on alpine ice and for use as a cane. Carabiner holes at the head and spike accommodate traditional leashes or lanyards. The 3 part handle can be assembled in the precise way that fits the terrain being climbed with an upper pommel that can be repositioned without tools. It also increases mechanical resistance to the specific stresses on each part of the handle. The hammer and adze components have been shaped for a comfortable grip and the pick does not have teeth near the shaft to further increase comfort and help limit wear and tear on gloves.

Ref.	Product name	Weight		Modular head	Pick material	Shaft material	Spike material	CE EN 13089
		g	oz					
2521	X-ALL MOUNTAIN	595	21.0	•	Chromoly Steel	2.5 mm 7075 Alu	Chromoly steel	Type 2
2518	X-LIGHT - Hammer 50 cm	525	18.5	•	Chromoly Steel	2.5 mm 7075 Alu	Chromoly steel	Type 2
2519	X-LIGHT - Adze 50 cm	520	18.4	•	Chromoly Steel	2.5 mm 7075 Alu	Chromoly steel	Type 2



CAMP Alpina

2291

CC4U

MOUNTAINEERING, ALPINISM

- Rugged T-rated pick and shaft (CE-UIAA type 2)
- Forged chromoly steel head
- Ergonomic head design for a comfortable grip
- Asymmetric steel spike plunges smoothly
- Equipped with the technical Alpina leash (1304)
- Carabiner holes at the head and spike for easy clipping
- Striking colors coordinate with the technical C12 crampons
- CC4U wear indicator warns when the pick is dull beyond the safe limit

With its super-strong T-rated construction on the head and shaft, the Alpina is the right choice for intensive use on rugged alpine terrain. The unique forged chromoly steel head delivers superior strength and durability. A refined pick provides excellent performance both when swinging into ice and during self arrest. The curve and arc of the adze have been optimized for maximum cutting performance, a feature greatly appreciated when chopping a platform. In addition, the sculpted head with the thermoplastic cap creates a comfortable hand grip when using the axe as a cane.



CAMP Neve

2290

BEST SELLER

MOUNTAINEERING

- Forged chromoly steel pick and adze
- Curved adze for a comfortable hand grip and good chopping performance
- Carabiner holes at head and spike
- Symmetric steel spike plunges smoothly
- CC4U wear indicator warns when the pick is dull beyond the safe limit
- Equipped with sliding leash (1305)
- Striking colors coordinate with the popular Stalker crampons

A sleek and elegant mountaineering axe with a forged steel pick designed to deliver solid placements in hard snow and provide quick and aggressive self arrests. Striking colors coordinate with the popular Stalker crampons.

Ref.	Product Name	Weight		Pick material	Shaft material	Spike material	Leash	CE
		g	oz					EN 13089
2291	ALPINA 50 cm	500	17.6	Chromoly Steel	2.5 mm 7075 Alu	Chromoly steel	Alpina	Type 2
	ALPINA 57 cm	540	19.1					
	ALPINA 65 cm	585	20.7					
	ALPINA 73 cm	610	21.5					
2290	NEVE 50 cm	455	16.1	Chromoly Steel	2.5 mm 6082 Alu	Chromoly steel	Touring	Type 1
	NEVE 57 cm	495	17.5					
	NEVE 65 cm	535	18.9					
	NEVE 73 cm	585	20.7					
	NEVE 80 cm	625	22.1					



Bergsteiger
TIPP
Ultraleicht

CAMP Corsa
1428

LIGHT&FAST SKI COMP

SKI MOUNTAINEERING, COMPETITIVE SKI MOUNTAINEERING, HIGH ALTITUDE

- The lightest ice axe in the world!
- Forged aluminum pick and adze
- Ideal for snow travel and self arrest
- Can be used as an anchor for glacier rescue and traversing cornices
- Nylon spike plug on 60 and 70cm lengths keeps ice out of the shaft
- CC4U wear indicator warns when the pick is dull beyond the safe limit
- Optional sliding leash (1305) easily attaches to the shaft

The lightest ice axe in the world! The clean design provides amazing performance especially considering how little it weighs. Perfect for glacier travel, ski mountaineering and adventure racing. The 7075-T6 aluminum alloy head and shaft meet all CE and UIAA requirements for strength and durability. However, the Corsa is not recommended for ice climbing, rugged mixed terrain, or for intense step chipping.



CAMP Corsa Nanotech
1429

1st CLASS

SKI MOUNTAINEERING, ALPINISM, HIGH ALTITUDE

- The second lightest ice axe in the world!
- Sandvik Nanoflex® steel pick and spike for durability and strength
- Ideal for snow travel and self arrest
- Can be used as an anchor for glacier rescue and traversing cornices
- Nylon spike plug on all lengths keeps ice out of the shaft
- Optional sliding leash (1305) easily attaches to shaft

The most advanced mountaineering ice axe on the market. Employs the same 7075-T6 aluminum alloy as the hyperlight Corsa, but features innovative Sandvik Nanoflex® steel reinforcements on the pick and spike. The steel components dramatically increase the durability and strength of these critical points without significantly increasing the weight of the axe. In addition, the Corsa Nanotech has an aggressive single-curve shaft that provides better clearance without interfering with walking or plunging performance. Can be fit with either the sliding leash (1305) for mountaineering or the Alpina leash (1304) for alpine climbing.

 Sandvik Nanoflex® is an innovative patented steel alloy that is 70% stronger and 20% harder than normal steel which allows for a significant reduction in the amount of metal used, thereby decreasing weight while maintaining strength.



Deutsches Museum

Ref.	Product Name	Weight		Pick material	Shaft material	Spike material	Leash	CE
		g	oz					EN 13089
1428	CORSA 50 cm	202	7.1	7075 Aluminum	1.3 mm 7075 Alu			Type 1
	CORSA 60 cm	250	8.8					
	CORSA 70 cm	281	9.9					
1429	CORSA NANOTECH 50 cm	246	8.7	7075 Aluminum / Nanoflex®	1.3 mm 7075 Alu	Nanoflex®		Type 1
	CORSA NANOTECH 60 cm	276	9.7					
	CORSA NANOTECH 70 cm	306	10.8					



012601

012602

CASSIN X-Gyro™ Leash

012601 Size 1 - 85/129 cm - 133 g

012602 Size 2 - 92/147 cm - 142 g

ALPINISM, ICE CLIMBING

- Features the innovative Gyro™ swivel that allows three connection points to rotate independently of each other so twists and tangles are virtually eliminated
- Elastic rewind lanyards automatically contract to their short length to stay out of the way while climbing
- Axes connect with light and super-compact clips (included) or small loops of cord for girth-hitching
- Available in two lengths to fit all climbers

The innovative X-Gyro™ lanyard system uses a patented swivel design that allows each attachment point (harness + left axe + right axe) to rotate completely independently from the others. This means no more tangles and no more twisting. The rewind elastic webbing cords stretch easily for swinging and contract back to their original length to keep them out of the way. Attachment to the axe can be done in two ways. For maximum security, use the loop of cord to girth-hitch the spike or handle of the axe. Or make it easy to attach and detach the axes with the light and super-compact clips provided. Available in two lengths to fit all climbers.





CAMP Hub
0910 36 g

ALPINISM, ICE CLIMBING

- Fits on most climbing harness waist belts
- Convenient racking for ice screws and tools

A wire gate racking carabiner with a wide gate opening and super smooth gate action designed to carry up to six ice screws. The Hub is also superior to a traditional holster for carrying ice tools that have modern shapes or leashes—just clip the head.



CASSIN Scorpio
3023 32 g

ALPINISM, ICE CLIMBING

- Plastic cap slides down to prevent unwanted snagging
- Fits inside ice screws for clearing plugs

Lightweight hook for threading V-thread anchors and removing ice from the tube of an ice screw. 24 cm.

CASSIN X-Light Pick
2287 76 g



CASSIN X-Light Hammer
2288 53 g



CASSIN X-Light Adze
2289 47 g



CASSIN X-Trigger Fast
2292 15 g



CASSIN X-Dry Pick
3005 121 g

- B-rated pick

B-rated pick optimized for the X-Dry. Compatible with the X-All Mountain.



CASSIN X-All Mountain Pick
3050S 112 g

- T-rated pick (UIAA type 2)

T-rated pick optimized for the X-All Mountain ice tools. Can also be used to retrofit X-Dry and X-Ice.



CASSIN X-All Mountain / X-Light Grip
2522 90 g

A 3 part version of the X-All Mountain handle that is compatible for use on older versions of the X-All Mountain and X-Light tools. The 3 part system allows it to be assembled in the precise way that fits the terrain being climbed and allows the climber to fine-tune the position of the upper pommel. It also increases mechanical resistance to the specific stresses on each part of the handle. Spike included.



CASSIN X-Dry / X-All Mountain Grip
4000 57 g

Dual-density handgrip for the X tools. Sold without spike. Compatible with X-Ice or X-Dry spikes.



CASSIN X-Ice / X-All Mountain 3000S Spike
3061 42 g

A perfectly profiled spike for climbing in the big mountains (comes standard on the X-All Mountain ice tool). Long enough, sharp enough to penetrate snow on lower angled terrain and the hole is big enough for clipping a carabiner. Compatible with all CASSIN X tools (not compatible with the X-Alp Grip). Sold separately from grips.



CASSIN X-Hammer
3008 45 g

Optimized hammer compatible with the X-Dry, X-All Mountain and X-Alp ice tools.



CASSIN X-Adze
3009 52 g

Profiled adze compatible with the X-Dry, X-All Mountain and X-Alp ice tools.



CASSIN X-Grip
3013 3 g

Friction tape for use on the shaft of leashless ice tools.



CASSIN X-Grip 2
3059 3.5 g

Friction tape for use on the shaft of leashless tools. The version 2 is designed specifically for the shaft of the X-Dream.



CASSIN X-Trigger
3054 11 g

A low-profile pinky pommel that attaches to the shaft of any of our technical ice tools to offer an extra swapping or resting point. Sold individually.



3055



3056



3057

CASSIN X-Finger
3055 Small - 2 g
3056 Large - 3 g

CASSIN X-Rest
3057 6 g

X-Finger: trigger finger inserts for customizing the X-Dream Ice Tools. The X-Finger inserts are flippable for millimetric adjustment. Sold individually.
X-Rest: inserts for customizing the X-Dream Ice Tools. The X-Rest handle height insert raises the height of the handle interior by 5 mm. Sold individually.



CASSIN X-Dream Hammer

2688 42 g

Optimized hammer designed for the X-Dream and X-Dream Alpine ice tools. Compatible with the new X-Dream Ice Pick (ref.2804) and X-Dream Mixte Pick (ref.2803).



CASSIN X-Dream Adze

2689 46 g

Profiled adze designed for the X-Dream and X-Dream Alpine ice tools. Compatible with the new X-Dream Ice Pick (ref.2804) and X-Dream Mixte Pick (ref.2803).



CASSIN X-Dream Head Weights

2524 62 g

Head weights to optimize the X-Dream for thin, brittle ice where one swing penetration is a necessity. The weights can be used with all of the picks. In cold, brittle conditions, use all three parts for the Mixte pick. For the Ice pick, we recommend using only the two main parts without the middle insert.



CAMP Alpina Leash

1304 35 g

A technical leash designed to fit nearly any ice axe. The wrist loop quickly adjusts in size, a useful feature on climbs where you may need gloves in the morning and bare hands in the afternoon. A small loop holds your hand close to the shaft for quick retrieval but slides up when using the tool as a cane.



CAMP Touring Leash

1305 29 g

A simple sliding leash designed to fit the shaft dimensions on all CAMP mountaineering ice axes, as well as many other brands (the shaft opening is 25 x 35 mm). A heavy rubber stopper secures the slider at the bottom.



CAMP Head Protector

0389 31 g

Classic rubber guard that prevents the pick and adze from tearing up gear.



CAMP Spike/Pick Protector

0391 4 g

A rubber protector that fits the spike of traditional ice axes. Also designed to be used on picks.



Approaching the summit before a long descent in Grand Teton National Park
© Frederik Marmsater

CRAMPONS



CRAMPONS

While the ice axe has become the iconic symbol of mountaineering, it is crampons that actually propel and protect us with each step. This is why C.A.M.P. continues to push the boundaries of innovation with this key piece of gear.

Construction and Design. The history of crampon innovation at C.A.M.P. is as old as the company itself. It follows the same heritage of master metallurgy for which the Varrone Valley, where C.A.M.P. is based, is world-renowned. Like our axes, crampons are constructed from start to finish by master craftsmen with the knowledge and skill that only a history steeped in tradition and developed via the old-school system of apprenticeship can create. Include the contributions of engineers who have been navigating the Alps on foot since the time they could walk, and the result is a complex blend of innovation marked by intricate shapes, advanced materials, and top-end manufacturing. We apply this approach to our entire range of crampons, from the updated Stalker with new shaping to fit the profile of modern boots, to the top end Blade Runner that was the first ice crampon designed specifically to improve the critical connection between modern boots and crampons.

The Revolution is here. The Blade Runner, featuring a redesigned front platform for higher levels of resistance and strength, represents the best application of the principles of construction and design highlighted above. It is the most versatile crampon on the market with interchangeable binding systems and front points specifically designed for technical ice or alpinism. The patented heel slide integrates the linking bar with the heel piece for exceptional torsional rigidity; something that has been lost in the current era of crampon designs. We have also incorporated a variation of this design into the Alpinist, Alpinist Pro and Alpinist Tech crampons. They have been built as the ultimate tools for alpine and ice climbers with an asymmetric design that follows the contours of modern boots, perfect placement of primary and secondary points, a micro-adjustable linking bar for dialing in a precise fit, and dynamic anti-balling plates that now equip all of our crampons.

Go Light. Because crampons are such a critical part of mountaineering safety, many traditional climbers balk at the idea of using aluminum, which they view as inferior to steel. The reality is that by using today's advanced alloys along with compound shapes, many of the immediate concerns about aluminum alloy can be addressed through engineering. Other issues are addressed by understanding the limitations of the materials. We draw the distinction between steel and aluminum simply: aluminum is for stepping and steel can be used for kicking. Most classic mountaineering routes do not require true front-pointing. For these routes, the lightweight benefits of aluminum alloy far outweigh the limitations. With each and every step, climbers using lightweight aluminum crampons will save energy making them more capable and aware. The trick becomes matching the right aluminum crampons to your specific objective. This is why the range of lightweight crampons from C.A.M.P. is far larger than any other brand. By using innovative methods of construction like stamping, the XLC series crampons of mountaineering crampons add a level of strength and rigidity to the critical points of the front platform that other lightweight crampons do not have. The Skimo series includes four hyperlight models that have been specifically designed to fit modern A/T boots.

Skimo. Working in conjunction with the world's elite ski mountaineering athletes, C.A.M.P. has developed the next level of crampons specifically for ski mountaineering. The new range has been uniquely designed around the growing number of A/T boot models. We are elated that ski mountaineering continues to grow in popularity and we are glad that skiers have ever more options for boots. But we have also seen a negative impact on boot/crampon compatibility as crampons have not kept pace with the developments in boots. So we set out to find a solution. By reshaping the frames and developing a new interface for the toe called T-Stop, the new range of Skimo crampons attach faster and fit more securely to A/T ski boots than any other crampons on the market. Of course, keeping with our light & fast mentality, they are also some of the lightest crampons in the world. The range includes the Skimo Total Race (winner of the 2018 ISPO Product Design Award) and the Skimo Race for the hyperlight crowd as well as the Skimo Tour and Skimo Tour Nanotech with Sandvik Nanoflex® steel front points for backcountry crushers.



Category leaders



LIGHT&FAST
Skimo Total Race
2583



LIGHT&FAST **1ST CLASS**
Tour Nanotech
2543



1ST CLASS
Skimo Nanotech
2586



1ST CLASS
Blade Runner
0378



BEST SELLER
Stalker - Universal
292001

The most advanced materials. C.A.M.P. uses proprietary Sandvik Nanoflex® steel in several of its crampons. Sandvik Nanoflex® has a tensile strength 70% greater than that of traditional heat-treated chromoly steel and is 20% harder. These properties allow us to use less metal in our crampon designs making them both lighter and stronger than traditional steel crampons.

Binding Systems. C.A.M.P. crampons use three binding systems, each optimized to fit specific styles of boots and specific styles of climbing.

- Automatic Bindings are designed to fit boots with a fully rigid platform that keeps them from flexing too much underfoot, and with heel and toe lugs specifically designed for crampon compatibility. Automatic bindings will provide the most secure fit when used in conjunction with rigid boots and they are the lightest option. They are also the only recommended binding for ski boots as the other binding systems will not offer the same secure fit.
- Semi-Automatic Bindings have a universal toe harness combined with an automatic heel bail. This is a popular system for technical alpinism because it realizes some of the benefits of automatic bindings, but will be compatible with boots that eliminate the bulky toe lug so the boot can climb rock with more precision.
- Universal Bindings are designed to fit on any boot or shoe thanks to thermo-plastic heel and toe baskets. Universal Bindings are an excellent choice for mountaineering, but should not be used for technical alpine climbing or ski mountaineering where a more precise fit is recommended.

Technical Ice

Ref.	Product name	Weight		Size (*)		Boot type			Points	Frame material	Antibott	CE
		g	oz	European				EN 893				
037801	BLADE RUNNER Size 1	1020	36.0	37-46	•	•			13/14	Chromoly Steel / Nanoflex®	Included	•
037803	BLADE RUNNER Size 2	1030	36.4	40-49	•	•			13/14	Chromoly Steel / Nanoflex®	Included	•
037802	BLADE RUNNER ALPINE Size 1	1130	39.9	37-46	•	•			13/14	Chromoly Steel / Nanoflex®	Included	•
037804	BLADE RUNNER ALPINE Size 2	1140	40.2	40-49	•	•			13/14	Chromoly Steel / Nanoflex®	Included	•
2680	ALPINIST TECH	810	28.6	36-48	•	•	• + Art.2453 + Art.2450		11	Chromoly Steel	Included	•

Mountaineering

New	Ref.	Product name	Weight		Size (*)		Boot type			Points	Frame material	Antibott	CE
			g	oz	European				EN 893				
	2449	ALPINIST PRO - AUTO / SEMI-AUTO	960	33.9	36-48	•	•			12	Chromoly Steel	Included	•
	2447	ALPINIST - UNIVERSAL	950	33.5	36-48	•	•	•		12	Chromoly Steel	Included	•
	2448	ALPINIST - AUTO / SEMI-AUTO	970	34.2	36-48	•	•			12	Chromoly Steel	Included	•
NEW 20	292001	STALKER - UNIVERSAL	885	31.2	36-48	•	•	•		12	Chromoly Steel	Included	•
NEW 20	292002	STALKER - SEMI-AUTOMATIC	890	31.4	36-48	•	•			12	Chromoly Steel	Included	•
	254402	XLC NANOTECH - SEMI-AUTOMATIC	650	22.9	36-48	•	•			12	7075 Aluminum / Nanoflex®	Included	•
	254403	XLC NANOTECH - AUTOMATIC	560	19.8	36-47	•	•			12	7075 Aluminum / Nanoflex®	Included	•
	254201	XLC 490 - UNIVERSAL	585	20.7	36-48	•	•	•		12	7075 Aluminum	Included	•
	254202	XLC 470 - SEMI-AUTOMATIC	575	20.3	36-48	•	•			12	7075 Aluminum	Included	•
	254203	XLC 390 - AUTOMATIC	490	17.3	36-47	•	•			12	7075 Aluminum	Included	•
	254303	TOUR NANOTECH - AUTOMATIC	645	22.8	36-44	•	•			10	Nanoflex®	Included	•

Ski Mountaineering

Ref.	Product name	Weight		Weight no antibott	Size (*)		Sole length		Boot type		Points	Frame material	Antibott	CE
		g	oz		g	European								EN 893
2583	SKIMO Total Race	350	12.4	310	36-46	210-260	260-330				10	7075 Aluminum	Included	•
2584	SKIMO Race	425	15.0	350	36-46	210-260	260-330		•	• + Ref.2589 + Ref.2588	10	7075 Aluminum	Included	•
2585	SKIMO Tour	445	15.7	370	36-46	210-260	260-330		•	• + Ref.2589	10	7075 Aluminum	Included	•
2586	SKIMO Nanotech	470	16.6	395	36-46	210-260	260-330		•	• + Ref.2589	10	7075 Aluminum / Nanoflex®	Included	•

Hiking

Ref.	Product name	Weight		Size (*)		Points	Frame material	Antibott	CE
		g	oz	European	EN 893 (Parts)				
0656	FROST	555	19.6	36-47	6	Chromoly Steel	Included	•	

The weight of crampons sold with mounted Antibott (see product picture) is inclusive of the Antibott weight
 (*) Sizing varies depending on different boots, brands and models

Boot type



Automatic



Semi-Automatic



Universal



Sandvik Nanoflex® is a ground-breaking stainless steel alloy which perfectly combines mechanical resistance, hardness and toughness, allowing the material to have a strength-to-weight ratio higher than titanium, aluminum and other conventional alloys. The amazing features of this material are created through a special heat treatment which gives rise to nanoparticles in its crystalline matrix, thus creating a hard and highly resistant structure. Sandvik Nanoflex® has a tensile strength which goes well beyond 200 kg/mm² and an extremely high resistance to breaking, all while maintaining its malleability and resilience (this means being able to absorb elastic deformation energy). Sandvik Nanoflex® has a tensile strength 70% greater than that of traditional heat-treated chromoly steel and is 20% harder. This means the metal is less likely to break under stress (resistance) and it will wear down more slowly and stay sharp longer (hardness). These properties allow a significant reduction in the amount of steel used, thereby saving weight while increasing performance: not only is it super strong, but thinner metal penetrates ice with less effort and less fracturing.

Technical Ice



CASSIN
Blade Runner
037801/037803



CASSIN
Blade Runner Alpine
037802/037804



CASSIN
Alpinist Tech
2680

Mountaineering



CASSIN
Alpinist Pro - Auto / Semi-Auto
2449



CASSIN
Alpinist - Universal
2447



CASSIN
Alpinist - Auto / Semi-Auto
2448



CAMP
Stalker - Universal
292001



CAMP
Stalker - Semi-Automatic
292002



CAMP
XLC Nanotech - Semi-Automatic
254402



CAMP
XLC Nanotech - Automatic
254403



CAMP
Tour Nanotech - Automatic
254303



CAMP
XLC 490 - Universal
254201



CAMP
XLC 470 - Semi-Automatic
254202



CAMP
XLC 390 - Automatic
254203

Ski Mountaineering



CAMP
Skimo Total Race
2583



CAMP
Skimo Race
2584



CAMP
Skimo Tour
2585



CAMP
Skimo Nanotech
2586

Hiking



CAMP
Frost
0656



CAMP
Ice Master
0173



CAMP
Ice Master Light
2590



037801



037803

CASSIN Blade Runner

037801 size 1

037803 size 2

1ST CLASS

CC4U

ICE CLIMBING, MIXED CLIMBING

- The most versatile technical ice crampon on the market
- Patented heel slide design integrates the benefits of vertical and horizontal frame crampons
- Interchangeable front points are easy to switch from dual to mono, centered or offset
- Optional snow points optimize the crampons for alpine terrain
- Front platform has been redesigned for higher levels of resistance and strength
- V-shaped chromoly steel front platform offers high rigidity and reduces balling
- The patented heel slide is constructed from proprietary Sandvik Nanoflex® steel for the optimal blend of strength, flex and lightweight
- Asymmetric design follows the contours of modern boots to ensure a precise fit
- Semi-automatic toe bails allow for use on boots without rigid toe lugs
- Anti-balling plates included
- Available in two sizes for optimal boot fit
- Adjustable fold-over carrying case with lashing straps included
- Comes pre-equipped with mono-points and automatic toe bails
- Two extra front points (item 0145) and semi-auto toe bails (item 0150) are included in the box



Blade Runner video

The Blade Runner represents a new era in technical ice crampons. A wealth of innovative features combine to create a crampon that conforms to the ergonomics of modern boots, increases rigidity along the entire length of the crampon without decreasing dexterity or compromising fit, adapts to alpine conditions with a variety of front points and toe bail configurations, and reduces balling with its inverted V-shaped front platform. The patented heel slide integrates the linking bar with the heel piece for better torsional rigidity. This allows the Blade Runner to offer the best of both worlds by combining the power and stability of vertical frame crampons with the precision and ease of adjustment of horizontal frame designs. The entire heel slide is constructed from proprietary Sandvik Nanoflex® steel: an amazingly strong and tough stainless steel that allows for a reduction in the thickness of the frame from 2.75 mm to 1.8 mm, thereby reducing weight while simultaneously increasing strength and providing the right amount of longitudinal flexibility for a precise fit on modern boots with more extreme rocker. The redesigned front platform is constructed from traditional chromoly steel alloy to absorb impact energy and maintain solid rigidity under foot. The elimination of connection joints leaves little room for play and reduces much of the flex that can make crampons seem less secure on technical terrain. The sophisticated geometry of the front points interact with the secondary points on the main frame for easy penetration and superior hold even in the most fickle conditions. Switching the front points between dual and mono, centered or offset, is made easy with the hook and notch system. The optional snow points convert the Blade Runner into all mountain machines with their beveled design and precise shape and spacing that maximizes purchase in ice and hard snow. Optional semi-automatic toe bails also allow the Blade Runner to be used on boots without rigid toe lugs – a great feature for alpine climbing where the bulky toe lug reduces sensitivity and performance on rock.



Sandvik Nanoflex® is an innovative patented steel alloy that is 70% stronger and 20% harder than normal steel which allows for a significant reduction in the amount of metal used, thereby decreasing weight while maintaining strength.

Ref.	Product name	Weight		Size (*)		Boot type		Points	Frame material	Antibott	CE
		g	oz	European	Automatic	Semi-Automatic	EN 893				
037801	BLADE RUNNER Size 1	1020	36.0	37-46	•	•	13/14	Chromoly Steel / Nanoflex®	Included	•	
037803	BLADE RUNNER Size 2	1030	36.4	40-49	•	•	13/14	Chromoly Steel / Nanoflex®	Included	•	

The weight of crampons sold with mounted Antibott (see product picture) is inclusive of the Antibott weight
 (*) Sizing varies depending on different boots, brands and models



037802



037804

CASSIN Blade Runner Alpine

037802 size 1

037804 size 2

1ST CLASS

CC4U

ALPINISM, ICE CLIMBING, MIXED CLIMBING

- Blade Runner crampons with horizontal ALPINE front points and semi-automatic toe bails
- Ideal for alpine routes on snow, neve, and ice
- Patented heel slide design integrates the benefits of vertical and horizontal frame crampon designs
- Interchangeable front points easily switch from alpine to ice configuration
- 2 front toe bail styles, for boots with or without toe lugs
- Front platform has been redesigned for higher levels of resistance and strength
- V-shaped chromoly steel front platform offers high rigidity and reduces balling
- The patented heel slide is constructed from proprietary Sandvik Nanoflex® steel for the optimal blend of strength, flex and lightweight
- Asymmetric design follows the contours of modern boots to ensure a precise fit
- Anti-balling plates included
- Available in two sizes for optimal boot fit compatibility
- Adjustable fold-over carrying case with lashing straps included
- Comes pre-equipped with semi-auto toe bails and dual alpine front points
- Automatic toe bails (item 0251) are included in the box



Blade Runner Alpine video

The Blade Runner Alpine crampons feature horizontal ALPINE front points and semi-automatic toe bails. They are ideal for alpine routes with variable conditions, often climbed using boots without rigid toe lugs. The Blade Runner represents a new era in technical ice crampons. A wealth of innovative features combine to create a crampon that conforms to the ergonomics of modern boots, increases rigidity along the entire length of the crampon without decreasing dexterity or compromising fit. The patented heel slide integrates the linking bar with the heel piece for better torsional rigidity. This allows the Blade Runner to offer the best of both worlds by combining the power and stability of vertical frame crampons with the precision and ease of adjustment of horizontal frame designs. The entire heel slide is constructed from proprietary Sandvik Nanoflex® steel: an amazingly strong and tough stainless steel that allows for a reduction in the thickness of the frame from 2.75 mm to 1.8 mm, thereby reducing weight while simultaneously increasing strength and providing the right amount of longitudinal flexibility for a precise fit on modern boots with more extreme rocker. The redesigned front platform is constructed from traditional chromoly steel alloy to absorb energy and maintain solid rigidity under foot. The elimination of connection joints leaves little room for play and reduces much of the flex that can make crampons less secure on technical terrain. Front bails and front points are interchangeable allowing the Blade Runners to be quickly converted to vertical ice machines with automatic toe bails and vertical ice front points.



Sandvik Nanoflex® is an innovative patented steel alloy that is 70% stronger and 20% harder than normal steel which allows for a significant reduction in the amount of metal used, thereby decreasing weight while maintaining strength.

Ref.	Product name	Weight		Size (*)		Boot type		Points	Frame material	Antibott	CE EN 893
		g	oz	European							
037802	BLADE RUNNER ALPINE Size 1	1130	39.9	37-46		•	•	13/14	Chromoly Steel / Nanoflex®	Included	•
037804	BLADE RUNNER ALPINE Size 2	1140	40.2	40-49		•	•	13/14	Chromoly Steel / Nanoflex®	Included	•

The weight of crampons sold with mounted Antibott (see product picture) is inclusive of the Antibott weight (*) Sizing varies depending on different boots, brands and models



CASSIN Alpinist Tech
2680

ICE CLIMBING, ALPINISM, MIXED CLIMBING

- Aggressive mono-point functionality with a secondary front point for greater support and stability
- Our lightest technical ice crampons
- Asymmetric design follows the contours of modern boots to ensure a precise fit
- Micro-adjustable linking bar with integrated heel piece for better torsional rigidity
- 3 front bail positions, 2 heel bail positions, 3 heel bail height settings
- Dynamic anti-balling plates included
- Adjustable fold-over carrying case with lashing straps included

The evolution of the Alpinist Pro, the Alpinist Tech features the aggressive functionality of a mono-point with a precisely positioned secondary point for extra support and stability. Designed for technical climbing at the highest level, the Alpinist Tech is also our lightest technical ice crampon making it a great choice for top level alpinism where the secondary point provides extra stability on hard snow and mixed terrain. The walking points also feature special auxiliary points that provide extra stability on funky ice petals and cauliflowers. Using much of the same technology and innovative design as the Blade Runner crampons, the Alpinist Tech ensures a precise fit on modern boots and extra rigidity in the connection between the heel and toe platforms. This is due to the unique heel slide that integrates the micro-adjustable linking bar with the heel piece for better torsional rigidity. Constructed entirely from chromoly steel for the best energy absorption anywhere the crampons might be stressed. The elimination of the connection joints leaves little room for play and reduces much of the flex that can make crampons seem less secure on technical terrain. The Alpinist Tech is delivered standard with automatic toe and heel bails, but can convert to semi-auto with the Semi-Auto Toe Bails (ref.2453) and Semi-Auto Heel Bails (ref.2450) sold separately. The micro-adjustable linking bar allows for fine-tuning of the length. The front bail can be set in three positions for optimally positioning the front points and the heel bail can be set in two positions for different size heel lasts. The heel bail also has three height settings for the most secure attachment to the boot. Dynamic anti-balling plates use a unique design and elastic material to prevent snow build-up underfoot.



CASSIN Alpinist Pro - Auto / Semi-Auto
2449

ALPINISM, ICE CLIMBING, MIXED CLIMBING

- The most advanced alpine ice crampons ever conceived
- Patented heel slide design integrates the benefits of vertical and horizontal frame crampons
- Integrated ice points are optimized for vertical ice and steep, hard snow
- Asymmetric design follows the contours of modern boots to ensure a precise fit
- Delivered standard with automatic and semi-auto toe bails
- Dynamic anti-balling plates included
- Micro-adjustable linking bar for fine-tuning the length
- 3 front bail positions, 2 heel bail positions, 3 heel bail height settings
- Adjustable fold-over carrying case with lashing straps included

The Alpinist Pro optimizes the benchmark Alpinist crampons for the most technical alpine terrain. Using much of the same technology and innovative design as the Blade Runner crampons, the Alpinist ensures a precise fit with modern boots and extra rigidity in the connection between the heel and toe platforms. This is due to the unique heel slide that integrates the micro-adjustable linking bar with the heel piece for better torsional rigidity. Constructed entirely from chromoly steel for the best energy absorption anywhere the crampons might be stressed. The elimination of connection joints leaves little room for play and reduces much of the flex that can make crampons seem less secure on technical terrain. The sophisticated geometry of the integrated ice points interacts with the secondary points for superior hold in steep, hard snow and vertical ice. The Alpinist Pro is delivered standard with both automatic and semi-auto toe bails for optimal compatibility with boots and conditions. The micro-adjustable linking bar allows fine-tuning of the length. The front bail can be set in three positions for optimally positioning the front points and the heel bail can be set in two positions for different size heel lasts. The heel bail also has three height settings for the most secure attachment with the boot. Dynamic anti-balling plates use a unique design and elastic material to prevent snow build-up underfoot.

Ref.	Product name	Weight		Size (*)		Boot type		Points	Frame material	Antibott	CE EN 893
		g	oz	European	Automatic	Semi-Automatic					
2680	ALPINIST TECH	810	28.6	36-48	•	• + Art.2453 + Art.2450	11	Chromoly Steel	Included	•	
2449	ALPINIST PRO - AUTO / SEMI-AUTO	960	33.9	36-48	•	•	12	Chromoly Steel	Included	•	

The weight of crampons sold with mounted antibott (see product picture) is inclusive of the antibott weight
(*) Sizing varies depending on different boots, brands and models



CASSIN Alpinist - Universal
2447

ALPINISM, MOUNTAINEERING

- The most advanced technical alpine crampons ever conceived
- Patented heel slide design integrates the benefits of vertical and horizontal frame crampons
- Snow points are optimized for hard snow and alpine ice
- Asymmetric design follows the contours of modern boots to ensure a precise fit
- Universal bindings allow for a secure fit with most of mountaineering boots
- Dynamic anti-balling plates included
- Micro-adjustable linking bar for fine-tuning the length
- Adjustable fold-over carrying case with lashing straps included

Universal binding version of the Alpinist crampons. Universal bindings allow for a secure fit with most mountaineering boots and are particularly useful when using overboots. The Alpinist has been designed as the ultimate tool for alpine climbers: using much of the same technology and innovative design as the Blade Runner, the Alpinist ensures a precise fit with modern boots and extra rigidity in the connection between the heel and toe platforms. This is due to the unique heel slide that integrates the micro-adjustable linking bar with the heel piece for better torsional rigidity. Constructed entirely from chromoly steel for the best energy absorption anywhere the crampons might be stressed. The elimination of connection joints leaves little room for play and reduces much of the flex that can make crampons seem less secure on technical terrain. The sophisticated geometry of the front points interacts with the secondary points for superior hold in hard snow and alpine ice. Dynamic anti-balling plates use a unique design and elastic material to prevent snow build-up underfoot.



CASSIN Alpinist - Auto / Semi-Auto
2448

ALPINISM, MIXED CLIMBING

- The most advanced technical alpine crampons ever conceived
- Patented heel slide design integrates the benefits of vertical and horizontal frame crampons
- Snow points are optimized for hard snow and alpine ice
- Asymmetric design follows the contours of modern boots to ensure a precise fit
- Delivered standard with automatic and semi-auto toe bails
- Dynamic anti-balling plates included
- Micro-adjustable linking bar for fine-tuning the length
- 3 front bail positions, 2 heel bail positions, 3 heel bail height settings
- Adjustable fold-over carrying case with lashing straps included

Like the Blade Runner for technical ice climbing, the Alpinist has been designed as the ultimate tool for alpine climbers. Using much of the same technology and innovative design, the Alpinist ensures a precise fit with modern boots and extra rigidity in the connection between the heel and toe platforms. This is due to the unique heel slide that integrates the micro-adjustable linking bar with the heel piece for better torsional rigidity. Constructed entirely from chromoly steel for the best energy absorption anywhere the crampons might be stressed. The elimination of connection joints leaves little room for play and reduces much of the flex that can make crampons seem less secure on technical terrain. The sophisticated geometry of the front points interacts with the secondary points for superior hold in hard snow and alpine ice. The Alpinist is delivered standard with both automatic and semi-auto toe bails for optimal compatibility with boots and conditions. The micro-adjustable linking bar allows fine-tuning of the length. The front bail can be set in 3 positions for optimally positioning the front points and the heel bail can be set in two positions for different size heel lasts. The heel bail also has three height settings for the most secure attachment with the boot. Dynamic anti-balling plates use a unique design and elastic material to prevent snow build-up underfoot.

Ref.	Product name	Weight		Size (*)	Boot type			Points	Frame material	Antibott	CE EN 893
		g	oz		European	 Automatic	 Semi-Automatic				
2447	ALPINIST - UNIVERSAL	950	33.5	36-48	•	•	•	12	Chromoly Steel	Included	•
2448	ALPINIST - AUTO / SEMI-AUTO	970	34.2	36-48	•	•	•	12	Chromoly Steel	Included	•

The weight of crampons sold with mounted antibott (see product picture) is inclusive of the antibott weight
(*) Sizing varies depending on different boots, brands and models



CAMP Stalker - Universal
292001

NEW '20 **BEST SELLER** **CC4U**

MOUNTAINEERING, ALPINISM

- Our best-selling crampons
- Updated with a new fit profile for modern boots
- Universal bindings fit most mountaineering and hiking boots
- Flexible linking bar and pre-shaped front platform adapt precisely while walking
- 12 points deliver a high level of performance on technical terrain
- Easy size adjustment requires no tools
- Dynamic anti-balling plates prevent snow build up
- Carrying case included
- Colors coordinate with the Neve ice axe



The Stalker crampon provides a precise fit on modern mountaineering boots and technical performance that only a true 12-point crampon can deliver. It is an excellent choice for safe travel in the mountains. Traditional chromoly steel construction is proven to stand the test of time and the universal binding with thermoplastic heel and toe harnesses wrap around nearly any mountaineering or hiking boot and are secured by strong polyester straps. Dynamic anti-balling plates prevent snow build up. Colors coordinate with the Neve ice axe.



CAMP Stalker - Semi-Automatic
292002

NEW '20 **BEST SELLER** **CC4U**

MOUNTAINEERING, ALPINISM

- Semi-automatic bindings fit most technical mountaineering boots
- Updated with a new fit profile for modern boots
- Flexible linking bar and pre-shaped front platform adapt precisely while walking
- 12 points deliver a high level of performance on technical terrain
- Easy size adjustment requires no tools
- Dynamic anti-balling plates prevent snow build up
- Carrying case included
- Colors coordinate with the Neve ice axe



The Stalker crampon provides a precise fit on modern mountaineering boots and technical performance that only a true 12-point crampon can deliver. It is an excellent choice for safe travel in the mountains. Traditional chromoly steel construction is proven to stand the test of time. Semi-automatic bindings deliver a precise fit on technical mountaineering boots with a welded heel. Dynamic anti-balling plates prevent snow build up. Colors coordinate with the Neve ice axe.

Ref.	Product name	Weight		Size (*)	Boot type			Points	Frame material	Antibott	CE EN 893
		g	oz	European	 Automatic	 Semi-Automatic	 Universal				
292001	STALKER - UNIVERSAL	885	31.2	36-48	•	•	•	12	Chromoly Steel	Included	•
292002	STALKER - SEMI-AUTOMATIC	890	31.4	36-48	•	•		12	Chromoly Steel	Included	•

The weight of crampons sold with mounted Antibott (see product picture) is inclusive of the Antibott weight
(*) Sizing varies depending on different boots, brands and models



CAMP Skimo Total Race
2583

LIGHT&FAST SKI COMP



COMPETITIVE SKI MOUNTAINEERING

- Hyperlight 7075 aluminum alloy construction
- Automatic binding with our new T-Stop toe system
- Proprietary Clip-In heel system for rapid attachment to ski mountaineering boots
- Micro-adjustable linking bar with large and small range settings features a hyperlight screw adjustment
- Dyneema® linking straps (available separately) reduce weight (290 g) and allow the crampons to fold onto themselves for tighter packability
- Anti-balling plates and carrying case included
- Torx key for adjustment included

The ultimate crampon for ski-mountaineering competitions. The Skimo Total Race combines our proprietary Clip-In heel system with our newly developed T-Stop toe system for the fastest possible attachment to boots. The micro-adjustable linking bar with large and small range settings delivers a precise fit for all boot lengths. The linking bar can also be replaced with the optional Dyneema® linking strap (sold separately) to reduce weight and allow the crampons to be folded onto themselves for tighter packability. Anti-balling plates and carrying case included.



CAMP Skimo Race
2584

LIGHT&FAST BEST SELLER SKI COMP



COMPETITIVE SKI MOUNTAINEERING

- Hyperlight 7075 aluminum alloy construction
- Automatic binding with our new T-Stop toe system
- Semi-auto toe bails and heel bails are available separately for boots without toe welts
- The heel bail has been optimized to fit A/T ski boots and features 3 height settings for fine-tuning the fit
- Micro-adjustable linking bar with large and small range settings features a hyperlight screw adjustment
- Dyneema® linking straps (available separately) reduce weight (330 g) and allow the crampons to fold onto themselves for tighter packability
- Anti-balling plates and carrying case included
- Torx key for adjustment included

The Skimo Race is a new style of crampon that has been purpose-built for competitive ski mountaineering. Every detail has been optimized for lightweight and speed. The Skimo Race features our new T-Stop toe system combined with a traditional snap on heel bail for fast and secure attachment to the boot. The micro-adjustable linking bar with large and small range settings delivers a precise fit for all boot lengths. The linking bar can also be replaced with the optional Dyneema® linking strap (sold separately) to reduce weight and allow the crampons to be folded onto themselves for tighter packability. Semi-auto toe bails and heel bails (sold separately) can be integrated for boots without toe welts. Anti-balling plates and carrying case included.

Ref.	Product name	Weight		Weight no antibott	Size (*)	Sole length		Boot type		Points	Frame material	Antibott	CE
		g	oz			g	European	mm	mm				
2583	SKIMO Total Race	350	12.4	310	36-46	210-260	260-330			10	7075 Aluminum	Included	•
2584	SKIMO Race	425	15.0	350	36-46	210-260	260-330	•	• + Ref.2589 + Ref.2588	10	7075 Aluminum	Included	•

(*) Sizing varies depending on different boots, brands and models



CAMP Skimo Tour
2585

LIGHT&FAST

SKI MOUNTAINEERING, COMPETITIVE SKI MOUNTAINEERING

- Hyperlight 7075 aluminum alloy construction
- Automatic binding with our new T-Stop toe system
- Semi-auto toe bails are available separately for boots without toe welts
- The heel bail has been optimized to fit A/T ski boots and features 3 height settings for fine-tuning the fit
- Micro-adjustable linking bar with large and small range settings allows for a precise fit without the use of tools
- Dyneema® linking straps (available separately) reduce weight (350 g) and allow the crampons to fold onto themselves for tighter packability
- Anti-balling plates and carrying case included
- Torx key for adjustment included

The Skimo Tour features the same lightweight, technical design as the Skimo Race with a micro-adjustable linking bar that can be adjusted without tools. Our new T-Stop toe system combines with a traditional snap on heel bail for fast and secure attachment to the boot. The micro-adjustable linking bar with large and small range settings delivers a precise fit for all boot lengths. The linking bar can also be replaced with the optional Dyneema® linking strap (sold separately) to reduce weight and allow the crampons to be folded onto themselves for tighter packability. Semi-auto toe bails (sold separately) can be integrated for boots without toe welts. Anti-balling plates and carrying case included.



CRAMPONS



CAMP Skimo Nanotech
2586

1ST CLASS

SKI MOUNTAINEERING

- Hyperlight 7075 aluminum alloy construction
- Sandvik Nanoflex® stainless steel reinforcements on the front points
- Automatic binding with our new T-Stop toe system
- Semi-auto toe bails are available separately for boots without toe welts
- The heel bail has been optimized to fit A/T ski boots and features 3 height settings for fine-tuning the fit
- Micro-adjustable linking bar with large and small range settings allows for a precise fit without the use of tools
- Dyneema® linking straps (available separately) reduce weight (375 g) and allow the crampons to fold onto themselves for tighter packability
- Anti-balling plates and carrying case included
- Torx key for adjustment included

The Skimo Nanotech uses the same hyperlight 7075 aluminum alloy frame design and T-Stop binding system as the Skimo Tour with the addition of Sandvik Nanoflex® stainless steel reinforcements on the front points for increased durability, strength, and penetration on hard snow and ice. The micro-adjustable linking bar with large and small range settings delivers a precise fit for all boot lengths. The linking bar can also be replaced with the optional Dyneema® linking strap (sold separately) to reduce weight and allow the crampons to be folded onto themselves for tighter packability. Semi-auto toe bails (sold separately) can be integrated for boots without toe welts. Anti-balling plates and carrying case included.



Ref.	Product name	Weight		Weight no antibott g	Size (*) European	Sole length		Boot type		Points	Frame material	Antibott	CE EN 893
		g	oz			mm	mm	Automatic	Semi-Automatic				
2585	SKIMO Tour	445	15.7	370	36-46	210-260	260-330	•	• + Ref.2589	10	7075 Aluminum	Included	•
2586	SKIMO Nanotech	470	16.6	395	36-46	210-260	260-330	•	• + Ref.2589	10	7075 Aluminum / Nanoflex®	Included	•

(*) Sizing varies depending on different boots, brands and models



M Sandvik Nanoflex® is an innovative patented steel alloy that is 70% stronger and 20% harder than normal steel which allows for a significant reduction in the amount of metal used, thereby decreasing weight while maintaining strength.

CAMP XLC Nanotech - Semi-Automatic

254402

CC4U

MOUNTAINEERING, ALPINISM, HIGH ALTITUDE

- The most sophisticated mountaineering crampons in the world
- Sandvik Nanoflex® stainless steel reinforcements on the front points
- 3-D pressed frame maximizes strength and performance
- Semi-automatic bindings fit most semi-rigid mountaineering boots
- Tool-free size adjustment
- CC4U wear indicators on the side points show when it is time for replacement
- Dynamic anti-balling plates and carrying case included

Semi-auto version of the XLC Nanotech. Features the same lightweight materials and construction as the hyperlight XLC crampons with the addition of innovative Sandvik Nanoflex® steel reinforcements on the front points for increased durability, strength, and penetration on hard ice and snow. The semi-automatic binding is designed for a secure fit on most semi-rigid mountaineering boots. For telemark or A/T boots, use the automatic bindings.



M Sandvik Nanoflex® is an innovative patented steel alloy that is 70% stronger and 20% harder than normal steel which allows for a significant reduction in the amount of metal used, thereby decreasing weight while maintaining strength.

CAMP XLC Nanotech - Automatic

254403

CC4U

MOUNTAINEERING, SKI MOUNTAINEERING, ALPINISM, HIGH ALTITUDE

- The most sophisticated mountaineering crampons in the world
- Sandvik Nanoflex® stainless steel reinforcements on the front points
- 3-D pressed frame maximizes strength and performance
- Automatic bindings fit most technical mountaineering and telemark boots
- CC4U wear indicators on the side points show when it is time for replacement
- Dynamic anti-balling plates and carrying case included

The XLC Nanotech features the same lightweight materials and construction as the hyperlight XLC crampons with the addition of innovative Sandvik Nanoflex® steel reinforcements on the front points for increased durability, strength, and penetration on hard ice and snow. Automatic bindings offer the most secure fit for rigid boots with full toe and heel welts, including A/T and telemark boots.

Ref.	Product name	Weight		Size (*)	Boot type			Points	Frame material	Antibott	CE EN 893
		g	oz	European	Automatic	Semi-Automatic	Universal				
254402	XLC NANOTECH - SEMI-AUTOMATIC	650	22.9	36-48	•	•		12	7075 Aluminum / Nanoflex®	Included	•
254403	XLC NANOTECH - AUTOMATIC	560	19.8	36-47	•			12	7075 Aluminum / Nanoflex®	Included	•

The weight of crampons sold with mounted Antibott (see product picture) is inclusive of the Antibott weight (*) Sizing varies depending on different boots, brands and models



CAMP XLC 490 - Universal

254201

LIGHT&FAST

CC4U

MOUNTAINEERING, HIGH ALTITUDE

- 3-D pressed frame maximizes strength and performance
- Universal bindings fit most mountaineering and hiking boots
- Tool-free size adjustment
- CC4U wear indicators on the side points show when it is time for replacement
- Dynamic anti-balling plates and carrying case included

The lightest 12-point strap-on crampons in the world! Perfect for glacier travel and general mountaineering. Thermoplastic heel and toe harnesses wrap around nearly any hiking and classic mountaineering boots and are secured by strong nylon straps and metal buckles. Innovative 3-D shaped construction (pressed - not just bent) on the front platform distributes pressure applied to one point across the entire platform significantly increasing the strength of the crampon. For telemark or A/T boots, use the XLC 390 with automatic bindings. While sturdy, aluminum crampons are not suitable for ice climbing or intensive mixed terrain.



CAMP XLC 470 - Semi-Automatic

254202

LIGHT&FAST

CC4U

MOUNTAINEERING, HIGH ALTITUDE

- 3-D pressed frame maximizes strength and performance
- Semi-automatic bindings fit most semi-rigid mountaineering boots
- Tool-free size adjustment
- CC4U wear indicators on the side points show when it is time for replacement
- Dynamic anti-balling plates and carrying case included

Built on the same hyperlight platform as the XLC 390 with a semi-automatic binding to accommodate boots without a toe welt. Innovative 3-D shaped construction (pressed - not just bent) on the front platform distributes pressure applied to one point across the entire platform significantly increasing the strength of the crampon. The semi-automatic binding is designed for a secure fit on most semi-rigid mountaineering boots. For telemark or A/T boots, use the XLC 390 with automatic bindings. While sturdy, aluminum crampons are not suitable for ice climbing or intensive mixed terrain.



CAMP XLC 390 - Automatic

254203

LIGHT&FAST

CC4U

SKI COMP

MOUNTAINEERING, SKI MOUNTAINEERING, COMPETITIVE SKI MOUNTAINEERING, HIGH ALTITUDE

- The lightest 12-point crampons in the world
- 3-D pressed frame maximizes strength and performance
- Automatic bindings fit most rigid mountaineering, A/T, and telemark boots
- CC4U wear indicators on the side points show when it is time for replacement
- Dynamic anti-balling plates and carrying case included

The lightest 12-point crampons in the world! Absolutely perfect for ski mountaineering and glacier travel. Innovative 3-D shaped construction (pressed - not just bent) on the front platform distributes pressure applied to one point across the entire platform significantly increasing the strength and durability of the crampon. Automatic bindings offer the most secure fit for rigid boots with full toe and heel welts, including A/T and telemark boots. While sturdy, aluminum crampons are not suitable for ice climbing or intensive mixed terrain.

Ref.	Product name	Weight		Size (*)	Boot type			Points	Frame material	Antibott	CE EN 893
		g	oz	European	 Automatic	 Semi-Automatic	 Universal				
254201	XLC 490 - UNIVERSAL	585	20.7	36-48	•	•	•	12	7075 Aluminum	Included	•
254202	XLC 470 - SEMI-AUTOMATIC	575	20.3	36-48	•	•		12	7075 Aluminum	Included	•
254203	XLC 390 - AUTOMATIC	490	17.3	36-47	•			12	7075 Aluminum	Included	•

The weight of crampons sold with mounted Antibott (see product picture) is inclusive of the Antibott weight
 (*) Sizing varies depending on different boots, brands and models



Note: Due to the decreased size of the front platform, we recommend this crampon for boots up to size US 10/European 44 (sizing varies depending on different boots, brands and models). For larger boots, we recommend the XLC 390.

CAMP Tour Nanotech - Automatic
254303

LIGHT&FAST **1ST CLASS**

MOUNTAINEERING, SKI MOUNTAINEERING, ALPINISM

- The lightest steel crampons in the world
- Constructed from proprietary Sandvik Nanoflex® Steel
- Automatic Binding fits A/T and Tele boots
- 10 points for a compact, hyperlight body
- Dynamic anti-balling plates and carrying case included

The lightest steel crampons in the world! Sandvik Nanoflex® Steel uses nanotechnology to create a superior metal that is 70% stronger and 20% harder than traditional chromoly steel thereby allowing us to use a thinner cross section (1.8 mm) that results in a crampon that is not only lighter, but stronger, more durable and stainless by design. The thinner cross section also creates sharper, thinner points that penetrate hard snow with ease. The automatic binding is compatible with most models of A/T and Tele boots.

Ref.	Product name	Weight		Size (*) European	Boot type			Points	Frame material	Antibott	CE EN 893
		g	oz		Automatic	Semi-Automatic	Universal				
254303	TOUR NANOTECH - AUTOMATIC	645	22.8	36-44	•			10	Nanoflex®	Included	•

The weight of crampons sold with mounted Antibott (see product picture) is inclusive of the Antibott weight
(*) Sizing varies depending on different boots, brands and models



CAMP Frost
0656

HIKING

- 6-point steel crampon
- Easy adjust binding system with 2 ratchets
- Double-width adjustment fits a large range of shoes and boots
- Anti-balling plates and carrying case included

Compact 6-point steel crampons deliver precise traction for winter hiking and recreation. The Frost is worn under the mid-foot and heel to guarantee purchase especially when walking downhill where hikers are most prone to slipping. Double-width adjustment and 2-ratchet fast binding system fits a very large range of shoes and boots.

Ref.	Product name	Weight		Size (*)	Points	Frame material	Antibott	CE
		g	oz	European				EN 893 (Parts)
0656	FROST	555	19.6	36-47	6	Chromoly Steel	Included	•

The weight of crampons sold with mounted Antibott (see product picture) is inclusive of the Antibott weight
(* Sizing varies depending on different boots, brands and models)



CAMP Ice Master

- 0173** 455 g - S 36/38 - Grey
- 0173** 478 g - M 39/41 - Orange
- 0173** 495 g - L 42/44 - Red
- 0173** 500 g - XL 45/47 - Blue

HIKING

- For traction control on icy surfaces
- 13 powder coated, hardened steel points (15 mm length)
- Zinc-plated steel links withstand the torque and strain of walking on uneven surfaces
- A pivot point on the front platform provides a natural walking feel
- Strong nylon straps prevent shifting
- 4 sizes fit standard shoe sizes from 36 - 47
- Carrying case included

The Ice Master is a great tool for preventing dangerous slips and falls on ice covered surfaces. Four sizes attach to any kind of boot or shoe and the steel points offer a secure and precise grip on uneven terrain. For those times when you need improved traction, the Ice Master is a convenient and affordable choice.

Ref.	Product name	Sizes (*)	Weight		CE
		European	g	oz	
0173	ICE MASTER	S - 36/38	455	16.1	•
		M - 39/41	478	16.9	
		L - 42/44	495	17.5	
		XL - 45/47	500	17.6	

(* Sizing varies depending on different boots, brands and models)



CAMP Ice Master Display

0179

- The display contains 16 sets of Ice Masters: 2 S, 6 M, 6 L and 2 XL



CAMP Ice Master Light

- 2590** 320 g - S 36/38 - Red
- 2590** 330 g - M 39/41 - Lime
- 2590** 340 g - L 42/44 - Blue
- 2590** 350 g - XL 45/47 - Orange

HIKING, LIFESTYLE

- Superlight chain/spike traction that is ideal on ice covered roads, mule tracks and paths
- 13 stainless steel points (13 mm length)
- Compact zinc-plated steel links
- Fast and easy binding system with elastic rubber and Velcro
- 4 sizes fit standard shoe sizes from 36 - 47
- Carrying case included

Light and compact chain/spike traction to keep you safe when there is a risk of encountering icy surfaces. The Ice Master Light features shorter points, more compact links, and lighter elastic rubber than the standard Ice Master making it ideal for both basic hiking in the woods and walking in the city in the winter months.

Ref.	Product name	Sizes (*)	Weight		CE EN 893 (Parts)
		European	g	oz	
2590	ICE MASTER LIGHT	S - 36/38	320	11.3	•
		M - 39/41	330	11.6	
		L - 42/44	340	12.0	
		XL - 45/47	350	12.4	

(*) Sizing varies depending on different boots, brands and models



CAMP Ice Master Light Display

2636

- The display contains 16 sets of Ice Master Light: 2 S, 6 M, 6 L and 2 XL

Blade Runner
CASSIN Auto/Semi-Automatic Heel Bail
0257 2 pcs



Blade Runner
CASSIN Automatic Toe Bail
0251 2 pcs



Blade Runner
CASSIN Semi-Automatic Toe Bail
0150 2 pcs



Blade Runner
CASSIN Antibott
0160 2 pcs



Blade Runner
CASSIN Front Point
0145 2 pcs



Blade Runner Alpine
CASSIN Front Point
0146 2 pcs



CASSIN Alpinist Tech Front Part
2681

Replacement front platform with integrated mono-point fits any model of Alpinist crampons.



CASSIN Alpinist Pro Front Part
2527 2 pcs

Replacement front platform with integrated ice points fits any model of Alpinist crampon.

CASSIN Alpinist Automatic Heel Bail
2683



Alpinist
CASSIN Semi-Automatic Heel Bail
2450 2 pcs



Alpinist
CASSIN Automatic Toe Bail
2452 2 pcs



Alpinist
CASSIN Semi-Automatic Toe Bail
2453 2 pcs



CASSIN Antibott - Alpinist Pro
2526 2 pcs



CASSIN Antibott - Alpinist
2451 2 pcs



CASSIN Antibott - Alpinist Tech
2682





CAMP Skimo Dyneema® Linking Strap
2596

Dyneema® linking strap for CAMP Skimo crampons. Replace the standard linking bar with the linking strap to reduce weight and allow the crampons to be folded onto themselves for tighter packability.

CAMP Skimo Heel Bail
2588



CAMP Skimo Semi-Automatic
Toe Bail
2589




CAMP Antibott - Skimo
2587



CAMP Linking bars

Ref.	cm	Holes	Crampon
0095	17.5	15	XLC / XLC Nanotech / Tour 350 / Race 290
0454	17.5	15	Ice Rider
2912	17.5	16	Stalker
1057	22	12	Ice Rider / Stalker
2684	18.5	20	Skimo



CAMP Foldable Crampon Bag
2652

Fold over carrying case constructed from strong and durable nylon. Expands and contracts to fit any size crampons. Features lashing straps for attaching to the exterior of a pack and an internal pocket with Velcro closure for tools and spare parts.






CAMP Crampon Case
1385



CAMP Spike Protector
0379 2 pcs







TREKKING POLES



TREKKING POLES

A collection of trekking poles with models that have been purpose-built for every kind of adventure. A wide range from the burly Backcountry 2.0 to the hyperlight Xenon Pro that has been specifically designed for sky running races where lightweight and packability are critical. In between are advanced combinations of materials, technology, and adjustability that allow backcountry enthusiasts to find the perfect set of poles for their specific kind of use.



CAMP Sky Carbon Evo

2624 - 400 g

LIGHT&FAST

HIKING, TREKKING, TRAIL RUNNING

- Ultralight foldable trekking poles
- Constructed from carbon fiber on the upper segments and aluminum alloy on the bottom segment
- 5 segments are linked with an inner cord that features a micro-adjustable tensioning system
- Ergonomic wrist loops are differentiated for right and left hands
- Very easy to assemble and disassemble
- Fast and secure Alu Fast Lock adjustment system allows the poles to extend from 115 to 135 cm
- Compacts to 36 cm when disassembled
- Carbide tips
- Carrying case included

The Sky Carbon Evo trekking poles use carbon fiber on the upper segments and aluminum alloy on the bottom segment and joints for the best balance of weight, rigidity and strength. Molded plastic grips with a soft foam overlay combine with ergonomic wrist loops that are differentiated for right and left hands to ensure optimal comfort. The tensioning cord is coated for fluid action and features a micro-adjustable tensioning system to fine-tune the tension over time. The upper segment features the fast and secure Alu Fast Lock adjustment system that allows the poles to be extended from 115 to 135 cm. Interchangeable baskets for dirt and snow.



CAMP Sonic Alu Evo

2625 - 470 g

BEST SELLER

HIKING, TREKKING, TRAIL RUNNING

- Lightweight foldable trekking poles
- Aluminum alloy construction for strength and durability
- 5 segments are linked with an inner cord that features a micro-adjustable tensioning system
- Ergonomic wrist loops are differentiated for right and left hands
- Very easy to assemble and disassemble
- Fast and secure Alu Fast Lock adjustment system allows the poles to extend from 115 to 135 cm
- Compacts to 36 cm when disassembled
- Carbide tips
- Carrying case included

Lightweight, compact trekking poles designed to hold up to rigorous use. The Sonic Alu Evo poles are ideal for hiking, mountaineering, and trail running. Molded plastic grips with a soft foam overlay combine with ergonomic wrist loops that are differentiated for right and left hands to ensure optimal comfort. The tensioning cord is coated for fluid action and features a micro-adjustable tensioning system to fine-tune the tension over time. The upper segment features the fast and secure Alu Fast Lock adjustment system that allows the poles to be extended from 110 to 130 cm. Interchangeable baskets for dirt and snow.

Ref.	Product name	Weight		Length		Packed		N° of segments	Diameter		Material		Basket diameter	
		g	oz	cm	in	cm	in		mm	in	Pole	Tip	mm	in
2624	SKY CARBON EVO	400	14.1	115-135	45.3-53.2	36	14.2	5	16-12	0.63 - 0.47	Carbon Fiber 7075 Aluminum	Carbide	37-53-86	1.46-2.09-3.39
2625	SONIC ALU EVO	470	16.6	115-135	45.3-53.2	36	14.2	5	16-12	0.63 - 0.47	7075 Aluminum	Carbide	37-53-86	1.46-2.09-3.39



CAMP Carbon Mix

2623 - 444 g

1st CLASS

HIKING, TREKKING

- Foldable trekking poles for the best packability and fastest deployment
- Constructed from carbon fiber with aluminum alloy reinforcements at the joints
- 5 segments are linked with an inner cord that features a micro-adjustable tensioning system
- Soft foam double handle for excellent grip
- Ergonomic wrist loops are differentiated for right and left hands
- Fast and secure Alu Fast Lock adjustment system allows the poles to extend from 110 to 130 cm
- Compacts to 36 cm when disassembled
- Carbide tips
- Carrying case included

Versatile trekking poles that feature the lightweight rigidity benefits of carbon fiber, the strength of aluminum alloy at the joints, tight packability from the foldable design, and adjustability from 110 to 130 cm with the fast and secure Alu Fast Lock adjustment system. The handle is ergonomic foam for optimal grip and extends down the shaft for choking up on technical terrain. The ergonomic wrist loops are differentiated for right and left hands to ensure optimal comfort. The tensioning cord is coated for fluid action and features a micro-adjustable tensioning system to fine-tune the tension over time. The upper segment features the fast and secure Alu Fast Lock adjustment system that allows the poles to be extended from 110 to 130 cm. Interchangeable baskets for dirt and snow.



CAMP Backcountry 2.0

2622 - 620 g

HIKING, MOUNTAINEERING, TREKKING

- Strong and durable aluminum alloy construction
- Ergonomic wrist loops are differentiated for right and left hands
- Extendable from 64 to 135 cm
- Fast and secure Alu Fast Lock adjustment system
- Carbide Tips

The Backcountry 2.0 is a simple design featuring three telescoping segments that extend from 64 to 135 cm. Aluminum alloy construction is virtually indestructible. Molded plastic grips combine with ergonomic wrist loops that are differentiated for right and left hands to ensure optimal comfort. Carbide tips for strength and durability. Interchangeable baskets for dirt or snow.



CAMP Backcountry Carbon 2.0

2621 - 380 g

LIGHT&FAST

HIKING, TREKKING

- Lightweight carbon fiber construction
- Ergonomic wrist loops are differentiated for right and left hands
- Extendable from 64 to 135 cm
- Fast and secure Alu Fast Lock adjustment system
- Carbide Tips

Carbon Fiber trekking poles are lightweight and offer great rigidity on technical terrain. Three telescoping segments extend from 64 to 135 cm with the fast and secure Alu Fast Lock adjustment. Molded plastic grips with a soft foam overlay combine with ergonomic wrist loops that are differentiated for right and left hands to ensure optimal comfort. Carbide tips for strength and durability. Interchangeable baskets for dirt or snow.

Ref.	Product name	Weight		Length		Packed		N° of segments	Diameter		Material		Basket diameter	
		g	oz	cm	in	cm	in		mm	in	Pole	Tip	mm	in
2623	CARBON MIX	444	15.7	110-130	43.3-51.2	36	14.2	5	18-14	0.71 - 0.55	Carbon Fiber 7075 Aluminum	Carbide	44-83	1.73-3.27
2622	BACKCOUNTRY 2.0	620	21.9	64-135	25.2-53.2	64	25.2	3	18-14	0.71 - 0.55	6061 Aluminum	Carbide	44-83	1.73-3.27
2621	BACKCOUNTRY CARBON 2.0	380	13.4	64-135	25.2-53.2	64	25.2	3	16-12	0.63 - 0.47	Carbon Fiber	Carbide	44-83	1.73-3.27



262601



262602

CAMP Xenon

262601 120 cm - 410 g
262602 135 cm - 434 g

HIKING, TRAIL RUNNING, RAID RACING

- Lightweight, compact design
- 4 segments with inner cord that features a micro-adjustable tensioning system
- Cord can be re-tensioned while walking with three variable slots on the top of the handle
- Long padded handles with adjustable nylon leashes
- Velcro loops keep the poles compact when folded
- Packs down to just 36 cm for the 120 cm length and 40 cm for the 135
- Carbide Tips

This beefed-up version of the hyperlight Xenon Pro provides greater durability and rigidity without making great compromises in weight or size. Assembles quickly with the pull of a Kevlar® cord. Long padded handles with adjustable nylon leashes ensure comfort. Carbide tips ensure solid performance and durability. Removeable baskets.



262701



262702

CAMP Xenon Pro

262701 120 cm - 346 g
262702 135 cm - 374 g

LIGHT&FAST

HIKING, TRAIL RUNNING, RAID RACING

- Our lightest, most compact trekking poles
- 4 segments with inner cord featuring a micro-adjustable tensioning system
- Cord can be re-tensioned while walking with three variable slots on the top of the handle
- Long padded handles with adjustable nylon leashes to ensure comfort
- Velcro loops keep the poles compact when folded
- Packs down to just 36 cm for the 120 cm length and 40 cm for the 135
- Carbide Tips

Our lightest trekking poles specifically designed for excursions where poles might be useful, but additional weight might be a setback. The Xenon Pro poles make no sacrifices with 100% aluminum alloy construction for the best combination of hyperlight weight and strength. Designed to break down to an extremely compact size and assemble quickly with the pull of a Kevlar® cord. Long padded handles with adjustable nylon leashes ensure comfort. Carbide tips ensure solid performance and durability. Removeable baskets.

Ref.	Product name	Weight		Length		Packed		N° of segments	Diameter		Material		Basket diameter	
		g	oz	cm	in	cm	in		mm	in	Pole	Tip	mm	in
262601	XENON - 120 cm	410	14.5	120	47.2	36	14.2	4	14	0.55	7075 Aluminum	Carbide	44	1.73
262602	XENON - 135 cm	434	15.3	135	53.2	40	15.8	4	14	0.55	7075 Aluminum	Carbide	44	1.73
262701	XENON PRO - 120 cm	346	12.2	120	47.2	36	14.2	4	12	0.47	7075 Aluminum	Carbide	44	1.73
262702	XENON PRO - 135 cm	374	13.2	135	53.2	40	15.8	4	12	0.47	7075 Aluminum	Carbide	44	1.73

ROCK PROTECTION



Rob Pizem on the first ascent of Supreme Manliness, 5.13, in the Utah desert - © Jeremiah Watt

ROCK PROTECTION

Icon...Improved. Tricams were invented by one of the greatest climbing minds of all time, Greg Lowe, who relied on the manufacturing and metallurgical expertise of C.A.M.P. to bring his ideas to market. Tricams remain an icon today modified only a few times in their history -- first to update the slings with Dyneema® on the four most popular sizes, then to release two smaller sizes (white and black) in 2009. The most recent innovation is the Tricam Evo that gives a third placement possibility making it even more versatile. The Tricam Evo is available in four sizes and can be placed in a cammed position or in one of two chocked positions. At the same time, our engineers spent some time working on one of the age-old questions with the Tricam ... how to stiffen the sling without impeding its ability to engage the camming action. After much experimenting, we rested on the simple solution of carrying the inner band of webbing further towards the head and using a stitch pattern. The result is a naturally stiffer sling that makes one-handed placements easier, but still engages the cam in active mode and will even increase durability over sharp edges with the additional layer of material.



A Note on Ratings. It is common knowledge amongst climbers that the gear we use is only as good as the way we use it. The protection we rely on is only as good as the specific placement and the rock surrounding it. In order to objectively publish comparable ratings, all certified climbing gear is tested and rated according to strict standards from the European Union (EN/CE) and an independent international standards institute for climbing and mountaineering (UIAA). This means the strength ratings are best interpreted in a relative way rather than as absolutes. A rating of 5 kN, for example, means 5 kN when placed optimally and in accordance with the standard. Interpreting the ratings in this way allows climbers to compare gear from different manufacturers in an effective and objective way. Then beyond the ratings, climbers can use other factors like the company's history for quality, standards for manufacturing, and specific involvement with organizations making and shaping the standards. In these areas, C.A.M.P. has a clear advantage with more than 125 years dedicated to quality, certification as an ISO 9001:2008 manufacturer, and the holder of more UIAA certificates than any other outdoor company.



Category leaders



1ST CLASS
Tricam Evo
0972



BEST SELLER
Pro Nuts Set
1038

Ref.	Product name	Weight		Range Min		Range Max					CE	
		g	oz	mm	in	mm	in	Cam 1 (kN)	Chock 2 (kN)	Chock 3 (kN)	EN 12270	EN 12276
0972025	TRICAM EVO N.0.25	17	0.6	13.5	0.53	23	0.91	5	5	5	•	
097205	TRICAM EVO N.0.5	29	1.0	17	0.67	27	1.06	8	8	8	•	
097210	TRICAM EVO N.1	37	1.3	21	0.83	32	1.26	10	10	10	•	
097215	TRICAM EVO N.1.5	55	1.9	27	1.06	40	1.57	12	12	12	•	
0973	TRICAM EVO SET - 4 pcs	139	4.9								•	
09470125	TRICAM N.0.125	10.5	0.4	10	0.39	16	0.63	3	2		•	
0947025	TRICAM N.0.25	19	0.7	13.5	0.53	22	0.87	5	5		•	
094705	TRICAM N.0.5	30	1.1	18	0.71	27	1.06	9	7		•	
094710	TRICAM N.1	38	1.3	21	0.83	32	1.26	10	8		•	
094715	TRICAM N.1.5	55	1.9	26	1.02	40	1.57	12	12		•	
094720	TRICAM N.2	57	2.0	29	1.14	45	1.77	14	14		•	
092325	TRICAM N.2.5	77	2.7	32	1.26	48	1.89	15	14		•	
092330	TRICAM N.3	88	3.1	38	1.5	54	2.13	15	14		•	
092335	TRICAM N.3.5	112	4.0	41	1.61	60	2.36	15	15		•	
092340	TRICAM N.4	134	4.7	45	1.77	64	2.52	15	15		•	
092350	TRICAM N.5	122	4.3	57	2.24	89	3.50	15	15		•	
092360	TRICAM N.6	185	6.5	73	2.87	105	4.13	15	15		•	
092370	TRICAM N.7	287	10.1	92	3.62	140	5.51	15	15		•	
0974	TRICAM SET - 6 pcs	209	7.4								•	
0975	TRICAM DYNEEMA N.0.5	29	1.0	18	0.71	27	1.06	9	7		•	
	TRICAM DYNEEMA N.1	35	1.2	21	0.83	32	1.26	10	8			
	TRICAM DYNEEMA N.1.5	49	1.7	26	1.02	40	1.57	20	17			
	TRICAM DYNEEMA N.2	55	1.9	29	1.14	45	1.77					
1038	PRO NUT N.1	12	0.4	7	0.28	13	0.51		5		•	
	PRO NUT N.2	20	0.7	10	0.39	16	0.63		7			
	PRO NUT N.3	30	1.1	13	0.51	20	0.79		10			
	PRO NUT N.4	37	1.3	15	0.59	23	0.91					
	PRO NUT N.5	41	1.4	18	0.71	27	1.06					
	PRO NUT N.6	47	1.7	20	0.79	29	1.14					
	PRO NUT N.7	55	1.9	23	0.91	33	1.30					
103401	BALL NUT N.1	31	1.1	3	0.12	6	0.24		8		•	
103402	BALL NUT N.2	40	1.4	4.5	0.18	9	0.35		8		•	
103403	BALL NUT N.3	49	1.7	6	0.24	10.5	0.41		8		•	
103404	BALL NUT N.4	59	2.1	8	0.31	12.5	0.49		8		•	
103405	BALL NUT N.5	74	2.6	10	0.39	16	0.63		8		•	
1047	NUT KEY	59	2.1									

Rock Protection



CAMP
Tricam Evo
0972



CAMP
Tricam
0923 / 0947




CAMP
Pro Nut Set - 7 pcs
1038



CAMP
Ball Nut
1034



CAMP
Nut Key
1047



CAMP Tricam Evo

0972

1ST CLASS

ALPINISM, ROCK CLIMBING

- Three (yes, that's one additional!) placement modes: active cam and 2 passive chocks
- Works where nothing else can fit, such as solution pockets
- Excellent in horizontal cracks
- Features stiffer sewing on the slings for easier one-handed placement and extraction

The Tricam Evo is a logical evolution of the tried & true, time-proven Tricam. Some simple engineering provides a second chock possibility giving the Tricam Evo three (instead of the historic two) placement possibilities making it even more versatile. The wider section at the top of the head that creates the extra taper will also lend additional stability in cammed placements. The Tricam Evo is available in four sizes from 0.25 to 1.5.

The Tricam Evo also features the stiffened slings where we carry the inner band of webbing further towards the head using a stitch pattern to create a naturally stiffer sling that makes one-handed placements easier, but still engages the cam in active mode and will even increase durability over sharp edges with the additional layer of material.

ROCK PROTECTION

Ref.	Product name	Weight		Range Min		Range Max					CE
		g	oz	mm	in	mm	in	Cam 1 (kN)	Chock 2 (kN)	Chock 3 (kN)	
0972025	TRICAM EVO N.0.25	17	0.6	13.5	0.53	23	0.91	5	5	5	•
097205	TRICAM EVO N.0.5	29	1.0	17	0.67	27	1.06	8	8	8	•
097210	TRICAM EVO N.1	37	1.3	21	0.83	32	1.26	10	10	10	•
097215	TRICAM EVO N.1.5	55	1.9	27	1.06	40	1.57	12	12	12	•



CAMP Tricam Evo Set - 4 pcs

0973

ALPINISM, ROCK CLIMBING, MULTI-PITCH CLIMBING

Includes all four sizes of the Tricam Evo that feature three (instead of the historic two) placement possibilities making it even more versatile than the traditional Tricam. Sizes: 0.25, 0.5, 1.0, 1.5.

CAMP Tricam
0923/0947

ALPINISM, ROCK CLIMBING, MULTI-PITCH CLIMBING

- Two placement modes: active cam and passive chock
- Works where nothing else can fit, such as solution pockets
- Excellent in horizontal cracks
- Stiffer sewing on the slings of sizes 0.125 – 2.0 for easier one-handed placement and extraction

Look on the rack of most experienced trad climbers and you are almost certain to see an assortment of Tricams. Most climbers agree that visiting the Gunks without multiples of pink through purple is a serious mistake. These wondrous pieces of pro can be used either as cams or nuts and often work where nothing else fits. Tricams are ideal in horizontal cracks, pockets, and shallow vertical cracks. The larger sizes are an affordable way to augment a rack of cams and are ideal for belay anchors due to their high strength and light weight. Tricams can also be placed in icy cracks where regular cams do not work. Our engineers recently spent some time working on one of the age-old questions with the Tricam ... how to stiffen the sling without impeding its ability to engage the camming action. After much experimenting, we rested on the simple solution of carrying the inner band of webbing further towards the head and using a stitch pattern. The result is a naturally stiffer sling that makes one-handed placements easier, but still engages the cam in active mode and will even increase durability over sharp edges with the additional layer of material.



Ref.	Product name	Weight		Range Min		Range Max		 Cam 1 (kN)	 Chock 2 (kN)	 EN 12270
		g	oz	mm	in	mm	in			
09470125	TRICAM N.0.125	10.5	0.4	10	0.39	16	0.63	3	2	•
0947025	TRICAM N.0.25	19	0.7	13.5	0.53	22	0.87	5	5	•
094705	TRICAM N.0.5	30	1.1	18	0.71	27	1.06	9	7	•
094710	TRICAM N.1	38	1.3	21	0.83	32	1.26	10	8	•
094715	TRICAM N.1.5	55	1.9	26	1.02	40	1.57	12	12	•
094720	TRICAM N.2	57	2.0	29	1.14	45	1.77	14	14	•
092325	TRICAM N.2.5	77	2.7	32	1.26	48	1.89	15	14	•
092330	TRICAM N.3	88	3.1	38	1.5	54	2.13	15	14	•
092335	TRICAM N.3.5	112	4.0	41	1.61	60	2.36	15	15	•
092340	TRICAM N.4	134	4.7	45	1.77	64	2.52	15	15	•
092350	TRICAM N.5	122	4.3	57	2.24	89	3.5	15	15	•
092360	TRICAM N.6	185	6.5	73	2.87	105	4.13	15	15	•
092370	TRICAM N.7	287	10.1	92	3.62	140	5.51	15	15	•



CAMP Tricam Set - 6 pcs
0974

ALPINISM, ROCK CLIMBING, MULTI-PITCH CLIMBING

The ultimate rack of go-to pieces. Sizes: 0.125, 0.25, 0.5, 1.0, 1.5, 2.0. Features the stiffened slings where we carry the inner band of webbing further towards the head using a stitch pattern to create a naturally stiffer sling that makes one-handed placements easier, but still engages the cam in active mode and will even increase durability over sharp edges with the additional layer of material.



CAMP Tricam Dyneema® Set - 4 pcs
0975

ALPINISM, ROCK CLIMBING, MULTI-PITCH CLIMBING

By popular demand, the most popular Tricam sizes are also available with Dyneema® slings. These are slightly stronger in camming mode without adding any additional weight and realize the unique benefits of Dyneema®. Compared to nylon, Dyneema® maintains a higher breaking strength when wet and its natural hydrophobic properties prevent the slings from soaking up water and icing over. Sizes: 0.5, 1.0, 1.5, 2.0.



CAMP Pro Nut Set - 7 pcs
1038


BEST SELLER

ALPINISM, ROCK CLIMBING

- Curved design provides secure placements and easy removal
- Grooves help with setting and extraction in hard stone
- Color-coded heads for faster selection

A full set of Pro Nuts. Pro Nuts are a great value as they cover a similar range with seven sizes as nine sizes take in other brands (this also helps to reduce overall rack weight).

Ref.	Product name	Weight		Range Min		Range Max		 		CE EN 12270
		g	oz	mm	in	mm	in	Cam 1 (kN)	Chock 2 (kN)	
0975	TRICAM DYNEEMA N.0.5	29	1.0	18	0.71	27	1.06	9	7	•
	TRICAM DYNEEMA N.1	35	1.2	21	0.83	32	1.26			
	TRICAM DYNEEMA N.1.5	49	1.7	26	1.02	40	1.57	20	17	
	TRICAM DYNEEMA N.2	55	1.9	29	1.14	45	1.77			
1038	PRO NUT N.1	12	0.4	7	0.28	13	0.51		5	•
	PRO NUT N.2	20	0.7	10	0.39	16	0.63		7	
	PRO NUT N.3	30	1.1	13	0.51	20	0.79		10	
	PRO NUT N.4	37	1.3	15	0.59	23	0.91			
	PRO NUT N.5	41	1.4	18	0.71	27	1.06			
	PRO NUT N.6	47	1.7	20	0.79	29	1.14			
	PRO NUT N.7	55	1.9	23	0.91	33	1.3			



CAMP Ball Nut
1034

ROCK CLIMBING, AID CLIMBING, ALPINISM

- The smallest active protection in the world!
- Color-coded for fast identification
- Narrow depth fits shallower cracks than traditional camming units

For the slim and grim. Invented in 1987 by John Middendorf and originally brought to market as Lowe Balls, these have become the secret weapon of many aid and trad climbers. These little wonders will work in small parallel-sided cracks where the only other option is pounding a piton. Ball Nuts also work in pin scars and small flares where even modern micro cams simply won't fit. Since they weigh so little, many advanced trad climbers keep a #2 and #3 on their rack at all times.

Ref.	Product name	Weight		Range Min		Range Max		 Chock 2 (kN)	 EN 12276
		g	oz	mm	in	mm	in		
103401	BALL NUT N.1	31	1.1	3	0.12	6	0.24	8	•
103402	BALL NUT N.2	40	1.4	4.5	0.18	9	0.35	8	•
103403	BALL NUT N.3	49	1.7	6	0.24	10.5	0.41	8	•
103404	BALL NUT N.4	59	2.1	8	0.31	12.5	0.49	8	•
103405	BALL NUT N.5	74	2.6	10	0.39	16	0.63	8	•



CAMP Nut Key
1047

ALPINISM, ROCK CLIMBING

- Chromoly steel
- Chrome-plated to prevent rust

Nut tools seldom get much respect, as apparent by a lot of mediocre designs that are too flexible or have poor ergonomics. Our Nut Key is a clear exception with an offset handle that offers superior clearance for easier poking and a thumb ledge for better control. Comfort is improved by finger notches and the rubber coating on the handle.

Ref.	Product name	Weight	
		g	oz
1047	NUT KEY	59	2.1

PITONS

Roger Cararach Soler climbs an ice fall in extreme conditions in Vallon du Fournel, France - © Roger Cararach Soler archive



Pitons



CAMP
Lost Arrow
0130



CAMP
Corner
0096



CAMP
Universal
0088



CAMP
Knifeblade
0089



CAMP
Soft Fix Ring
0087



CAMP
Soft Universal
0152



CASSIN
Captain Hook
3036



CASSIN
Iron Hawk
3037



CASSIN
Baby Angle
3039



CASSIN
Ultimate Reality Piton
3038



CASSIN
Aluminum Fifi Hook
3043



CAMP
Brenta
0850



CAMP
Hammer Leash Rewind
0854



CAMP
Hammer Holder
0853

Ref.	Product name	Weight		Total length		Blade length		Thickness		Material	CE			
		g	oz	mm	in	mm	in	mm	in		EN 569			
013001	LOST ARROW N.1	84	3.0	85	3.35	45	1.77	5	0.2	Hardened Steel	Progression			
013002	LOST ARROW N.2	88	3.1	90	3.54	55	2.17	7	0.28	Hardened Steel	Progression			
013003	LOST ARROW N.3	105	3.7	100	3.94	60	2.36	8	0.31	Hardened Steel	Progression			
013004	LOST ARROW N.4	110	3.9	110	4.33	70	2.76	10	0.39	Hardened Steel	Progression			
013005	LOST ARROW N.5	95	3.4	117	4.61	80	3.15	5.5	0.22	Hardened Steel	Progression			
013006	LOST ARROW N.6	102	3.6	125	4.92	85	3.35	7	0.28	Hardened Steel	Progression			
013007	LOST ARROW N.7	114	4.0	130	5.12	90	3.54	9	0.35	Hardened Steel	Safety			
013008	LOST ARROW N.8	110	3.9	155	6.10	115	4.53	7.5	0.3	Hardened Steel	Safety			
009601	CORNER N.1	56	2.0	105	4.13	70	2.76	12	0.47	Hardened Steel	Progression			
009602	CORNER N.2	65	2.3	110	4.33	75	2.95	16	0.63	Hardened Steel	Progression			
009603	CORNER N.3	95	3.4	145	5.71	110	4.33	18	0.71	Hardened Steel	Safety			
009604	CORNER N.4	118	4.2	140	5.51	110	4.33	25	0.98	Hardened Steel	Safety			
0088-12	UNIVERSAL 10 cm	63	2.2	100	3.94	60	2.36	6	0.24	Hardened Steel	Progression			
0088-14	UNIVERSAL 12 cm	84	3.0	125	4.92	85	3.35				Safety			
0088-17	UNIVERSAL 15 cm	108	3.8	150	5.91	110	4.33	3	0.12	Hardened Steel	Progression			
0089-7	KNIFE BLADE 7 cm	54	1.9	75	2.95	35	1.38				Safety			
0089-9	KNIFE BLADE 9 cm	58	2.0	90	3.54	50	1.97				Progression			
0089-10	KNIFE BLADE 10 cm	68	2.4	100	3.94	60	2.36	7	0.28	Soft Steel	Progression			
0087-10	SOFT FIX RING 10 cm	83	2.9	100	3.94	60	2.36				Safety			
0087-12	SOFT FIX RING 12 cm	95	3.4	120	4.72	80	3.15				Progression			
0087-14	SOFT FIX RING 14 cm	129	4.6	140	5.51	90	3.54				Safety			
0087-16	SOFT FIX RING 15.5 cm	130	4.6	155	6.10	110	4.33	8	0.31	Soft Steel	Progression			
0152-10	SOFT UNIVERSAL 10 cm	63	2.2	100	3.94	60	2.36				Safety			
0152-12	SOFT UNIVERSAL 12.5 cm	85	3.0	125	4.92	85	3.35				Progression			
0152-15	SOFT UNIVERSAL 15 cm	104	3.7	150	5.91	110	4.33			Chromoly Steel				
303601	CAPTAIN HOOK - Small	23	0.8											
303602	CAPTAIN HOOK - Medium	32	1.1											
303603	CAPTAIN HOOK - Large	52	1.8											
3037	IRON HAWK	31	1.1											
303901	BABY ANGLE - Small	43	1.5	28	1.1									
303902	BABY ANGLE - Medium	49	1.7	38	1.5									
303903	BABY ANGLE - Large	61	2.2	38	1.5									
3038	ULTIMATE REALITY PITON	18	0.6											
304301	ALUMINUM FIFI HOOK - Polished	15	0.5										Aluminum alloy	
304303	ALUMINUM FIFI HOOK - Orange	15	0.5							Aluminum alloy				
0850	BRENTA	683	24.1							Chromoly Steel				
0854	HAMMER LEASH REWIND	37	1.3							Nylon				
0853	HAMMER HOLDER	24	0.8							Nylon				



CAMP Lost Arrow

013001 85 mm **013005** 117 mm
013002 90 mm **013006** 125 mm
013003 100 mm **013007** 130 mm
013004 110 mm **013008** 155 mm

1ST CLASS

ALPINISM, AID CLIMBING, ROCK CLIMBING

- Chromoly steel

The historic Lost Arrow is the most prevalent kind of piton climbers are likely to find securing lines from Yosemite to Patagonia. Their simple straight-flare design provides a solid hold in both vertical and horizontal positions. Available in eight sizes.



CAMP Corner

009601 105 mm
009602 110 mm
009603 145 mm
009604 140 mm

ALPINISM, AID CLIMBING, ROCK CLIMBING

- Chromoly steel

Most pitons rely on compression of the metal and leverage from directional pull for their holding power. The U shape of the shaft on the Corner piton adds an additional holding force by creating spring tension when the piton is driven into a crack proportionately smaller than its width.



CAMP Universal

0088-12 100 mm
0088-14 125 mm
0088-17 150 mm

ALPINISM, AID CLIMBING, ROCK CLIMBING

- Chromoly steel

The pointed wedge shape of the Universal piton fits the most common cracks. A 45° angled head applies torque to maximize holding power for both vertical and horizontal placements.

Ref.	Product name	Weight		Total length		Blade length		Thickness		Material	CE
		g	oz	mm	in	mm	in	mm	in		EN 569
013001	LOST ARROW N.1	84	3.0	85	3.35	45	1.77	5	0.2	Hardened Steel	Progression
013002	LOST ARROW N.2	88	3.1	90	3.54	55	2.17	7	0.28	Hardened Steel	Progression
013003	LOST ARROW N.3	105	3.7	100	3.94	60	2.36	8	0.31	Hardened Steel	Progression
013004	LOST ARROW N.4	110	3.8	110	4.33	70	2.76	10	0.39	Hardened Steel	Progression
013005	LOST ARROW N.5	95	3.4	117	4.61	80	3.15	5.5	0.22	Hardened Steel	Progression
013006	LOST ARROW N.6	102	3.6	125	4.92	85	3.35	7	0.28	Hardened Steel	Progression
013007	LOST ARROW N.7	114	4.0	130	5.12	90	3.54	9	0.35	Hardened Steel	Safety
013008	LOST ARROW N.8	110	3.9	155	6.10	115	4.53	7.5	0.3	Hardened Steel	Safety
009601	CORNER N.1	56	2.0	105	4.13	70	2.76	12	0.47	Hardened Steel	Progression
009602	CORNER N.2	65	2.3	110	4.33	75	2.95	16	0.63	Hardened Steel	Progression
009603	CORNER N.3	95	3.4	145	5.71	110	4.33	18	0.71	Hardened Steel	Safety
009604	CORNER N.4	118	4.2	140	5.51	110	4.33	25	0.98	Hardened Steel	Safety
0088-12	UNIVERSAL 10 cm	63	2.2	100	3.94	60	2.36	6	0.24	Hardened Steel	Progression
0088-14	UNIVERSAL 12 cm	84	3.0	125	4.92	85	3.35				
0088-17	UNIVERSAL 15 cm	108	3.8	150	5.91	110	4.33				Safety



CAMP Knifeblade

- 0089-7** 75 mm
- 0089-9** 90 mm
- 0089-10** 100 mm

ALPINISM, AID CLIMBING

- Chromoly steel

Tapered pitons designed to fit extremely thin cracks of various depths. Two carabiner holes increase clipping options and reduce weight.



CAMP Soft Fix Ring

- 0087-10** 100 mm
- 0087-12** 120 mm
- 0087-14** 140 mm
- 0087-16** 155 mm

ALPINISM, AID CLIMBING, ROCK CLIMBING

- Carbon steel
- Ideal for brittle rock like limestone

Designed to drive into the thinnest cracks. The soft carbon steel can mold and press more easily into fissures without damaging the rock making soft pitons the right choice for brittle rock like limestone.



CAMP Soft Universal

- 0152-10** 100 mm
- 0152-12** 125 mm
- 0152-15** 150 mm

BEST SELLER

ALPINISM, AID CLIMBING, ROCK CLIMBING

- Soft carbon steel
- Ideal for brittle rock like limestone

The pointed wedge shape of the Universal piton fits the most common cracks. A 45° angled head applies torque to maximize holding power for both vertical and horizontal placements. The soft carbon steel can mold and press more easily into fissures without damaging the rock making soft pitons the right choice for brittle rock like limestone.

Ref.	Product name	Weight		Total length		Blade length		Thickness		Material	CE
		g	oz	mm	in	mm	in	mm	in		EN 569
0089-7	KNIFEBLADE 7 cm	54	1.9	75	2.95	35	1.38	3	0.12	Hardened Steel	Progression
0089-9	KNIFEBLADE 9 cm	58	2.0	90	3.54	50	1.97				
0089-10	KNIFEBLADE 10 cm	68	2.4	100	3.94	60	2.36				
0087-10	SOFT FIX RING 10 cm	83	2.9	100	3.94	60	2.36	7	0.28	Soft Steel	Progression
0087-12	SOFT FIX RING 12 cm	95	3.4	120	4.72	80	3.15				
0087-14	SOFT FIX RING 14 cm	129	4.6	140	5.51	90	3.54	8	0.31	Soft Steel	Safety
0087-16	SOFT FIX RING 15.5 cm	130	4.6	155	6.10	110	4.33				
0152-10	SOFT UNIVERSAL 10 cm	63	2.2	100	3.94	60	2.36	6	0.24	Soft Steel	Progression
0152-12	SOFT UNIVERSAL 12.5 cm	85	3.0	125	4.92	85	3.35				
0152-15	SOFT UNIVERSAL 15 cm	104	3.7	150	5.91	110	4.33				



CASSIN Captain Hook

- 303601** small
- 303602** medium
- 303603** large

ALPINISM, AID CLIMBING

- Narrow (5 mm, 0.2"), chisel-shaped tooth maximizes holding power
- Chromoly steel

A wide tripod base makes these hooks remarkably stable during dicey aid moves. Due to the way they hang on the rack, these hooks are also less prone to snagging than other designs.



CASSIN Iron Hawk

3037

ALPINISM, AID CLIMBING

- Fits cracks ranging from 1 mm (0.14") to 3.5 mm (0.14")
- Chromoly steel

A cross between a piton and a passive nut for almost non-existent vertical cracks. The Iron Hawk can be pounded in or set by hand and it drives deeper as it is weighted. It has a large anvil for hammering and a small lip to help with removal.



CASSIN Baby Angle

- 303901** small
- 303902** medium
- 303903** large

ALPINISM, AID CLIMBING

- Chromoly steel

These tiny angle pitons are invaluable for protecting shallow cracks and old pin scars. No need to hacksaw and grind regular angles, we've done it for you!



CASSIN Ultimate Reality Piton

3038

ALPINISM, AID CLIMBING

- Thickness tapers from 0.5 mm (0.02") to 1.5 mm (0.06")
- Chromoly steel
- Swaged steel cable

When faced with incipient cracks, the Ultimate Reality Piton is the weapon of choice. It has a large anvil for hammering and a small lip to help with removal.

Ref.	Product name	Weight		Total length		Material
		g	oz	mm	in	
303601	CAPTAIN HOOK - Small	23	0.8			Chromoly Steel
303602	CAPTAIN HOOK - Medium	32	1.1			Chromoly Steel
303603	CAPTAIN HOOK - Large	52	1.8			Chromoly Steel
3037	IRON HAWK	31	1.1			Chromoly Steel
303901	BABY ANGLE - Small	43	1.5	28	1.1	Chromoly Steel
303902	BABY ANGLE - Medium	49	1.7	38	1.5	Chromoly Steel
303903	BABY ANGLE - Large	61	2.2	38	1.5	Chromoly Steel
3038	ULTIMATE REALITY PITON	18	0.6			Chromoly Steel



CASSIN Aluminum Fifi Hook

304301 Polished
304303 Orange

ALPINISM, AID CLIMBING

Lighter weight versions of the classic Fifi made of 7075 aluminum alloy. Anodized in two different colors for easy identification.

304301

304303



CAMP Brenta

0850

ALPINISM, AID CLIMBING, ROCK CLIMBING

- Hot-forged chromoly steel with chrome plating to prevent rust
- Elastic rewind leash included

The Brenta is a compact hammer with a large face and good heft in the head for quickly driving home pitons. The pick is designed for cleaning cracks, pasting heads, and levering out pitons. The chromoly steel shaft is indestructible and the thick rubber grip dampens vibrations.



CAMP Hammer Leash Rewind

0854

ALPINISM, ROCK CLIMBING, AID CLIMBING

Elasticized rewind webbing leash for securing a hammer to a harness. A loop of cord is used to girth hitch the hammer and a small connector rated to 20 kg attaches to the harness.



CAMP Hammer Holder

0853

ALPINISM, ROCK CLIMBING, AID CLIMBING

Can be attached securely to any size belt or harness. Durable nylon webbing construction.

Ref.	Product name	Weight		Material
		g	oz	
304301	ALUMINUM FIFI HOOK - Polished	15	0.5	Aluminum alloy
304303	ALUMINUM FIFI HOOK - Orange	15	0.5	Aluminum alloy
0850	BRENTA	683	24.1	Chromoly Steel
0854	HAMMER LEASH REWIND	37	1.3	Nylon
0853	HAMMER HOLDER	24	0.8	Nylon



CARABINERS & QUICKDRAWS



Ben Rueck making a relaxed clip in Greece
© Dag Larson

CARABINERS & QUICKDRAWS


The evolution continues. In 1987, C.A.M.P. released the first truly hyperlight carabiner at 33 grams. In 2005 we released the Nano Wire as the modern benchmark for lightweight functionality. Three years later we carved 5 grams out of the Nano Wire, introducing the Nano 23. In 2014 we were proud to shave one more gram with the Nano 22 ... the evolution continues! This kind of sustained innovation is only possible with ongoing development in the areas of materials and engineering, areas where C.A.M.P. continues to set the bar with new products. Specific improvements with the Nano 22 include an increase in strength of 1 kN in all three configurations, a new nose that helps protect the wire, and a redesigned rope bearing surface that helps prolong the lifespan of the carabiner. The Photon family remains the prime choice for alpinists and climbers who want lightweight and full size. The Dyon is a unique wire gate carabiner with a new patented keylock closure. All three models are all brilliant for racking cams. If you plan to clip directly into the racking biner on steep splitters or anywhere you are wearing gloves, the Photon and Dyon reign supreme. For alpine rock, rack with Nanos to cut weight and reduce the amount of space they take up on gear loops. In addition to these top-of-the-line models, the best-selling Orbit carabiners and quickdraws have also been updated with the SphereLock closure and a new lightweight, hyperfunctional shape.



HMS Optimization. C.A.M.P. HMS carabiners have been notable historically for shapes that optimize their performance with ropes and lightweight designs that remain full utility for big route climbers. With the new Atom, Core, Nimbus and Nitro carabiners, we have again taken the opportunity to improve our tried and true designs. Exemplary characteristics include: lightweight and extremely easy to handle, new locking nuts with smooth action and channeled grooves for better grip, optimized rope bearing surfaces for unparalleled smooth handling and exceptional durability, laser etched markings to indicate if the gate is locked, and proprietary SphereLock closures for the slimmest nose profile to make rigging easier. The four shapes are purpose-built for different users so every climber can find the right carabiner for their specific style of climbing. The oversized design of the Atom makes it particularly easy to handle. The rounded shape of the Core gives it the most fluid action with ropes. The lightweight design of the Nitro makes it great for big routes. The compact shape of the Nimbus makes it extremely versatile.



Cut the Cross Load. C.A.M.P. quickdraws are equipped with dogbones that feature the exclusive Karstop Evo carabiner retention system, an innovative thermoplastic polyurethane keeper that is integrated into the dogbone with more precision and sophistication than the designs climbers have been used to seeing fail after a small amount of use. The system creates the widest possible contact area with the carabiner to keep shifting to the absolute minimum and the patented design even protects the dogbone from the rock thereby increasing its durability and safety.



Patents. For belay biners, C.A.M.P. integrates a secondary gate within the body of the Atom Belay Lock and the Core Belay Lock carabiner that gets its spring action from the same spring as the main gate. The patented system is designed to help eliminate the dangers of cross loading by locking the carabiner securely in place along its major axis on the harness belay loop. The Dyon features our patented KeyWire system that joins a wire gate with our SphereLock closure system for a much more profiled nose than other 'snag-free' wire gate designs. SphereLock is a patented system that changes the shape of the interface between the gate and nose to a spherical shape to tighten up the union and significantly reduce the nose profile for easier clipping and cleaning. SphereLock is utilized in the Dyon, Photon, Orbit, Atom, Core, Nimbus and Nitro carabiners.

Organizing. Uniformity in the gear we use is one of the best ways to increase efficiency and performance while climbing. Look at the highest-performing climbers executing precise leads. Those red points are not random. They require perfect execution with the rack organized around each specific placement. The same is true of the hardest onsights and the biggest, boldest routes. Uniformity with gear makes first-time placements easier and re-racking during transitions at belays faster. So our recommendation (and the way in which

Category leaders



LIGHT&FAST

Nano 22
2335



LIGHT&FAST 1ST CLASS

Photon Lock
2931



1ST CLASS

Dyon
2460



1ST CLASS

Nimbus Lock
2927



BEST SELLER

Orbit Express 11 cm
2893

you will see we have organized our range) is specificity. Be specific about which carabiners you use on the gear end versus the rope end, individually rack cams and explore ways to color coordinate. These are simple things most climbers can do to organize around efficiency in the effort to increase performance.

Carabiners classification and markings according to EN 12275 and EN 362 standards

- **Type B:** Basic connector. Self-closing connector for use anywhere in a belay system.
- **Type H:** HMS connector. Self-closing connector – generally pear shaped – intended to be used primarily for dynamic belaying, for example using an “Italian hitch” (HMS).
- **Type K:** Klettersteig connector. Self-closing connector intended to be used primarily for linking a mountaineer to a Klettersteig anchor (via ferrata) system.
- **Type T:** Termination connector. Self-closing connector designed to ensure that the loading is in a pre-determined direction.
- **Type A:** Specific anchor connector. Self-closing connector designed only to be linked directly to a specific class of anchor.
- **Type Q:** Screwed-closure connector (quicklink). Connector which is closed by a screw-motion gate which is a load bearing part of the connector when fully screwed up.
- **Type X:** Oval connector. Self-closing connector with symmetric shape designed for e.g. aid climbing and pulleys.
- **Type M:** Multi-use connector. Screw gate connector that may be loaded on the major and minor axis.

New	Ref.	Product name	Weight								Material	CE		
			g	oz								EN 12275	EN 362	
	2460	DYON	33	1.2	21	7	11	26	100	60	Aluminum alloy	B		
	2651	DYON RACK PACK - 6 pcs	198	7.0	21	7	11	26	100	60	Aluminum alloy	B		
	2335	NANO 22	22	0.8	21	8	9	21	86	52	Aluminum alloy	B		
	2479	NANO 22 RACK PACK - 6 pcs	132	4.7	21	8	9	21	86	52	Aluminum alloy	B		
UPDATED '20	246701	PHOTON STRAIGHT GATE	36	1.3	22	7	9	21	100	60	Aluminum alloy	B		
	2468	PHOTON BENT GATE	35	1.2	22	7	9	25	100	60	Aluminum alloy	B		
NEW '20	2931	PHOTON LOCK	43	1.5	23	8	9	17	102	63	Aluminum alloy	B		
	2470	PHOTON WIRE	30	1.1	22	8	9	26	100	62	Aluminum alloy	B		
	2469	PHOTON WIRE RACK PACK - 6 pcs	180	6.4	22	8	9	26	100	62	Aluminum alloy	B		
UPDATED '20	248303	ORBIT STRAIGHT GATE	42	1.5	24	7	8	20	98	58	Aluminum alloy	B		
UPDATED '20	248403	ORBIT BENT GATE	42	1.5	24	7	8	25	98	58	Aluminum alloy	B		
UPDATED '20	248507	ORBIT WIRE	36	1.3	22	7	8	27	98	61	Aluminum alloy	B		
NEW '20	2929	ORBIT LOCK	45	1.6	24	8	8	17	98	58	Aluminum alloy	B	B	
NEW '20	2930	ORBIT LOCK 3 PACK	135	4.8	24	8	8	17	98	58	Aluminum alloy	B	B	
NEW '20	2921	ATOM LOCK	82	2.9	26	11	8	21	120	78	Aluminum alloy	H	B	
NEW '20	2924	ATOM BELAY LOCK	85	3.0	24	11	8	21	120	78	Aluminum alloy	H	B	
NEW '20	2922	ATOM 2LOCK	88	3.1	26	11	8	23	120	78	Aluminum alloy	H	B	
NEW '20	2923	ATOM 3LOCK	88	3.1	26	11	8	23	120	78	Aluminum alloy	H	B	
NEW '20	2925	CORE LOCK	81	2.9	23	11	6	25	114	77	Aluminum alloy	H	B	
NEW '20	2926	CORE BELAY LOCK	84	3.0	22	11	6	25	114	77	Aluminum alloy	H	B	
NEW '20	2927	NIMBUS LOCK	69	2.4	21	9	6	22	101	71	Aluminum alloy	H	B	
NEW '20	2928	NITRO LOCK	56	2.0	22	9	6	24	106	75	Aluminum alloy	H		
	137304	ATLAS LOCK	87	3.1	40	10	13	23	120	68	Aluminum alloy	B	B	
	137404	ATLAS 2LOCK	92	3.2	40	10	13	23	120	68	Aluminum alloy	B	B	
	137504	ATLAS 3LOCK	92	3.2	40	10	13	23	120	68	Aluminum alloy	B	B	
	130903	GUIDE LOCK	77	2.7	32	10	10	18	112	63	Aluminum alloy	B	B	
	136303	GUIDE XL LOCK	82	2.9	28	9	8	24	117	75	Aluminum alloy	B	B	
	136403	GUIDE XL 2LOCK	86	3.0	28	9	8	24	117	75	Aluminum alloy	B	B	
	136503	GUIDE XL 3LOCK	86	3.0	28	9	8	24	117	75	Aluminum alloy	B	B	
	2126	OVAL XL	66	2.3	28	11	7	22	110	62	Aluminum alloy	X		
	2123	OVAL XL LOCK	71	2.5	28	11	7	20	110	62	Aluminum alloy	X	B	
	2124	OVAL XL 2LOCK	76	2.7	28	11	7	20	110	62	Aluminum alloy	X	B	
	2125	OVAL XL 3LOCK	77	2.7	28	11	7	20	110	62	Aluminum alloy	X	B	
	1115	OVAL COMPACT LOCK	71	2.5	24	10	7	15	106	57	Aluminum alloy	X	B	
	127001	GYM SAFE	110	3.9	24	8	13	24	99	58	Carbon steel	B		
	2128	HORAI	120	4.2	28	7	12	27	160	76	Aluminum alloy	K	T	•
	0995	HERCULES	125	4.4	30	9	16	23	140	71	Aluminum alloy	K	T	•
	2407	NOMAD	88	3.1	25	8	9	29	131	76	Aluminum alloy	K		
	0981	OVAL STANDARD LOCK	165	5.8	28	7	10	16	108	58	Carbon steel		B	
	1455	OVAL PRO LOCK	180	6.4	30	15	9	17	109	56	Carbon steel	B	B	
	1878	OVAL PRO 2LOCK	200	7.1	30	15	9	17	109	56	Carbon steel	B	B	
	1456	OVAL PRO 3LOCK	210	7.4	30	15	9	17	109	56	Carbon steel	B	B	
	1877	D PRO LOCK	250	8.8	50	15	18	24	114	72	Carbon steel	B	B	
	187701	D PRO 2LOCK	270	9.5	50	15	18	24	114	72	Carbon steel	B	B	
	187702	D PRO 3LOCK	280	9.9	50	15	18	24	114	72	Carbon steel	B	B	
	0939	OVAL QUICK LINK STAINLESS 8 mm	76	2.7	50	10		9	74	39	Stainless steel	Q	Q	
	0949	OVAL QUICK LINK STAINLESS 10 mm	145	5.1	50	10		12	89	47	Stainless steel	Q	Q	
	0929	OVAL MINI LINK STAINLESS 5 mm	21	0.7	25			6	50	25	Stainless steel			
	0934	OVAL QUICK LINK STEEL 8 mm	81	2.9	40	10		9	74	39	Carbon steel	Q	Q	
	0935	OVAL QUICK LINK STEEL 10 mm	151	5.3	45	10		12	89	47	Carbon steel	Q	Q	
	0991	DELTA QUICK LINK STAINLESS 8 mm	85	3.0	35	10		10	73	56	Stainless steel	Q	Q	
	0992	DELTA QUICK LINK STAINLESS 10 mm	156	5.5	45	10		12	87	69	Stainless steel	Q	Q	
	0955	DELTA QUICK LINK STEEL 8 mm	88	3.1	30	10		10	73	56	Carbon steel	Q	Q	
	0961	DELTA QUICK LINK STEEL 10 mm	164	5.8	40	10		12	87	69	Carbon steel	Q	Q	
	0691	D QUICK LINK STEEL 10 mm	157	5.5	48	13		12	86	69	Carbon steel	Q	Q	
	0671	D QUICK LINK ALU 12 mm	125	4.4	25	16		14	107	85	Aluminum alloy	Q	Q	

Carabiners



CAMP
Dyon
2460



CAMP
Dyon Rack Pack
2651



CAMP
Nano 22
2335



CAMP
Nano 22 Rack Pack
2479



CAMP
Photon straight gate
246701



CAMP
Photon bent gate
2468



CAMP
Photon Lock
2931



CAMP
Photon Wire
2470



CAMP
Photon Wire Rack Pack
2469



CAMP
Orbit straight gate
248303



CAMP
Orbit bent gate
248403



CAMP
Orbit Wire
248507



CAMP
Orbit Lock
2929



CAMP
Orbit Lock 3 Pack
2930



CAMP
Atom Lock
2921



CAMP
Atom Belay Lock
2924



CAMP
Atom 2Lock
2922



CAMP
Atom 3Lock
2923



CAMP
Core Lock
2925



CAMP
Core Belay Lock
2926



CAMP
Nimbus Lock
2927



CAMP
Nitro Lock
2928



CAMP
Atlas Lock
137304



CAMP
Atlas 2Lock
137404



CAMP
Atlas 3Lock
137504

Carabiners



CAMP
Guide Lock
130903



CAMP
Guide XL Lock
136303



CAMP
Guide XL 2Lock
136403



CAMP
Guide XL 3Lock
136503



CAMP
Oval XL
2126



CAMP
Oval XL Lock
2123



CAMP
Oval XL 2Lock
2124



CAMP
Oval XL 3Lock
2125



CAMP
Oval Compact Lock
1115



CAMP
Gym Safe
127001



CAMP
Horai
2128



CAMP
Hercules
0995



CAMP
Nomad
2407



CAMP
Oval Standard Lock
0981



CAMP
Oval Pro Lock
1455



CAMP
Oval Pro 2Lock
1878



CAMP
Oval Pro 3Lock
1456



CAMP
D Pro Lock
1877



CAMP
D Pro 2Lock
187701



CAMP
D Pro 3Lock
187702



CAMP
Oval Quick Link Stainless
0929/0939/0949



CAMP
Oval Quick Link Steel
0934/0935



CAMP
Delta Quick Link Stainless
0991/0992



CAMP
Delta Quick Link Steel
0955/0961



CAMP
D Quick Link Steel
0691



CAMP
D Quick Link Alu
0671

Quickdraws



CAMP
Dyon Express KS
2465/2466



CAMP
Dyon Express
KS 6 Pack
2874/2875



CAMP
Dyon Mixed Express KS
2876/2877



CAMP
Photon
Express KS
2878/2879



CAMP
Photon Express KS
6 Pack
2880/2881



CAMP
Photon Mixed
Express KS
2886/2887



CAMP
Photon Mixed
Express KS 6 Pack
2888/2889



CAMP
Photon Wire Express
KS Dyneema®
2882/2883



CAMP
Photon Wire Express
KS Dyneema® 6 Pack
2884/2885



CAMP
Alpine Express
Dyneema® 60 cm
2891



CAMP
Alpine Express
Dyneema® 60 cm 4 Pack
2892



CAMP
Nano 22
Express KS 18 cm
2890



CAMP
MACH Express
Dyneema® 60 cm
2482



CAMP
Mach Express Dyneema®
60 cm 4 Pack
2677



CAMP
Orbit Express
2893/2894



CAMP
Orbit Express
6 Pack
2895



CAMP
Orbit Mixed Express
2899/2900



CAMP
Orbit Mixed
Express 6 Pack
2901



CAMP
Orbit Wire Express
2896/2897



CAMP
Orbit Wire
Express 6 Pack
2898



CAMP
Cable Express
2721/2722/2723/2724



CAMP
Gym Safe
Cable Express
2725/2726/2727/2728



CAMP
Gym Safe Express
2498/2499

Technical features on CAMP Atom Lock



2921 2922 2922

Available in all 3 locking systems:
Lock, 2Lock Auto, 3Lock Auto



Laser etched safety marking shows if the lock is open or closed



26 kN 11 kN 8 kN


High strength HMS carabiner certified:
EN 12275:2013 - H
EN 362:2004/B




Smooth transition from gate to body to prevent snagging




Proprietary SphereLock closure for the lowest profile nose and extra security from a ball and socket instead of the traditional lock and key




Wide rope bearing surface makes it one of the best rope handling carabiners on the market




New lightweight, low profile locking nut with improved grip

H beam construction on the spine for the best strength to weight ratio



Large gate opening and inner working space makes it particularly easy to use with ropes



Metal spring with POM polymer gate for the best durability and ease of use



Belay lock version (art. 2924) features proprietary inner gate to prevent cross loading



246001
(Light Blue)

246002
(Yellow)

246003
(Gun Metal)



246004
(Titanium)

246005
(Purple)

246006
(Green)



246007
(Red)

246008
(Orange)

CAMP Dyon

2460

1ST CLASS

ALPINISM, ROCK CLIMBING

- Patented KeyWire design combines the benefits of wire gate action with a keylocking closure
- Patented SphereLock closure minimizes play between the gate and nose for enhanced safety and performance
- Curved I-Beam construction on the spine creates a very high open gate strength
- 8 colors coordinate with the most popular cam colors

Another step forward in carabiner evolution, the Dyon uses a proprietary two-part gate to combine the benefits of smooth wire gate action with a keylocking closure. This unique combination gives it both high levels of performance and safety. The curved I-Beam construction on the spine keeps the weight to a minimum while providing a high level of rigidity and an incredible open gate strength of 11 kN. The patented SphereLock closure minimizes play between the gate and nose for enhanced safety and performance. Available in 8 colors to coordinate with the most popular cam colors.

CAMP Dyon Rack Pack

2651 6 pcs.

- 6 colors coordinate with the most popular cam colors



Ref.	Product name	Weight		 kN	 kN	 kN	 mm	 mm	 mm	Material	CE	
		g	oz								EN 12275	EN 362
2460	DYON	33	1.2	21	7	11	26	100	60	Aluminum alloy	B	
2651	DYON RACK PACK - 6 pcs	198	7.0	21	7	11	26	100	60	Aluminum alloy	B	



233509
(Titanium)

233510
(Gun Metal)

233511
(Light Blue)



233512
(Purple)

233513
(Green)

233514
(Red)



233515
(Yellow)

233516
(Orange)



CAMP Nano 22

2335

LIGHT&FAST

ALPINISM, ROCK CLIMBING

- One of the lightest carabiners on the market
- Designed for fluid use with ropes of all diameters
- Significantly reduces weight and bulk on any rack
- Optimized design increases strength and reduces weight
- Available in 8 colors with a bright finish to coordinate with the most popular cam colors

The evolution of the Nano continues. Following the popular Nano Wire and Nano 23, the Nano 22 is even lighter, stronger, and more functional. The Nano 22 features a special design that is 1 kN stronger in all three of the strength ratings, a deeper basket for holding the rope in its proper position, and a refined gate for smooth, easy clipping. At 22 grams, the Nano 22 is the lightest fully-functional carabiner on the market with unique attributes that set it apart from other smaller carabiners. Like an inner working space large enough to use a clove hitch with ropes of any diameter, a gate opening wide enough for easy clipping on the sharp end, a profiled nose that slips in and out of tight chain links, and 8 colors for individually racking cams. As the trend towards lighter and faster, bigger and bolder continues, the Nano continues to set the standard for carabiners in the area of lightweight functionality.

CAMP Nano 22 Rack Pack

2479 6 pcs.

- 6 colors coordinate with the most popular cam colors



Ref.	Product name	Weight		kN		mm		Material	CE			
		g	oz	kN	kN	mm	mm		EN 12275	EN 362		
2335	NANO 22	22	0.8	21	8	9	21	86	52	Aluminum alloy	B	B
2479	NANO 22 RACK PACK - 6 pcs	132	4.7	21	8	9	21	86	52	Aluminum alloy	B	B



CAMP Photon Straight Gate

246701

UPDATED '20

ALPINISM, ROCK CLIMBING

- The lightest solid gate carabiner in the world
- Slim nose profile features our proprietary SphereLock closure
- Optimized body design increases rigidity and strength without increasing weight

The lightest solid gate carabiner on the market. The proprietary SphereLock closure is an upgrade to the traditional keylock system with an even cleaner nose profile.



CAMP Photon Bent Gate

2468

ALPINISM, ROCK CLIMBING

- The lightest solid gate carabiner in the world
- Slim nose profile features our proprietary SphereLock closure
- Optimized body design increases rigidity and strength without increasing weight

Bent gate version of the Photon designed for the rope end on quickdraws. The Photon is the lightest solid gate carabiner on the market. The proprietary SphereLock closure is an upgrade to the traditional keylock system with an even cleaner nose profile.



CAMP Photon Lock

293101 Blue

293102 Gun metal

NEW '20

LIGHT&FAST

1st CLASS

ALPINISM, ROCK CLIMBING

- Our lightest locking carabiner
- New screw gate is lightweight and easy to handle
- Slim nose profile features our proprietary SphereLock closure
- Laser etched marking to indicate if the lock is open or closed
- Available in 2 colors

The Photon Lock is the anchor carabiner of choice for alpinists and multi-pitch climbers. Its full-size design gives it great versatility for any kind of climbing. I-Beam construction delivers a high strength-to-weight ratio while still maintaining a rope friendly radius. The proprietary SphereLock nose makes clipping ropes, webbing, chains and pro easy.

Ref.	Product name	Weight		kN		kN	mm	mm	mm	Material	CE	
		g	oz	kN	kN						EN 12275	EN 362
246701	PHOTON STRAIGHT GATE	36	1.3	22	7	9	21	100	60	Aluminum alloy	B	
2468	PHOTON BENT GATE	35	1.2	22	7	9	25	100	60	Aluminum alloy	B	
2931	PHOTON LOCK	43	1.5	23	8	9	17	102	63	Aluminum alloy	B	



247001 (Light Blue) **247002** (Yellow) **247003** (Gun Metal)



247004 (Titanium) **247005** (Purple) **247006** (Green)



247007 (Red) **247008** (Orange)

CAMP Photon Wire 2470

LIGHT&FAST

ALPINISM, ROCK CLIMBING

- Still the lightest full-size carabiner in the world
- Optimized body design increases rigidity and strength without increasing weight
- Redesigned interface between the gate and nose helps to protect the wire gate from damage and accidental opening
- 8 colors coordinate with the most popular cam colors

The Photon Wire remains one of the lightest carabiners in the world and is still significantly larger than other carabiners in its class. The newest generation features an updated body design that increases strength and rigidity to handle the odd stresses that climbers put on their gear. We have also redesigned the interface between the gate and nose to help protect the wire gate from damage or accidental opening. Available in eight colors for individually racking cams – team the sling color with the coordinating biner color for the fastest way to identify the right cam size on the sharp end and reorganize the rack at belays. The Photon Wire is perfect for climbers who want a racking biner that is lightweight and low-profile but still clips with the ease of a high-end quickdraw. It is particularly well-suited for difficult trad leads or alpine mixed routes and ice climbing where a full-size carabiner is much easier to operate while wearing gloves.

CAMP Photon Wire Rack Pack 2469 6 pcs.

- 6 colors coordinate with the most popular cam colors



Ref.	Product name	Weight		Strength			Dimensions			Material	CE	
		g	oz	kN	kN	kN	mm	mm	mm		EN 12275	EN 362
2470	PHOTON WIRE	30	1.1	22	8	9	26	100	62	Aluminum alloy	B	
2469	PHOTON WIRE RACK PACK - 6 pcs	180	6.4	22	8	9	26	100	62	Aluminum alloy	B	



CAMP Orbit Straight Gate
248303

UPDATED '20

ALPINISM, ROCK CLIMBING

- Optimized design increases strength without increasing weight
- Slim nose profile features our proprietary SphereLock closure

The Orbit is a solid workhorse for everyday climbing with great durability, smooth clipping action and our proprietary SphereLock closure for a super slim nose profile.



CAMP Orbit Bent Gate
248403

UPDATED '20

ALPINISM, ROCK CLIMBING

- Optimized design increases strength without increasing weight
- Slim nose profile features our proprietary SphereLock closure

Bent gate version of the Orbit designed for the rope end on quickdraws. The Orbit is a solid workhorse for everyday climbing with great durability, smooth clipping action and our proprietary SphereLock closure for a super slim nose profile.



CAMP Orbit Wire
248507

UPDATED '20

ALPINISM, ROCK CLIMBING

- Optimized profile reduces weight
- Interface between the gate and nose helps to protect the wire gate from damage and accidental openings

Smooth gate action and a truly functional size make the Orbit Wire a solid workhorse for any kind of climbing. The interface between the gate and nose helps to protect the wire gate from damage and accidental openings.

Ref.	Product name	Weight		 kN	 kN	 kN	 mm	 mm	 mm	Material	CE	
		g	oz	kN	kN	kN	mm	mm	mm		EN 12275	EN 362
248303	ORBIT STRAIGHT GATE	42	1.5	24	7	8	20	98	58	Aluminum alloy	B	
248403	ORBIT BENT GATE	42	1.5	24	7	8	25	98	58	Aluminum alloy	B	
248507	ORBIT WIRE	36	1.3	22	7	8	27	98	61	Aluminum alloy	B	



CAMP Orbit Lock

292901 Orange

292902 Gun metal

NEW '20 **BEST SELLER**

ALPINISM, ROCK CLIMBING

- A lightweight and compact locking carabiner for anchors and rigging
- New screw gate is lightweight and easy to handle
- Optimized design increases strength without increasing weight
- Slim nose profile features our proprietary SphereLock closure
- Laser etched marking to indicate if the lock is open or closed
- Available in 2 colors

The body design of the Orbit Lock adds strength and rigidity while maintaining a truly utilitarian size for everything from anchors to rigging to attaching auto-blocking belay devices where a compact D tends to fit better than larger HMS style carabiners. The proprietary SphereLock nose makes clipping ropes, webbing, chains and pro easy.



293001



CAMP Orbit Lock 3 Pack

293001 Orange

293002 Gun metal

NEW '20

293002



Ref.	Product name	Weight		 kN	 kN	 kN	 mm	 mm	 mm	Material	CE	
		g	oz	kN	kN	kN	mm	mm	mm		EN 12275	EN 362
2929	ORBIT LOCK	45	1.6	24	8	8	17	98	58	Aluminum alloy	B	B
2930	ORBIT LOCK 3 PACK	135	4.8	24	8	8	17	98	58	Aluminum alloy	B	B



292101
(Blue)

292102
(Green)



292103
(Gun metal)

292104
(Black)

CAMP Atom Lock
2921

NEW '20 **BEST SELLER**

ALPINISM, ROCK CLIMBING

- High-strength HMS carabiner with a secure screw lock closure
- New screw gate is lightweight and easy to handle
- Proprietary SphereLock nose make clipping ropes and webbing easy
- Laser etched marking to indicate if the lock is open or closed
- Available in 4 colors

The Atom Lock is a high-strength HMS carabiner designed for belaying and rappelling. The proprietary SphereLock nose combines with a large gate opening to make clipping ropes and webbing easy.



CAMP Atom Belay Lock
2924

NEW '20

ROCK CLIMBING, ALPINISM

- High-strength HMS carabiner with a secure screw lock closure and a proprietary inner gate to prevent cross-loading
- New screw gate is lightweight and easy to handle
- Proprietary SphereLock nose make clipping ropes and webbing easy
- Laser etched marking to indicate if the lock is open or closed

The Atom Belay Lock is a high-strength HMS carabiner designed for belaying and rappelling. The proprietary inner gate creates a captive eye to prevent rotations that can lead to cross-loading and the SphereLock nose combines with a large gate opening to make clipping ropes and webbing easy.

Ref.	Product name	Weight		kN	kN	kN	mm	mm	mm	Material	CE	
		g	oz								EN 12275	EN 362
2921	ATOM LOCK	82	2.9	26	11	8	24	120	78	Aluminum alloy	H	B
2924	ATOM BELAY LOCK	85	3.0	24	11	8	22	120	78	Aluminum alloy	H	B



CAMP Atom 2Lock

2922

NEW '20

ALPINISM, ROCK CLIMBING

- High-strength HMS carabiner with automatic lock that requires two actions (twist and pull) to open
- Double-action twist lock sleeve is easy to engage with one hand
- Large gate opening and proprietary SphereLock nose make clipping ropes and webbing easy

The Atom 2Lock is a high-strength HMS carabiner designed for belaying and rappelling. The proprietary SphereLock nose combines with a large gate opening to make clipping ropes and webbing easy. The automatic lock requires two actions (twist and pull) to open.



CAMP Atom 3Lock

2923

NEW '20

ALPINISM, ROCK CLIMBING

- High-strength HMS carabiner with automatic lock that requires three actions (slide, twist, and pull) to open
- Triple-action makes it safer than standard auto-locking carabiners
- Large gate opening and proprietary SphereLock nose make clipping ropes and webbing easy

The Atom 3Lock is a high-strength HMS carabiner designed for belaying and rappelling. The proprietary SphereLock nose combines with a large gate opening to make clipping ropes and webbing easy. The automatic lock requires three actions (slide, twist, pull) to open.

Ref.	Product name	Weight								Material	CE	
		g	oz	kN	kN	kN	mm	mm	mm		EN 12275	EN 362
2922	ATOM 2LOCK	88	3.1	26	11	8	24	120	78	Aluminum alloy	H	B
2923	ATOM 3LOCK	88	3.1	26	11	8	24	120	78	Aluminum alloy	H	B



CAMP Core Lock
2925

NEW '20

ALPINISM, ROCK CLIMBING

- Extremely smooth HMS belay and rappel carabiner with secure screw lock closure
- New screw gate is lightweight and easy to handle
- Large gate opening and proprietary SphereLock nose make clipping ropes and webbing easy
- Laser etched marking to indicate if the lock is open or closed

The unique shape of the Core Lock HMS carabiner creates a very wide gate opening and positions ropes for the smoothest belays and rappels. The proprietary SphereLock nose makes clipping ropes and webbing easy.



CAMP Core Belay Lock
2926

NEW '20

ROCK CLIMBING, ALPINISM

- Extremely smooth HMS belay and rappel carabiner with secure screw lock closure
- New screw gate is lightweight and easy to handle
- Proprietary inner gate prevents cross-loading
- Large gate opening and proprietary SphereLock nose make clipping ropes and webbing easy
- Laser etched marking to indicate if the lock is open or closed

The unique shape of the Core Lock HMS carabiner creates a very wide gate opening and positions ropes for the smoothest belays and rappels. The proprietary inner gate creates a captive eye to prevent rotations that can lead to cross-loading and the SphereLock nose makes clipping ropes and webbing easy.



CAMP Nimbus Lock
2927

NEW '20 **1ST CLASS**

ALPINISM, ROCK CLIMBING

- Compact HMS belay and rappel carabiner with secure screw lock closure
- New screw gate is lightweight and easy to handle
- Proprietary SphereLock nose makes clipping ropes and webbing easy
- Laser etched marking to indicate if the lock is open or closed

The Nimbus Lock has all of the benefits of a full-utility HMS locking carabiner in a compact size. The unique shape ideally positions ropes for smooth belays and rappels and the proprietary SphereLock nose makes clipping ropes and webbing easy.



CAMP Nitro Lock
2928

NEW '20 **LIGHT&FAST**

ALPINISM, ROCK CLIMBING

- Our lightest HMS locking carabiner
- New screw gate is lightweight and easy to handle
- Sophisticated shape creates a high strength-to-weight ratio
- Proprietary SphereLock nose makes clipping ropes and webbing easy
- Laser etched marking to indicate if the lock is open or closed

One of the lightest HMS locking carabiners in the world. The Nitro Lock has been optimized to maximize both safety and performance. I-Beam construction delivers a high strength-to-weight ratio while still maintaining a rope friendly radius. The proprietary SphereLock nose makes clipping ropes and webbing easy.

Ref.	Product name	Weight		kN	kN	kN	mm	mm	mm	Material	CE	
		g	oz								EN 12275	EN 362
2925	CORE LOCK	81	2.9	23	11	6	27	114	77	Aluminum alloy	H	B
2926	CORE BELAY LOCK	84	3.0	22	11	6	25	114	77	Aluminum alloy	H	B
2927	NIMBUS LOCK	69	2.4	21	9	6	22	101	71	Aluminum alloy	H	B
2928	NITRO LOCK	56	2.0	22	9	6	23	106	75	Aluminum alloy	H	B



CAMP Atlas Lock
137304

ALPINISM, ROCK CLIMBING

- Amazingly strong aluminum carabiner
- Screwgate with key lock closure

The Atlas is notable for its superior strength—which approaches the strength of some steel carabiners, but at a fraction of the weight—and its oversized design which makes rigging easy, even while wearing gloves. This combination of strength and ease of use makes it an ideal carabiner for search and rescue applications.



CAMP Atlas 2Lock
137404

ALPINISM, ROCK CLIMBING

- Amazingly strong aluminum carabiner
- Automatic lock requires two actions (twist and pull) to open
- Easy to operate with one hand
- Large gate opening and keylock nose make clipping ropes and webbing easy

The Atlas carabiner with an automatic twist lock closure. The Atlas is notable for its superior strength—which approaches the strength of some steel carabiners, but at a fraction of the weight—and its oversized design which makes rigging easy, even while wearing gloves. This combination of strength and ease of use makes it an ideal carabiner for search and rescue applications.



CAMP Atlas 3Lock
137504

ALPINISM, ROCK CLIMBING

- Amazingly strong aluminum carabiner
- Automatic lock requires three actions (slide, twist, and pull) to open
- Easy to operate with one hand
- Large gate opening and keylock nose make clipping ropes and webbing easy

The Atlas carabiner with an automatic triple-action twist lock closure for maximum security. The Atlas is notable for its superior strength—which approaches the strength of some steel carabiners, but at a fraction of the weight—and its oversized design which makes rigging easy, even while wearing gloves. This combination of strength and ease of use makes it an ideal carabiner for search and rescue applications. We recommend the 3Lock system if you intend to use an auto-locker as your general belay biner.



CAMP Guide Lock
130903

ALPINISM, ROCK CLIMBING

- Very strong and durable carabiner for heavy use
- Keylock nose for clipping into anchors

Smooth operating, super strong D screw gate carabiner with a keylock closure to reduce snagging. A great choice for serious mileage.

Ref.	Product name	Weight		kN		mm		Material	CE			
		g	oz	kN	kN	mm	mm		EN 12275	EN 362		
137304	ATLAS LOCK	87	3.1	40	10	13	23	120	68	Aluminum alloy	B	B
137404	ATLAS 2LOCK	92	3.2	40	10	13	23	120	68	Aluminum alloy	B	B
137504	ATLAS 3LOCK	92	3.2	40	10	13	23	120	68	Aluminum alloy	B	B
130903	GUIDE LOCK	77	2.7	32	10	10	18	112	63	Aluminum alloy	B	B



CAMP Guide XL Lock
136303

ALPINISM, ROCK CLIMBING

- Very strong and durable carabiner for heavy use
- Large gate opening and keylock nose make clipping ropes and webbing easy
- Screwgate with key lock closure

An oversized version of our popular Guide carabiner with a unique shape that gives it an excellent strength-to-weight ratio and a huge gate opening for easy handling with ropes and rigging. An excellent choice for anchors and rigging.



CAMP Guide XL 2Lock
136403

ALPINISM, ROCK CLIMBING

- Automatic lock requires two actions (twist and pull) to open
- Easy to operate with one hand
- Large gate opening and keylock nose make clipping ropes and webbing easy

The Guide XL carabiner with an automatic twist lock closure. The Guide XL is an oversized version of our popular Guide carabiner with a unique shape that gives it an excellent strength-to-weight ratio and a huge gate opening for easy handling with ropes and rigging. An excellent choice for anchors and rigging.



CAMP Guide XL 3Lock
136503

ALPINISM, ROCK CLIMBING

- Automatic lock requires three actions (slide, twist, and pull) to open
- Easy to operate with one hand
- Large gate opening and keylock nose make clipping ropes and webbing easy

The Guide XL carabiner with an automatic triple-action twist lock closure for maximum security. The Guide XL is an oversized version of our popular Guide carabiner with a unique shape that gives it an excellent strength-to-weight ratio and a huge gate opening for easy handling with ropes and rigging. We recommend the 3Lock system if you intend to use an auto-locker as your general belay biner.

Ref.	Product name	Weight								Material	CE	
		g	oz	kN	kN	kN	mm	mm	mm		EN 12275	EN 362
136303	GUIDE XL LOCK	82	2.9	28	9	8	24	117	75	Aluminum alloy	B	B
136403	GUIDE XL 2LOCK	86	3.0	28	9	8	24	117	75	Aluminum alloy	B	B
136503	GUIDE XL 3LOCK	86	3.0	28	9	8	24	117	75	Aluminum alloy	B	B



CAMP Oval XL
2126

ALPINISM, CAVING

- Super-strong, full-size oval carabiner
- Large gate opening
- Keylock nose

The Oval XL is a full-size oval carabiner with an exceptional strength-to-weight ratio. I-Beam construction gives it a sleek profile for easy handling and the large gate opening combines with a Keylock nose for maximum ease of use with ropes and hardware. These features also make it a great option for racking wires and pins.



CAMP Oval XL Lock
2123

ALPINISM, CAVING

- Super-strong, full-size oval carabiner with locking screw gate
- Large gate opening
- Keylock nose
- Ideal for use with pulleys and ascender-descender devices

The Oval XL Lock is an exceptionally strong full-size locking oval carabiner. With its sophisticated I-Beam construction, it is also surprisingly lightweight. Its large gate opening, keylock nose and locking screw gate make it ideal for use with pulleys and ascender-descender devices.



CAMP Oval XL 2Lock
2124

ALPINISM, CAVING

- Super-strong, full-size oval carabiner with automatic lock that requires two actions (twist and pull) to open
- Large gate opening
- Keylock nose
- Ideal for use with pulleys and ascender-descender devices

The Oval XL 2Lock is a super-strong, full-size auto-locking oval carabiner. With its sophisticated I-Beam construction, it is also surprisingly lightweight. Its large gate opening, keylock nose and dual-action twist lock closure make it ideal for use with pulleys and ascender-descender devices.



CAMP Oval XL 3Lock
2125

ALPINISM, CAVING

- Super-strong, full-size oval carabiner with automatic lock that requires three actions (slide, twist and pull) to open
- Large gate opening
- Keylock nose
- Ideal for use with pulleys and ascender-descender devices

The Oval XL 3Lock is a super-strong, full-size oval carabiner with our secure 3Lock auto-locking closure that requires three actions (slide, twist and pull) to open. With its sophisticated I-Beam construction, the Oval XL 3Lock is notably stronger and lighter than other carabiners in its class.

Ref.	Product name	Weight		 kN	 kN	 kN	 mm	 mm	 mm	Material	CE	
		g	oz								kN	kN
2126	OVAL XL	66	2.3	28	11	7	22	110	62	Aluminum alloy	X	
2123	OVAL XL LOCK	71	2.5	28	11	7	20	110	62	Aluminum alloy	X	B
2124	OVAL XL 2LOCK	76	2.7	28	11	7	20	110	62	Aluminum alloy	X	B
2125	OVAL XL 3LOCK	77	2.7	28	11	7	20	110	62	Aluminum alloy	X	B



CAMP Oval Compact Lock
1115

ALPINISM, ROCK CLIMBING, CAVING

- One of the strongest oval carabiners on the market

A compact style of oval carabiner with an exceptional strength to weight ratio. Features a keylock screw gate closure. Locking oval carabiners are ideal for work with pulleys, caving, and big walls and aid climbing.



CAMP Gym Safe
127001

CLIMBING GYMS

- Large opening and keylock nose for easy clipping
- Steel body for durability, aluminum gate for smooth clipping
- Zinc plating helps prevent rust in humid environments
- Special keeper pin ensures proper orientation and prevents theft

A steel body carabiner specifically designed for use in gyms and outside on high traffic routes and anchors. The smooth action and wide opening of the aluminum alloy bent gate combine with the keylock closure to make clipping and cleaning a breeze. A special keeper pin held in place by a bolt locks the carabiner on draws to help ensure proper orientation and prevent theft (hex wrench included).

Ref.	Product name	Weight		Strength			Dimensions			Material	CE	
		g	oz	kN	kN	kN	mm	mm	mm		EN 12275	EN 362
1115	OVAL COMPACT LOCK	71	2.5	24	10	7	15	106	57	Aluminum alloy	X	B
127001	GYM SAFE	110	3.9	24	8	13	24	99	58	Carbon steel	B	



CAMP Horai
2128

VIA FERRATA

- Automatic lock opens by squeezing the carabiner and pulling the gate
- Large opening, special geometry and keylock nose to easily clip cables and anchors
- Release lever on back is constructed from lightweight, grippable material
- Ergonomic and functional design

The Horai is a super strong via ferrata carabiner featuring an ergonomic design to increase grip and improve handling action. Large gate opening, special inner geometry and keylock nose facilitate clipping and unclipping of cables and anchors. The locking mechanism is very user-friendly and super safe -- the gate opens by squeezing the back lever and gate together. The specific design of the back protects the release lever to prevent accidental openings and the nose is designed to protect the climber's fingers when holding the carabiner. Graphics on the device indicate whether the carabiner is open or locked allowing users to know immediately if the release lever has been activated.



CAMP Hercules
0995

VIA FERRATA

- Automatic lock opens by squeezing the carabiner and pulling the gate
- Large opening and keylock nose for clipping anchors and cables
- Release lever on back is constructed from stainless steel

The Hercules features the safest and most user-friendly locking mechanism for via ferrata (especially easy to operate with gloves). The gate opens by squeezing the back lever and gate together and auto locks when released. The keylock nose helps prevent snagging.



CAMP Nomad
2407

VIA FERRATA, ROPE COURSES & INSTITUTIONAL

- Automatic lock requires sliding the sleeve down and pulling the gate to open
- Easy to engage with one hand
- Keylock nose for easy clipping to anchors and cables
- Ergonomic body design facilitates clipping and unclipping

A full-size via ferrata carabiner with a keylock closure and auto-locking gate that is easy to operate with one hand (just slide and pull).

Ref.	Product name	Weight							Material	CE			
		g	oz	kN	kN	kN	mm	mm		mm	EN 12275	EN 362	121
2128	HORAI	120	4.2	28	7	12	27	160	76	Aluminum alloy	K	T	•
0995	HERCULES	125	4.4	30	9	16	23	140	71	Aluminum alloy	K	T	•
2407	NOMAD	88	3.1	25	8	9	29	131	76	Aluminum alloy	K		



CAMP Oval Standard Lock
0981

INDUSTRIAL

- Especially useful with pulleys in rescue work
- Zinc plating helps prevent rust in humid environments

Steel oval carabiner with a locking screw gate. 28 kN.



CAMP Oval Pro Lock
1455

INDUSTRIAL

- Especially useful with pulleys in rescue work
- Zinc plating helps prevent rust in humid environments
- Keylock nose reduces snagging

Locking steel oval carabiner with a tremendous minor axis strength and a keylock nose to reduce snagging.



CAMP Oval Pro 2Lock
1878

INDUSTRIAL

- Automatic lock requires two actions (twist and pull) to open
- Zinc plating helps prevent rust in humid environments

Auto-locking steel oval carabiner with a tremendous minor axis strength. The 2Lock is easy to operate with one hand and the keylock nose reduces snagging on ropes and chains.



CAMP Oval Pro 3Lock
1456

INDUSTRIAL

- Automatic lock requires three actions (slide, twist and pull) to open
- Zinc plating helps prevent rust in humid environments
- Keylock nose

Auto-locking steel oval carabiner with a tremendous minor axis strength. Features a triple-action auto-locking gate that can be operated with one hand and a keylock nose to reduce snagging.

Ref.	Product name	Weight		kN	kN	kN	mm	mm	mm	Material	CE	
		g	oz								EN 12275	EN 362
0981	OVAL STANDARD LOCK	165	5.8	28	7	10	16	108	58	Carbon steel		B
1455	OVAL PRO LOCK	180	6.4	30	15	9	17	109	56	Carbon steel	B	B
1878	OVAL PRO 2LOCK	200	7.1	30	15	9	17	109	56	Carbon steel	B	B
1456	OVAL PRO 3LOCK	210	7.4	30	15	9	17	109	56	Carbon steel	B	B



CAMP D Pro Lock
1877

INDUSTRIAL

- Very high strength and durability (52 kN)
- Zinc plating helps prevent rust in humid environments

Super strong steel D-shaped carabiner features a very large gate opening, locking screw gate and a keylock nose to reduce snagging.



CAMP D Pro 2Lock
187701

INDUSTRIAL

- Automatic lock requires two actions (twist and pull) to open
- Zinc plating helps prevent rust in humid environments

Super strong steel D-shaped carabiner features an auto-locking gate that is easy to operate with one hand and a keylock nose to reduce snagging.



CAMP D Pro 3Lock
187702

INDUSTRIAL

- Automatic lock requires three actions (slide, twist and pull) to open
- Zinc plating helps prevent rust in humid environments

Super strong steel D-shaped carabiner features a triple-action auto-locking gate that can be operated with one hand and a keylock nose to reduce snagging.

Ref.	Product name	Weight		 kN	 kN	 kN	 mm	 mm	 mm	Material	CE	
		g	oz	kN	kN	kN	mm	mm	mm		EN 12275	EN 362
1877	D PRO LOCK	250	8.8	50	15	18	24	114	72	Carbon steel	B	B
187701	D PRO 2LOCK	270	9.5	50	15	18	24	114	72	Carbon steel	B	B
187702	D PRO 3LOCK	280	9.9	50	15	18	24	114	72	Carbon steel	B	B



CAMP Oval Quick Link Stainless

0939 8 mm
0949 10 mm

INDUSTRIAL

CE certified stainless steel oval quick links for industrial rigging and anchors. The 8 mm requires a 14 mm open-end wrench. The 10 mm requires a 17 mm open-end wrench.



CAMP Oval Mini Link Stainless

0929 5 mm

INDUSTRIAL

A hyperlight and compact quick link for rigging and rappels. The stainless steel body is harder than traditional Carbon steel so it will hold up to wear and tear from ropes better over time. Not CE certified.



CAMP Oval Quick Link Steel

0934 8 mm
0935 10 mm

INDUSTRIAL

CE certified steel oval quick links for industrial rigging and anchors. Zinc plating helps prevent rust in humid environments. The 8 mm requires a 14 mm open-end wrench. The 10 mm requires a 17 mm open-end wrench.

Ref.	Product name	Weight								Material	CE	
		g	oz	kN	kN						kN	mm
0939	OVAL QUICK LINK STAINLESS 8 mm	76	2.7	50	10		9	74	39	Stainless steel	Q	Q
0949	OVAL QUICK LINK STAINLESS 10 mm	145	5.1	50	10		12	89	47	Stainless steel	Q	Q
0929	OVAL MINI LINK STAINLESS 5 mm	21	0.7	25			6	50	25	Stainless steel		
0934	OVAL QUICK LINK STEEL 8 mm	81	2.9	40	10		9	74	39	Carbon steel	Q	Q
0935	OVAL QUICK LINK STEEL 10 mm	151	5.3	45	10		12	89	47	Carbon steel	Q	Q



CAMP Delta Quick Link Stainless

0991 8 mm
0992 10 mm

INDUSTRIAL

CE certified stainless steel triangular quick links for use in anchors and work and industrial. The 8 mm requires a 14 mm open-end wrench. The 10 mm requires a 17 mm open-end wrench.



CAMP Delta Quick Link Steel

0955 8 mm
0961 10 mm

INDUSTRIAL

CE certified steel triangular quick links for use in anchors and work and industrial. Zinc plating helps prevent rust in humid environments. The 8 mm requires a 14 mm open-end wrench. The 10 mm requires a 17 mm open-end wrench.



CAMP D Quick Link Steel

0691 10 mm

INDUSTRIAL

CE and UIAA certified 10 mm steel D-shaped quick link for use in rigging and industrial work. Requires a 17 mm open-end wrench.



CAMP D Quick Link Alu

0671 12 mm

INDUSTRIAL

CE certified 12 mm aluminum D-shaped quick link for use in rigging and industrial work. Requires a 17 mm open-end wrench.

Ref.	Product name	Weight		kN		kN	mm	mm	mm	Material	CE	
		g	oz	kN	kN						EN 12275	EN 362
0991	DELTA QUICK LINK STAINLESS 8 mm	85	3.0	35	10		10	73	56	Stainless steel	Q	Q
0992	DELTA QUICK LINK STAINLESS 10 mm	156	5.5	45	10		12	87	69	Stainless steel	Q	Q
0955	DELTA QUICK LINK STEEL 8 mm	88	3.1	30	10		10	73	56	Carbon steel	Q	Q
0961	DELTA QUICK LINK STEEL 10 mm	164	5.8	40	10		12	87	69	Carbon steel	Q	Q
0691	D QUICK LINK STEEL 10 mm	157	5.5	48	13		12	86	69	Carbon steel	Q	Q
0671	D QUICK LINK ALU 12 mm	125	4.4	25	16		14	107	85	Aluminum alloy	Q	Q



CAMP Dyon Express KS

2465 11 cm - 82 g - 2.9 oz
2466 18 cm - 88 g - 3.1 oz

1st CLASS

ROCK CLIMBING

- A premium quickdraw for all-around climbing
- Equipped with two proprietary Dyon KeyWire carabiners
- The Dyon features our patented KeyWire design that combines the benefits of wire gate action with the proprietary SphereLock closure
- Curved I-Beam construction on the spine creates a very high open gate strength
- Variable width polyester dogbones are easy to grab while projecting sport routes
- Features the proprietary Karstop Evo carabiner retainer on the rope end
- Available in 11 and 18 cm lengths

The Dyon Express KS is a benchmark draw that incorporates our high-end Dyon carabiners for super smooth clipping and cleaning. The Dyon uses a proprietary two-part gate to combine the benefits of smooth wire gate action with a keylocking closure. This unique combination gives it high levels of both performance and safety. The curved I-Beam construction on the spine keeps the weight to a minimum while providing a high level of rigidity and an incredible open gate strength of 11 kN. The proprietary SphereLock closure is an upgrade to the traditional keylock system with an even cleaner nose profile. The Dyon Express KS also uses our most sophisticated dogbone with variable width webbing that makes them easy to grab while projecting sport routes and the proprietary Karstop Evo carabiner retainer on the rope end. Available in 11 and 18 cm lengths.



CAMP Dyon Express KS 6 Pack

2874 11 cm
2875 18 cm

NEW '20

Ref.	Product name	Weight		Product name	kN	kN	kN	mm	mm	mm	kN	CE	
		g	oz									EN 12275	EN 566
2465	DYON EXPRESS KS 11 cm	82	2.9	DYON - Gun metal	21	7	11	26	100	60	22	B	•
				DYON - Yellow	21	7	11	26	100	60			
2466	DYON EXPRESS KS 18 cm	88	3.1	DYON - Gun metal	21	7	11	26	100	60	22	B	•
				DYON - Yellow	21	7	11	26	100	60			



CAMP Dyon Mixed Express KS

2876 11 cm - 84 g - 3.0 oz
2877 18 cm - 90 g - 3.2 oz

UPDATED '20

ALPINISM, ROCK CLIMBING

- For sport climbing at the highest level
- Equipped with a Photon straight gate carabiner on the bolt end and a Dyon KeyWire carabiner on the rope end
- The Photon is our lightest solid gate carabiner featuring our proprietary SphereLock closure for easy cleaning
- The Dyon features our patented KeyWire design that combines the benefits of wire gate action with the proprietary SphereLock closure
- Curved I-Beam construction on the spine of the Dyon creates a very high open gate strength
- Variable width polyester dogbones are easy to grab while projecting sport routes
- Features the proprietary Karstop Evo carabiner retainer on the rope end
- Available in 11 and 18 cm lengths

Our most sophisticated quickdraw for sport climbing at the highest level. The Dyon Mixed Express KS utilizes the tried and true Photon straight gate carabiner on the bolt end and the Dyon KeyWire carabiner on the rope end. The Dyon uses a proprietary two-part gate to combine the benefits of smooth wire gate action with a keylocking closure. This unique combination gives it both high levels of performance and safety. The curved I-Beam construction on the spine keeps the weight to a minimum while providing a high level of rigidity and an incredible open gate strength of 11 kN. The proprietary SphereLock closure is an upgrade to the traditional keylock system with an even cleaner nose profile. The Dyon Mixed Express KS also uses our most sophisticated dogbone with variable width webbing that makes them easy to grab while projecting sport routes and the proprietary Karstop Evo carabiner retainer on the rope end. Available in 11 and 18 cm lengths.

Ref.	Product name	Weight		Product name								CE	
		g	oz		kN	kN	kN	mm	mm	mm		EN 12275	EN 566
2876	DYON MIXED EXPRESS KS 11 cm	84	3.0	PHOTON STRAIGHT GATE	22	7	9	21	100	60	22	B	•
				DYON - Yellow	21	7	11	26	100	60			
2877	DYON MIXED EXPRESS KS 18 cm	90	3.2	PHOTON STRAIGHT GATE	22	7	9	21	100	60	22	B	•
				DYON - Yellow	21	7	11	26	100	60			



CAMP Photon Express KS

2878 11 cm - 86 g - 3.0 oz

2879 18 cm - 91 g - 3.2 oz

NEW '20 **1ST CLASS**

ROCK CLIMBING

- A premier lightweight quickdraw for high-end sport climbing
- Equipped with a straight gate Photon carabiner on the bolt end and a bent gate Photon on the rope end
- The Photon is our lightest solid gate carabiner featuring our proprietary SphereLock closure for easy cleaning
- Variable width polyester dogbones are easy to grab while projecting sport routes
- Features the proprietary Karstop Evo carabiner retainer on the rope end
- Available in 11 and 18 cm lengths

The Photon Express KS is purpose-built for onsight climbing where every gram and every second counts. The lightweight Photon carabiners are optimized for fast action and smooth clipping. The proprietary SphereLock closure is an upgrade to the traditional keylock system with an even cleaner nose profile. The Photon Express KS also uses our most sophisticated dogbone with variable width webbing that makes them easy to grab while projecting sport routes and the proprietary Karstop Evo carabiner retainer on the rope end. Available in 11 and 18 cm lengths.



CAMP Photon Express KS 6 Pack

2880 11 cm

2881 18 cm

NEW '20

Ref.	Product name	Weight		Product name								CE	
		g	oz		kN	kN	kN	mm	mm	mm		EN 12275	EN 566
2878	PHOTON EXPRESS KS 11 cm	86	3.0	PHOTON STRAIGHT GATE	22	7	9	21	100	60	22	B	•
				PHOTON BENT GATE	22	7	9	25	100	60			
2879	PHOTON EXPRESS KS 18 cm	91	3.2	PHOTON STRAIGHT GATE	22	7	9	21	100	60	22	B	•
				PHOTON BENT GATE	22	7	9	25	100	60			



CAMP Photon Mixed Express KS

2886 11 cm - 81 g - 2.9 oz
2887 18 cm - 86 g - 3.0 oz

NEW '20

ALPINISM, ROCK CLIMBING

- A lightweight quickdraw for climbing at the highest level
- Equipped with a straight gate Photon carabiner on the bolt end and a hyperlight Photon Wire carabiner on the rope end
- The Photon is our lightest solid gate carabiner featuring our proprietary SphereLock closure for easy cleaning
- The Photon Wire delivers pure clipping bliss with its finely contoured, perfectly tensioned gate and large gate opening
- Variable width polyester dogbones are particularly easy to grab while projecting sport routes
- Features the proprietary Karstop Evo carabiner retainer on the rope end
- Available in 11 and 18 cm lengths

The Photon Mixed Express KS features a prime combination of two carabiners that have been perfectly optimized for their function. The Photon is our lightest solid gate carabiner featuring our proprietary SphereLock closure for easy clipping and cleaning. The Photon Wire delivers pure clipping bliss on the sharp end with its finely contoured, perfectly tensioned gate and large gate opening. The Photon Mixed Express KS also uses our most sophisticated dogbone with variable width webbing that makes them easy to grab while projecting sport routes and the proprietary Karstop Evo carabiner retainer on the rope end. Available in 11 and 18 cm lengths.

CAMP Photon Mixed Express KS 6 Pack

2888 11 cm
2889 18 cm

NEW '20

NEW '20

UPDATED '20



CAMP Photon Wire Express KS Dyneema®

2882 11 cm - 69 g - 2.4 oz
2883 18 cm - 71 g - 2.5 oz

LIGHT&FAST

ALPINISM, ROCK CLIMBING

- A lightweight quickdraw designed for big routes
- Equipped with two hyperlight, full-size Photon Wire carabiners
- 11 mm Dyneema® dogbones feature the proprietary Karstop Evo carabiner retainer on the rope end
- Available in 11 and 18 cm lengths

The Photon Wire Express KS Dyneema® is different from other lightweight quickdraws because its carabiners are still full size. In fact, the Photon Wire has a gate opening that is up to 25% bigger than other carabiners in its class. This makes clipping, cleaning and rigging easier. The 11 mm Dyneema® dogbones are equipped with the proprietary Karstop Evo carabiner retainer that prevents the rope end carabiner from shifting. Available in 11 and 18 cm lengths.

CAMP Photon Wire Express KS Dyneema® 6 Pack

2884 11 cm
2885 18 cm

NEW '20

Ref.	Product name	Weight		Product name	kN	kN	kN	mm	mm	mm	kN	CE	
		g	oz									EN 12275	EN 566
2886	PHOTON MIXED EXPRESS KS 11 cm	81	2.9	PHOTON STRAIGHT GATE	22	7	9	21	100	60	22	B	•
				PHOTON WIRE - Orange	22	8	9	26	100	62			
2887	PHOTON MIXED EXPRESS KS 18 cm	86	3.0	PHOTON STRAIGHT GATE	22	7	9	21	100	60	22	B	•
				PHOTON WIRE - Orange	22	8	9	26	100	62			
2882	PHOTON WIRE EXPRESS KS DYNEEMA 11 cm	69	2.4	PHOTON WIRE - Gun metal	22	8	9	26	100	62	22	B	•
				PHOTON WIRE - Orange	22	8	9	26	100	62			
2883	PHOTON WIRE EXPRESS KS DYNEEMA 18 cm	71	2.5	PHOTON WIRE - Gun metal	22	8	9	26	100	62	22	B	•
				PHOTON WIRE - Orange	22	8	9	26	100	62			



CAMP Alpine Express Dyneema® 60 cm

2891 60 cm - 81 g - 2.9 oz

NEW '20

ALPINISM, MULTI-PITCH CLIMBING

- The ultimate alpine draw
- Equipped with two Photon Wire carabiners
- Versatile and lightweight 10 mm x 60 cm Dyneema® runner

The Alpine Express connects two hyperlight, full-size Photon Wire carabiners with an equally versatile and lightweight 10 mm x 60 cm Dyneema runner. The Photon Wire is the lightest full-size carabiner on the market making it the optimal choice for use in alpine environments where we are often wearing gloves. The 10 mm x 60 cm Dyneema® slings are light, strong and thin making them the perfect choice for long routes where we need the variable length, but not the extra weight or bulk. The unique properties of Dyneema® also make them particularly well-suited for wet conditions common with alpine terrain.



CAMP Alpine Express Dyneema® 60 cm 4 Pack

2892 60 cm

NEW '20

Ref.	Product name	Weight		Product name								CE	
		g	oz		kN	kN	kN	mm	mm	mm		EN 12275	EN 566
2891	ALPINE EXPRESS DYNEEMA 60 cm	81	2.9	PHOTON WIRE - Gun metal	22	8	9	26	100	62	22	B	•
				PHOTON WIRE - Orange	22	8	9	26	100	62			



CAMP Nano 22 Express KS 18 cm

2890 18 cm - 56 g - 2.0 oz

UPDATED '20 LIGHT&FAST

ALPINISM, ROCK CLIMBING

- A hyperlight quickdraw for multi-pitch sport and alpine rock climbing
- Equipped with two Nano 22 carabiners
- 11 mm x 18 cm Dyneema® dogbone features the proprietary Karstop Evo carabiner retainer on the rope end

A great draw for multi-pitch sport and alpine rock climbing. The compact size of the Nano 22 is particularly noticeable on gear loops where they take up less space than traditional carabiners making them easier to attach and remove on the sharp end. Yet the shape and gate opening still allow for normal clipping and the use of clove hitch knots -- two great tests for determining when a carabiner is just too small. The 18 cm Dyneema® dogbone is light, strong and particularly safe with the proprietary Karstop Evo carabiner retainer on the rope end that prevents the carabiner from shifting.



CAMP MACH Express Dyneema® 60 cm

2482 60 cm - 73 g - 2.6 oz

ALPINISM, MULTI-PITCH CLIMBING

- The ultimate trad draw
- Equipped with the Nano 22 carabiner on the gear end and the full-size Photon Wire on the rope end
- Versatile and lightweight 10 mm x 60 cm Dyneema® runner

A good draw for long routes should be:

- Light: they are being carried a long way
- Compact: sometimes you need to carry a lot of them
- Versatile: you never know what big routes will throw at you
- Functional: easy to use in any situation

The Mach Express excels in each of these areas. The Nano 22 on the gear end situates perfectly on any kind of pro from wires to cam slings to bolt hangers and pitons. Their low profile also takes up less space on gear loops than traditional carabiners and they fish in and out of cracks, chain links and other tight spaces with ease. The Photon Wire is the lightest full-size carabiner on the market making it the optimal choice for the rope end. The 10 mm x 60 cm Dyneema® slings are light, strong and thin making them the perfect choice for long routes. The unique properties of Dyneema® also make them particularly well-suited for wet conditions common with alpine terrain.



CAMP MACH Express Dyneema® 60 cm 4 Pack

2677 60 cm

NEW '20

Ref.	Product name	Weight		Product name	kN	kN	kN	mm	mm	mm	kN	CE	
		g	oz									EN 12275	EN 566
2890	NANO 22 EXPRESS KS 18 cm	56	2.0	NANO 22 - Red	21	8	9	21	86	52	22	B	•
				NANO 22 - Titanium	21	8	9	21	86	52			
2482	MACH EXPRESS DYNEEMA 60 cm	73	2.6	NANO 22 - Titanium	21	8	9	21	86	52	22	B	•
				PHOTON WIRE - Orange	22	8	9	26	100	62			



CAMP Orbit Express

2893 11 cm - 97 g - 3.4 oz

2894 18 cm - 102 g - 3.6 oz

UPDATED '20 BEST SELLER

ROCK CLIMBING

- A high-end utility draw for sport climbing
- Equipped with a straight gate Orbit carabiner on the bolt end and a bent gate Orbit on the rope end
- 16 mm Nylon dogbones
- Available in 11 and 18 cm lengths

The Orbit carabiner is a solid workhorse for everyday climbing with great durability, smooth clipping action, lightweight engineering and the patented SphereLock closure which is an upgrade to the traditional keylock system with an even cleaner nose profile. Available in 11 and 18 cm lengths.

CAMP Orbit Express 6 Pack

2895 11 cm

UPDATED '20



CAMP Orbit Mixed Express

2899 11 cm - 90 g - 3.2 oz

2900 18 cm - 94 g - 3.3 oz

UPDATED '20

ROCK CLIMBING

- A sophisticated quickdraw for sport and trad climbing
- Equipped with a straight gate Orbit carabiner on the bolt end and a bent gate Orbit Wire on the rope end
- 16 mm Nylon dogbones
- Available in 11 and 18 cm lengths

The Orbit Mixed Express is a great choice for sport and trad climbing. Equipped with the Orbit straight gate carabiner on the bolt end and the lightweight Orbit Wire carabiner on the rope end. The Orbit straight gate features the proprietary SphereLock closure which is an upgrade to the traditional keylock system with an even cleaner nose profile. The Orbit Wire carabiner features great durability, smooth clipping action and the lightweight engineering that CAMP is especially well known for. Available in 11 and 18 cm lengths.

CAMP Orbit Mixed Express 6 Pack

2901 11 cm

NEW '20

Ref.	Product name	Weight		Product name	kN	kN	kN	mm	mm	mm	kN	CE	
		g	oz									EN 12275	EN 566
2893	ORBIT EXPRESS 11 cm	97	3.4	ORBIT STRAIGHT GATE	24	7	8	20	98	58	22	B	•
				ORBIT BENT GATE	24	7	8	25	98	58			
2894	ORBIT EXPRESS 18 cm	102	3.6	ORBIT STRAIGHT GATE	24	7	8	20	98	58	22	B	•
				ORBIT BENT GATE	24	7	8	25	98	58			
2899	ORBIT MIXED EXPRESS 11 cm	90	3.2	ORBIT STRAIGHT GATE	24	7	8	20	98	58	22	B	•
				ORBIT WIRE	22	7	8	27	98	61			
2900	ORBIT MIXED EXPRESS 18 cm	94	3.3	ORBIT STRAIGHT GATE	24	7	8	20	98	58	22	B	•
				ORBIT WIRE	22	7	8	27	98	61			



CAMP Orbit Wire Express

2896 11 cm - 82 g - 2.9 oz

2897 18 cm - 86 g - 3.0 oz

UPDATED '20 **BEST SELLER**

ROCK CLIMBING

- A perfect quickdraw for all-around climbing
- Equipped with two lightweight Orbit Wire carabiners
- 16 mm Nylon dogbones
- Available in 11 and 18 cm lengths

The Orbit Wire Express is a perfect choice for all-around climbing. The Orbit Wire carabiner features great durability, smooth clipping action and the lightweight engineering that CAMP is especially well known for. Available in 11 and 18 cm lengths.



CAMP Orbit Wire Express 6 Pack

2898 11 cm

UPDATED '20

Ref.	Product name	Weight		Product name	Technical Specifications							CE	
		g	oz		↻ kN	⬆ kN	↻ kN	↻ mm	mm	mm	↻ kN	EN 12275	EN 566
2896	ORBIT WIRE EXPRESS 11 cm	82	2.9	ORBIT WIRE	22	7	8	27	98	61	22	B	•
				ORBIT WIRE	22	7	8	27	98	61			
2897	ORBIT WIRE EXPRESS 18 cm	86	3.0	ORBIT WIRE	22	7	8	27	98	61	22	B	•
				ORBIT WIRE	22	7	8	27	98	61			



CAMP Cable Express

- 2721** 18 cm - 92 g - 3.2 oz - Gray
- 2722** 18 cm - 92 g - 3.2 oz - Green
- 2723** 23 cm - 107 g - 3.8 oz - Gray
- 2724** 23 cm - 107 g - 3.8 oz - Green

SPORT CLIMBING, CLIMBING GYMS

- 6 mm steel cable perma-draws for fixing routes
- Available in 18 and 23 cm lengths and two colors

Steel cable perma-draws feature low-profile swages, expert finishing and tension-mounted flanges to protect the cable from the impact of dynamic stresses over time. The durable plastic coating makes the draw easy to grab for emergency clips and makes the steel braid core visible for inspection. Available in 2 sizes and 2 colors.

Ref.	Product name	Weight			CE	
		g	oz		EN 566	
2721	CABLE EXPRESS 18 cm - Gray	92	3.2	23	•	
2722	CABLE EXPRESS 18 cm - Green	92	3.2	23	•	
2723	CABLE EXPRESS 23 cm - Gray	107	3.8	23	•	
2724	CABLE EXPRESS 23 cm - Green	107	3.8	23	•	



CAMP Gym Safe Cable Express

- 2725** 18 cm - 350 g - 12.4 oz - Gray
- 2726** 18 cm - 350 g - 12.4 oz - Green
- 2727** 23 cm - 365 g - 12.9 oz - Gray
- 2728** 23 cm - 365 g - 12.9 oz - Green

SPORT CLIMBING, CLIMBING GYMS

- 6 mm steel cable perma-draws for fixing routes
- Equipped with a burly 10 mm steel Oval quick Link and steel Gym Safe carabiner
- Available in 18 and 23 cm lengths and two colors

Steel cable perma-draws equipped with a burly 10 mm steel Oval quick link and our popular Gym Safe carabiner. The all-steel construction delivers maximum durability on fixed routes. The Cable Express draw features low-profile swages, expert finishing and tension-mounted flanges to protect the cable from the impact of dynamic stresses over time. The durable plastic coating makes the draw easy to grab for emergency clips and makes the steel braid core visible for inspection. The Gym Safe carabiner features a durable steel body and a soft aluminum bent gate that makes it clip like a high-end sport draw. The keeper pin is fixed with a hex screw to prevent theft and tampering, but is still easy to replace with wear and tear. Available in 2 sizes and 2 colors.



CAMP Gym Safe Express

- 2903** 11 cm - 260 g - 9.2 oz
- 2904** 18 cm - 265 g - 9.4 oz

UPDATED '20

CLIMBING GYMS

- Pre-assembled draws for fast and safe setting
- Special keeper pin on the Gym Safe carabiner helps prevent theft and keeps the carabiner in its proper position
- 16 mm Nylon dogbones available in 11 and 18 cm lengths

The Gym Safe Express comes pre-equipped with a burly 10 mm Steel Oval Quicklink for the bolt end and the Gym Safe steel keylock carabiner fixed in place with its special keeper pin on the rope end. The keeper pin serves a double function of helping to prevent theft and keeping the carabiner positioned in its proper orientation. It is fixed with a hex screw to prevent theft and tampering, but is still easy to replace with wear and tear.

Ref.	Product name	Weight		Product name								CE	
		g	oz									EN 12275	EN 566
2725	GYM SAFE CABLE EXPRESS 18 cm - Gray	350	12.4	OVAL QUICK LINK STEEL 10 mm	45	10		12	89	47	23	Q / B	•
				GYM SAFE	24	8	13	24	99	58			
2726	GYM SAFE CABLE EXPRESS 18 cm - Green	350	12.4	OVAL QUICK LINK STEEL 10 mm	45	10		12	89	47	23	Q / B	•
				GYM SAFE	24	8	13	24	99	58			
2727	GYM SAFE CABLE EXPRESS 23 cm - Gray	365	12.9	OVAL QUICK LINK STEEL 10 mm	45	10		12	89	47	23	Q / B	•
				GYM SAFE	24	8	13	24	99	58			
2728	GYM SAFE CABLE EXPRESS 23 cm - Green	365	12.9	OVAL QUICK LINK STEEL 10 mm	45	10		12	89	47	23	Q / B	•
				GYM SAFE	24	8	13	24	99	58			
2903	GYM SAFE EXPRESS 11 cm	260	9.2	OVAL QUICK LINK STEEL 10 mm	45	10		12	89	47	22	Q / B	•
2904	GYM SAFE EXPRESS 18 cm	265	9.4	GYM SAFE	24	8	13	24	99	58			
				OVAL QUICK LINK STEEL 10 mm	45	10		12	89	47	22	Q / B	•

WEBBING



Nejc Marčič on the wild Slovenian mountains of Triglav
© Nejc Marčič archive

Patents. CAMP dogbones feature the patented Karstop Evo carabiner retention system, a thermoplastic polyurethane keeper that is integrated into the dogbone with more precision and sophistication than the designs climbers have grown used to seeing fail after a small amount of use. This little marvel is attached to the webbing in a way that gives it the widest possible contact area with the carabiner to keep shifting to the absolute minimum and the patented design even protects the dogbone from the rock thereby increasing both durability and safety. The Daisy Chain Twist delivers a smart safety improvement thanks to its innovation in the sewing pattern that eliminates the potential to cross-clip adjacent loops.

Dyneema® vs Polyester. C.A.M.P. offers slings and dogbones for quickdraws constructed from both Dyneema® and Polyester. Each material has distinctive properties that make it excel in a given environment. The biggest differences have to do with size, weight and elongation (which determines how well the material absorbs energy under load). C.A.M.P. uses polyester instead of nylon in its standard slings and runners because polyester actually beats nylon in the important areas of moisture absorption, UV degradation and melting point while only sacrificing a little in the way of elongation. We recommend polyester for shorter slings like the dogbones on quickdraws where its wider structure also creates more surface area to hold biners in place and offers something to grab when working projects. Polyester runners are also the right choice for variable length loops requiring knots of any kind. But polyester or nylon has fast become an impractical choice for longer runners considering all of the benefits of Dyneema®. Dyneema® is the trade name for high modulus polyethylene (HMPE). It is special material with many practical benefits for climbing and rigging. First, it has a much lower density than standard polyester or nylon with a specific gravity of 0.97 versus 1.38. So it weighs less, but can still be used to perform most of the same functions for safety and rigging as polyester or nylon. Second, HMPE fibers actually have a much higher tensile strength than polyester or nylon so less material is needed to achieve equal strengths to polyester webbing. This allows full-strength Dyneema® slings to be thinner in addition to lighter. Other benefits of HMPE are that it does not absorb water and has greater resistance to degradation from chemicals and UV light. These are properties specifically worth considering vis-à-vis specific environmental conditions and climbing styles. Ice and alpine climbers, for instance, are well-served by Dyneema® because the slings will not soak up water or ice up in wet conditions. Rock climbers can realize huge weight and bulk savings by using Dyneema® runners. Although Dyneema® has many great properties, it also has a few drawbacks. HMPE is slick and has a low melting point so it is not recommended for friction hitches, such as the Prusik or Klemheist. The material will slide against itself too easily or melt in the event of a large fall. Dyneema® also has very little stretch while polyester or nylon webbing is less static so it can actually help reduce the impact force of a fall. This can become an important consideration in systems that otherwise lack components designed for the absorption and dissipation of dynamic force. But the reality is that the rope and friction from anchor points take the brunt of the force in a standard climbing scenario, so used in conjunction with a good dynamic rope and proper protection, Dyneema® runners are a prime choice.



2713



2714

CAMP Sling Stop Wide KS

2713 11 cm

2714 18 cm

ROCK CLIMBING

- Variable width webbing is particularly easy to handle
- 11 and 18 cm
- Rated to 22 kN
- Features the Karstop Evo carabiner retainer on the rope end

25 mm polyester dogbones with a variable width design that is thick and stiff in the middle and tapered at the ends for a profiled connection with the carabiners. The structure is designed for high-end sport climbing where they are easy to grab and handle and the wider cross section prevent twisting to keep the draws in their proper orientation, ready for fast and furious clipping on the sharp end. The rope-end opening is equipped with our proprietary Karstop Evo carabiner retainer – a strong urethane rubber keeper that fits snugly to the carabiner to prevent it from shifting.



290611



290618

CAMP Sling Stop KS

290611 11 cm

290618 18 cm

UPDATED '20

ROCK CLIMBING

- 11 and 18 cm
- Rated to 22 kN
- Features the proprietary Karstop Evo carabiner retainer on the rope end

Low-profile 16 mm Nylon dogbones equipped with the proprietary Karstop Evo carabiner retainer on the rope end. The Karstop Evo is a strong urethane rubber keeper that fits snugly to the carabiner to prevent it from shifting. The bolt-end opening remains looser to help the draw situate in line with the rope path.



290711

UPDATED '20



290718

NEW '20

CAMP Sling Stop KS Dyneema®

290711 11 cm

290718 18 cm

ALPINISM, ROCK CLIMBING

- 11 and 18 cm
- Rated to 22 kN
- Features the proprietary Karstop Evo carabiner retainer on the rope end

Lightweight 11 mm Dyneema® dogbones equipped with the proprietary Karstop Evo carabiner retainer on the rope end. The Karstop Evo is a strong urethane rubber keeper that fits snugly to the carabiner to prevent it from shifting. The bolt-end opening remains looser to help the draw situate in line with the rope path.

Ref.	Product name	Weight		Strength	Material	CE
		g	oz	kN		EN 566
2713	SLING STOP WIDE KS 11 cm	17	0.6	22	Polyester	•
2714	SLING STOP WIDE KS 18 cm	23	0.8	22	Polyester	•
290611	SLING STOP KS 11 cm	16	0.6	22	Polyester	•
290618	SLING STOP KS 18 cm	20	0.7	22	Polyester	•
290711	SLING STOP KS DYNEEMA 11 cm	11	0.4	22	Dyneema®	•
290718	SLING STOP KS DYNEEMA 18 cm	14	0.5	22	Dyneema®	•




CAMP Express Ring (16 mm)

- 104065** 60 cm
- 104080** 80 cm
- 104012** 120 cm

ROCK CLIMBING, ANCHORS, RESCUE

- 60, 80, and 120 cm
- Rated to 22 kN

16mm polyester runners with a tight, yet supple weave for the right combination of elasticity, durability, and handling.




CAMP Express Dyneema® Runner (10 mm)

- 133860** 60 cm
- 1338120** 120 cm
- 1338180** 180 cm

ALPINISM, ROCK CLIMBING

- 60, 120, 180 cm
- Rated to 22 kN

High quality 10 mm Dyneema® webbing available as 60, 120 and 180 cm slings. These narrow runners are superb for anchors and long draws. Rack the 60 cm with a pair of lightweight carabiners to make a 7-inch trad draw and use the 120 or 180 cm for equalizing anchors.



CAMP Express Dyneema® Runner (11 mm)

- 134960** 60 cm
- 1349120** 120 cm
- 1349240** 240 cm

ALPINISM, ROCK CLIMBING

- 60, 120, and 240 cm
- Rated to 22 kN

Used properly, 11 mm Dyneema® will last for years as double draws and anchor slings. All sizes carry well over the shoulder. An excellent way to carry the 120 and 240 cm slings is to halve them until the loops are the same length as a 60 cm sling, then twist the loops and clip the ends together with a locking carabiner.

Ref.	Product name	Weight		Strength	Material	CE	
		g	oz	kN		EN 566	EN 795/B
104065	EXPRESS RING 60 cm	45	1.6	22	Polyester	•	•
104080	EXPRESS RING 80 cm	60	2.1	22	Polyester	•	•
104012	EXPRESS RING 120 cm	90	3.2	22	Polyester	•	•
133860	10 mm EXPRESS DYNEEMA RUNNER 60 cm	21	0.7	22	Dyneema®	•	
1338120	10 mm EXPRESS DYNEEMA RUNNER 120 cm	38	1.3	22	Dyneema®	•	
1338180	10 mm EXPRESS DYNEEMA RUNNER 180 cm	56	2.0	22	Dyneema®	•	
134960	11 mm EXPRESS DYNEEMA RUNNER 60 cm	30	1.1	22	Dyneema®	•	
1349120	11 mm EXPRESS DYNEEMA RUNNER 120 cm	39	1.4	22	Dyneema®	•	
1349240	11 mm EXPRESS DYNEEMA RUNNER 240 cm	106	3.7	22	Dyneema®	•	



025801



025806

CAMP Daisy Twist

025805 Standard - gray/orange

025806 Standard - gray/white

025801 Long - gray/orange

025802 Long - gray/white

ALPINISM, ROCK CLIMBING, AID CLIMBING

- Spiral construction addresses the dangerous consequences of cross-clipping adjacent loops
- Available in 2 lengths (48 and 54 inches, 122 and 137 cm) and 2 colors

The spiral construction of the Daisy Chain Twist addresses one of the main concerns with traditional daisy chains where the user clips a single carabiner through two adjacent loops creating a situation where they are secured by nothing more than the single bar tack between the loops instead of the 22 kN strength of the entire loop. Robust 16 mm polyester construction with special machine-driven bar tacks distribute the load multi-directionally. Available in 2 lengths (48 and 54 inches, 122 and 137 cm) and 2 colors (gray/orange and gray/white) for optimal organization.



026901

CAMP Daisy Chain

026901 Standard - gray/white

026903 Long - gray/white

ALPINISM, ROCK CLIMBING, AID CLIMBING

- Standard polyester daisy chain
- Available in 2 lengths (48 and 54 inches, 122 and 137 cm)

16 mm polyester daisy chain with standard construction. Available in 2 lengths (48 and 54 inches, 122 and 137 cm). The bottom loop has a twist so that it girth hitches cleanly to a climbing harness.

NOTE: never cross-clip two loops of a daisy chain—full strength comes from the main bartack and not the individual loop stitches.

Ref.	Product name	Weight		Strength	Material	Length		Loops	CE
		g	oz	kN		cm	in		EN 566
025805	DAISY TWIST STANDARD - Gray / Orange	119	4.2	22	Polyester	122	48.0	9	•
025806	DAISY TWIST STANDARD - Gray / White	119	4.2	22	Polyester	122	48.0	9	•
025801	DAISY TWIST LONG - Gray / Orange	135	4.8	22	Polyester	137	53.9	11	•
025802	DAISY TWIST LONG - Gray / White	135	4.8	22	Polyester	137	53.9	11	•
026901	DAISY CHAIN STANDARD - Gray / White	107	3.8	22	Polyester	122	48.0	9	•
026903	DAISY CHAIN LONG - Gray / White	117	4.1	22	Polyester	137	53.9	11	•



CAMP Dyneema® Daisy Chain
0250

ALPINISM, ROCK CLIMBING, AID CLIMBING

- Rated to 22 kN

Standard Daisy Chain with 11 loops constructed from lightweight, hydrophobic Dyneema webbing. The bottom loop has a twist so that it girth hitches cleanly to a climbing harness. NOTE: never cross-clip two loops of a daisy chain—full strength comes from the main bartack and not the individual loop stitches.

Ref.	Product name	Weight		Strength	Material	Length		Loops	CE
		g	oz	kN		cm	in		EN 566
0250	DYNEEMA DAISY CHAIN	65	2.3	22	Dyneema®	120	47.2	11	•



CAMP Karstop

112102 Large - Package 10 pcs - 2 g

ALPINISM, ROCK CLIMBING

Fits 16-25 mm webbing. Molded Vibram® rubber keeper used to fix carabiner to webbing. This prevents the carabiner from flipping out of position where it can be cross-loaded.

2771



2772



2773



CAMP CAMP Promo Cover

2771 25 mm - 8 g

2772 16 mm - 7 g

2773 11 mm - 4.5 g

ROCK CLIMBING, ALPINISM

- Available in 11, 16 and 25 mm widths
- Sold in packs of 5

CAMP logoed rubber dogbone covers for logo visibility in photo shoots or promotions.

ROPE TOOLS



ROPE TOOLS

Matik: Safe, intuitive, awesome! As more and more people take up the wonderful sport of climbing, the more the need grows for super-safe, intuitive gear. This trend is what drove C.A.M.P. to develop the Matik – an auto-locking belay and descending device with sophisticated geometry to lower the impact force of a fall and a proprietary braking system called Anti-Panic that automatically reengages the cam and locks the rope if the handle is pulled too far for a safe rate of descent. Other notable features of the Matik include the robust construction with a hot-forged aluminum body and precision cast stainless steel components for the rope bearing surfaces.



Swing: Adjustable belay lanyard. The Swing allows the climber to adjust their position on an anchor with great ease: just pull the tail to tighten up or feed rope through the blocking device for slack. The position is adjustable from 20-100 cm and can be adjusted even when it is under tension. Unlike other designs that are not certified for dynamic loads, the Swing is dynamically tested according to the UIAA 109 standard: fall factor 2, mass of 80 kg and adjustable head adjusted to 80% of its maximum length for an impact force <10 kN.

Ascenders: Introducing the new Turbohand and Turbohand Pro. The series of C.A.M.P. ascenders marks an evolutionary advance in safety, longevity and performance for ropes and ascenders alike. On the Turbochest, Turbofoot, and now the Turbohand, proprietary small rollers prevent the friction and wear that normally occur where the rope rubs against the body of the ascender. In addition to the proprietary rollers, the Turbohand Pro also features an innovative rope guide on the bottom of the handle to help keep the rope aligned for better efficiency on long ascents. The Solo 2 has been distilled down to its simplest possible form to create a hyperlight handleless ascender with super smooth action. Already popular in the areas of rope access, the line of micro ascenders from C.A.M.P. also promises to be a true game-changer for climbing and caving.



Pulleys: A complete line for every kind of need. 10 high quality and super versatile models: they feature sophisticated designs with amazing strength and very high efficiency (up to 97%). From the super compact and lightweight Sphinx to the advanced Janus Pro, the line meets every kind of need. Most models are available in single and double sheave designs and the large models work with ropes up to 16 mm. Every model is also available in two different versions: the regular with self-lubricated bushings for light applications at low speed and the Pro with sealed ball bearings for high efficiency and intensive use at high speed.



Più 2.0: Skinny, icy ropes need friction. The Più 2.0 is designed to handle the new generation of skinny ropes that have become the preferred choice by high-end climbers even for everyday use. It locks easily on these ropes both in standard belay and auto-blocking belay mode. But the real trick is in the way it also allows for smooth operation without catching the rope when trying to pay out slack or during rappels. Using a variable notched design, the Più 2.0 allows ropes to ride high in the wide parts of the notches when not fully loaded and then drive deeper into the pinched bottom part of the notches to hold the rope with more friction under the load of a fall. The system is generally more friendly to ropes and much safer with skinny, iced up ropes due to the higher friction ratio created by the variable notch design. On the other end of the spectrum where skinny ropes are not the norm, save your elbows by hauling your second on the Ovo belay plate which features long, wide slots that allow even thick, fuzzy ropes to pass through with ease.

Category leaders



1ST CLASS

Matik
1041



1ST CLASS

Turbohand Pro
2635



1ST CLASS

Janus Pro
2161



BEST SELLER

Più 2.0
0865



BEST SELLER

Sphinx Pro
2153

Descenders and belay devices

New	Ref.	Product name	Weight		Rope diameter min		Rope diameter max		CE	EN 15151-2	129
			g	oz	mm	in	mm	in			
	1041	MATIK	276	9.7	Single 8.6	Single 0.34	Single 10.2		•		•
	0865	PIÙ 2.0	80	2.8	Double 7.6-9	Double 0.3-0.35	Single 8.9-11	Single 0.35-0.43		•	•
NEW '20	2934	PIÙ 2.0 BELAY KIT	220	7.8							
	0867	SHELL	50	1.8	Double 7.6-9	Double 0.3-0.35	Single 8.9-11	Single 0.35-0.43		•	•
NEW '20	2933	SHELL BELAY KIT	190	6.7							
	0913	OVO	57	2.0	Double 8-9	Double 0.31-0.35	Single 10-11	Single 0.39 - 0.43			
	092801	STANDARD FIGURE 8	110	3.9	8	0.31	13	0.51			
	054801	LARGE FIGURE 8	130	4.6	8	0.31	13	0.51			

Ascenders

New	Ref.	Product name	Weight		Rope diameter	Rope diameter min		Rope diameter max		Strength	CE		
			g	oz		mm	in	mm	in		kN	EN 12841/B	EN 567
	264901	SWING	145	5.1	9.9						•		•
NEW '20	2634	TURBOHAND	185	6.5		8	0.31	13	0.51		•	•	
NEW '20	0966	TURBOHAND GUIDE	16	0.6									
NEW '20	2635	TURBOHAND PRO	198	7.0		8	0.31	13	0.51		•	•	
	2256	TURBOCHEST	110	3.9		8	0.31	13	0.51		•	•	
	2258	TURBOFOOT RIGHT	135	4.8		8	0.31	13	0.51				
	2259	TURBOFOOT LEFT	135	4.8		8	0.31	13	0.51				
	0726	TURBOLOOP	120	4.2					5				
	2257	SOLO 2	95	3.4		8	0.31	13	0.51		•	•	
	1175	LIFT	95	3.4		8	0.31	13	0.51		•	•	

Aiders

Ref.	Product name	Weight		Length		Steps Width		Steps Strength		Material
		g	oz	cm	in	cm	in	kN		
3041	STANDARD AIDER	181	6.4	172	67.7	18	7.1	10		Nylon
304101	LADDER AIDER	275	9.7	184	72.4	15	5.9	10		Nylon

Pulleys

Ref.	Product name	Weight		Inner sheave diameter		Rope diameter Max		Working load Max		Breaking load		Ball bearings	Brass bushing	Sheave material	CE
		g	oz	mm	in	mm	in	kN	LBF	kN	LBF				
0108	ANDRY	100	3.5	26	1.06	12	0.47	1,5 kN x 2 = 3 kN	337 LBF x 2 = 674 LBF	22	4946		•	Polyamide	•
2152	SPHINX	95	3.4	28	1.10	13	0.51	2 kN x 2 = 4 kN	450 LBF x 2 = 900 LBF	24	5396		•	Aluminum alloy	•
2153	SPHINX PRO	85	3.0	28	1.10	13	0.51	3 kN x 2 = 6 kN	675 LBF x 2 = 1349 LBF	25	5620	•		Aluminum alloy	•
2154	TETHYS	100	3.5	28	1.10	13	0.51	2 kN x 2 = 4 kN	450 LBF x 2 = 900 LBF	24	5396		•	Aluminum alloy	•
2155	TETHYS PRO	90	3.2	28	1.10	13	0.51	3 kN x 2 = 6 kN	675 LBF x 2 = 1349 LBF	25	5620	•		Aluminum alloy	•
2156	DRYAD	170	6.0	28	1.10	13	0.51	1 kN x 4 = 4 kN	225 LBF x 4 = 900 LBF	24	5396		•	Aluminum alloy	•
2157	DRYAD PRO	155	5.5	28	1.10	13	0.51	1,8 kN x 4 = 7 kN	405 LBF x 4 = 1574 LBF	26	5845	•		Aluminum alloy	•
2158	NAIAD	280	9.9	49	1.93	16	0.63	3,5 kN x 2 = 7 kN	787 LBF x 2 = 1574 LBF	44	9892		•	Aluminum alloy	•
2159	NAIAD PRO	300	10.6	49	1.93	16	0.63	5 kN x 2 = 10 kN	1124 LBF x 2 = 2248 LBF	46	10341	•		Aluminum alloy	•
2160	JANUS	400	14.1	49	1.93	16	0.63	2 kN x 4 = 8 kN	450 LBF x 4 = 1799 LBF	38	8543		•	Aluminum alloy	•
2161	JANUS PRO	425	15.0	49	1.93	16	0.63	3 kN x 4 = 12 kN	675 LBF x 4 = 2698 LBF	42	9442	•		Aluminum alloy	•

Ropes Courses

New	Ref.	Product name	Weight		Length		Construction	Breaking load		CE
			g	oz	cm	in		kN	prEN 17109	
UPDATED '20	139711	TARZAN REWIND	138	4.9	45-85 cm	17.7-33.5 in	Rewind	15		•
	139703	JUNGLE REWIND	120	4.2	45-85 cm	17.7-33.5 in	Rewind	15		•
UPDATED '20	139710	TARZAN	120	4.2	72 cm	28.3 in	Webbing	15		•
	139702	JUNGLE	95	3.4	72 cm	28.3 in	Webbing	15		•
UPDATED '20	1397	BASIC 9 mm	130	4.6	78 cm	30.7 in	Rope	15		•
	139708	JUNGLE SINGLE	52	1.8	59 cm	23.2 in	Webbing	15		•

Descenders and belay devices



CAMP
Matik
1041



CAMP
Più 2.0
0865



CAMP
Più 2.0 Belay Kit
2934



CAMP
Shell
0867



CAMP
Shell Belay Kit
2933



CAMP
Ovo
0913



CAMP
Standard Figure 8
092801



CAMP
Large Figure 8
054801

Ascenders



CAMP
Swing
264901



CAMP
Turbochest
2256



CAMP
Turbofoot
2258/2259



CAMP
Turbohand
2634



CAMP
Turbohand Pro
2635



CAMP
Turboloop
0726



CAMP
Solo 2
2257



CAMP
Lift
1175

Pulleys



CAMP
Sphinx
2152



CAMP
Sphinx Pro
2153



CAMP
Tethys
2154



CAMP
Tethys Pro
2155



CAMP
Dryad
2156



CAMP
Dryad Pro
2157



CAMP
Naiad
2158



CAMP
Naiad Pro
2159



CAMP
Janus
2160



CAMP
Janus Pro
2161




CAMP
Andry Pulley
0108



CAMP
Cable
Ladder
0268

Aiders



CASSIN
Standard aider
3041



CASSIN
Ladder aider
304101

Ropes Courses



CAMP
Wing 2
1025



CAMP
Tarzan Rewind
139711



CAMP
Jungle Rewind
139703



CAMP
Tarzan
139710



CAMP
Jungle
139702



CAMP
Basic 9 mm
1397



CAMP
Jungle Single
139708

CAMP Matik

1041

1ST CLASS

SPORT CLIMBING



Matik video






outdoor
INDUSTRY
AWARDS 2015

- A revolutionary belay-descender device with assisted braking that delivers amazing safety and control
- Gradual camming action helps reduce the impact force of a fall and decreases wear and tear on the rope
- Proprietary Anti-Panic system automatically blocks the rope if the user loses control of the descent
- Double-hinged lever and straight rope path make the descent feel very fluid and controlled
- Intuitive design eliminates the possibility of clipping a carabiner to the device if it is not completely closed
- Wide attachment hole allows the carabiner to rotate through the hole
- High-end manufacturing with hot-forged aluminum main body and precision-cast stainless steel for the critical components that come in contact with the rope
- For single dynamic ropes from 8.6 to 10.2 mm

The assisted braking action of the Matik derives from an innovative camming design that makes the device safe and easy on the climber, the belayer, the anchor and the rope. The Matik is built so the cam rotates in and comes in line with the rope before it captures the rope completely. This alignment creates a much larger contact area between the cam and the rope which makes the device more rope friendly than other assisted-braking devices, and the slight amount of slippage that occurs as the cam rotates into place reduces the impact force of a fall. This means less force on the bodies of the climber and belayer, and on the anchor! When lowering, the proprietary Anti-Panic system helps prevent one of the most common accidents occurring with the use of an assisted-braking device -- losing control of the descent. The brake lever will automatically disengage causing the cam to automatically reengage if it is opened too quickly or if it is kept too far open where the speed of the descent can become unmanageable. This safety feature is particularly useful where there is little friction from rope drag between the belayer and the climber or during top-down descents where the Matik delivers a remarkable sense of safety and control. Users will also instantly notice that the Matik creates a very natural path for the rope that does not require looping or twisting of the rope during descent. Combined with the dynamic camming action that limits the impact of the fall, this natural rope path helps to reduce wear and tear on the rope. Other distinguishing features of the Matik include an improved method for inserting the rope that eliminates the possibility of clipping a carabiner to the device until it is completely closed, and robust construction with a hot-forged aluminum main body and precision-cast stainless steel for the critical components that come in contact with the rope.

NOTE: The assisted braking capability of the Matik does not relieve belayers of the need to adhere to the basic principles of belaying and rappelling. It is imperative to be attentive to the climber's progress and always keep control of the brake line.

CAMMING DESIGN REDUCES IMPACT FORCES AND STRESS OF THE ROPE



Test configuration (at C.A.M.P. in-house lab):

- Rope: New dynamic single rope EN 892
- Diameter: 9.5 mm
- Mass: 80 kg
- Height of fall: 3 m
- Fall factor: 1



Ref.	Product name	Weight		Rope diameter min		Rope diameter max		CE	UIAA
		g	oz	mm	in	mm	in		
1041	MATIK	276	9.7	Single 8.6	Single 0.34	Single 10.2		EN 15151-1	129



CAMP Più 2.0

086501 Light blue
086502 Gun metal

BEST SELLER

ALPINISM, MULTI-PITCH CLIMBING, ROCK CLIMBING

- Specifically designed for use with skinny ropes
- Can be rigged in auto-block mode for belaying two seconds
- Diagonal cable prevents the rope from rubbing and jamming

The Più 2.0 has been designed to deliver optimal performance with the new generation of skinny ropes that have gained popularity in recent years. Using a variable notched design with smooth teeth on the brake side of the device along with narrower slots for the rope, the Più 2.0 locks onto skinny ropes with more friction than other tube-style devices. Other features include the ability to set up the device in auto-block mode for belaying two seconds, a large rigging hole that allows a locking carabiner to rotate all the way through, a specially shaped hole that captures the nose of a keylock carabiner which can then be used as a lever for releasing tension if a second locks the device in auto-block mode, and a diagonal cable that prevents the rope from rubbing and jamming.



CAMP Più 2.0 Belay Kit

293401 Light blue
293402 Gun metal

NEW '20

ALPINISM, MULTI-PITCH CLIMBING, ROCK CLIMBING

- Kit includes the Più 2.0 belay device and Core Lock carabiner

The Più 2.0 uses a variable notched design with smooth teeth on the brake side of the device to lock onto ropes with more friction than other tube-style devices. Other features include the ability to set up the device in auto-block mode for belaying two seconds and a large rigging hole that allows a locking carabiner to rotate all the way through. The Core Lock is an extremely smooth HMS belay and rappel carabiner with a secure screw lock closure.



CAMP Shell

086702 Gun metal

MULTI-PITCH CLIMBING, ROCK CLIMBING

- Simple, reliable belay and rappel device

The Shell is deceptively simple. Forged from 6082-T6 aluminum, the Shell has thicker walls than other tube style belay devices for better durability and heat dissipation.



CAMP Shell Belay Kit

2933 Gun metal

NEW '20

MULTI-PITCH CLIMBING, ROCK CLIMBING

- Kit includes the Shell belay device and Core Lock carabiner

The Shell is forged from 6082-T6 aluminum with thick walls for durability and heat dissipation. The Core Lock is an extremely smooth HMS belay and rappel carabiner with a secure screw lock closure.

Ref.	Product name	Weight		Rope diameter min		Rope diameter max		EN 15151-2	 129
		g	oz	mm	in	mm	in		
0865	PIÙ 2.0	80	2.8	Double 7.6-9	Double 0.3-0.35	Single 8.9-11	Single 0.35-0.43	•	•
2934	PIÙ 2.0 BELAY KIT	220	7.8						
0867	SHELL	50	1.8	Double 7.6-9	Double 0.3-0.35	Single 8.9-11	Single 0.35-0.43	•	•
2933	SHELL BELAY KIT	190	6.7						



CAMP Ovo
0913

ALPINISM, ROCK CLIMBING, MULTI-PITCH CLIMBING

- Auto-Locking belay for one or two followers

Multipurpose belay and rappel plate forged from aluminum alloy. Can be used with single, double and twin ropes and can be set up as an auto-locking belay for two seconds.



CAMP Standard Figure 8
092801

ROCK CLIMBING

One of the lightest figure eights on the market, our Standard Figure Eight offers a smooth rappel with minimal impact on the rope. The secret to rappelling on a figure eight without twisting the rope is to always feed the rope from directly below—never hold the rope off to the side or at an angle.



CAMP Large Figure 8
054801

ROCK CLIMBING

This slightly larger version of our Standard Figure Eight features a larger bottom hole that allows it to be used as a Sticht plate for belaying with single ropes. Due to the thick body, it also has very smooth action on rappels.

Ref.	Product name	Weight		Rope diameter min		Rope diameter max	
		g	oz	mm	in	mm	in
0913	OVO	57	2.0	Double 8-9	Double 0.31-0.35	Single 10-11	Single 0.39 - 0.43
092801	STANDARD FIGURE 8	110	3.9	8	0.31	13	0.51
054801	LARGE FIGURE 8	130	4.6	8	0.31	13	0.51



CAMP Swing
264901

MULTI-PITCH CLIMBING, ALPINISM, ROCK CLIMBING

- Adjustable positioning lanyard for attaching to anchors
- Ergonomic adjuster for quick and easy adjustment
- Unique design allows adjustment even under load
- 9.9 mm dynamic rope lanyard
- Adjustable from 20-100 cm
- Large connection hole with rubber keeper accommodates all sizes of locking carabiners
- Attaches to the tie-in point of the harness with a girth hitch
- Meets the strict UIAA 109 standard for energy absorption with a factor 2 fall

The Swing is an adjustable lanyard for quick, easy and safe positioning at anchors. The lanyard remains girth hitched to the tie-in point of the harness and attaches to the anchor using a standard locking carabiner. Once connected, simply pull on the free end of the lanyard to tension into the anchor or hold the device open with the thumb lever to release tension. Meets the strict UIAA 109 standard for energy absorption with a factor 2 fall. 9.7 mm dynamic rope. Adjustable from 20-100 cm.

Ref.	Product name	Weight		Rope diameter	CE	UIAA 109
		g	oz	mm		
264901	SWING	145	5.1	9.9	•	•



CAMP Turbohand

2634 R1 Red - Right

2634 L2 Grey - Left

NEW '20

AID CLIMBING, ALPINISM, HIGH ALTITUDE, CAVING, INDUSTRIAL

- Proprietary roller makes upward glide super smooth and reduces wear and tear
- Toothed cam is finished with an anti-wear treatment and features drain holes for self cleaning
- Ergonomic rubber handle extends into the upper part of the spine for double-handed grip
- 3 large attachment points: two on the bottom and one at the top

The Turbohand ascender uses proprietary technology and cutting-edge design to make climbing ropes safer, faster and easier. It features a proprietary roller which not only helps with climbing efficiency by making the upward glide much smoother, but also reduces dangerous wear and tear on the device where the rope tends to rub on the body of a traditional ascender.

The ergonomic rubber handle extends into the upper part of the spine to allow for a double-handed grip. The handle and the rope are aligned on the same plane for the best handling and efficiency. Features three large attachment points, two on the bottom and one at the top, for optimal organization. The robust body is constructed from 3.5 mm aluminum alloy and the toothed cam is finished with a special anti-wear treatment and features drain holes to help prevent the build-up of mud and grit. The opening system is protected on both sides to prevent accidental openings.

The proprietary roller also allows the Turbohand to be rigged as a locking pulley for light hauling with a max load of 50 kg, 110 lbs. NOTE: This configuration is not intended for hauling or securing of bodies.

A stainless steel rope guide (Turbohand Guide, sold separately) can be attached to the bottom of the handle to align the rope for long ascents.



CAMP Turbohand Guide

0966 R Right

0966 L Left

NEW '20

A stainless steel rope guide that can be attached with two screws to the bottom of the Turbohand ascender to align the rope for long ascents. It also reinforces the main attachment point for increased resistance to wear and tear and prevents the carabiner from interfering with the rope.

Ref.	Product name	Weight		Rope diameter min		Rope diameter max		CE	
		g	oz	mm	in	mm	in	EN 12841/B	EN 567
2634	TURBOHAND	185	6.5	8	0.31	13	0.51	•	•
0966	TURBOHAND GUIDE	16	0.6						



CAMP Turbohand Pro

2635 R1 Red - Right

2635 L2 Grey - Left

NEW '20 **1ST CLASS**

AID CLIMBING, ALPINISM, HIGH ALTITUDE, CAVING, INDUSTRIAL

- Proprietary roller makes upward glide super smooth and reduces wear and tear
- Removable rope guide optimally aligns the rope for long ascents
- Toothed cam is finished with an anti-wear treatment and features drain holes for self cleaning
- Ergonomic rubber handle extends into the upper part of the spine for double-handed grip
- 3 large attachment points: two on the bottom and one at the top

The Turbohand Pro ascender is the absolute top of the line for maximizing efficiency while ascending ropes. It features a proprietary roller which not only helps with climbing efficiency by making the upward glide much smoother, but also reduces dangerous wear and tear on the device where the rope tends to rub on the body of a traditional ascender. The removable rope guide at the bottom of the handle optimally aligns the rope for long ascents.

The ergonomic rubber handle extends into the upper part of the spine to allow for a double-handed grip. The handle and the rope are aligned on the same plane for the best handling and efficiency. Features three large attachment points, two on the bottom and one at the top, for optimal organization. The stainless steel rope guide reinforces the main attachment point for increased resistance to wear and tear. It also prevents the carabiner from interfering with the rope.

The robust body is constructed from 3.5 mm aluminum alloy and the toothed cam is finished with a special anti-wear treatment and features drain holes to help prevent the build-up of mud and grit. The opening system is protected on both sides to prevent accidental openings.

The proprietary roller also allows the Turbohand to be rigged as a locking pulley for light hauling with a max load of 50 kg, 110 lbs. NOTE: This configuration is not intended for hauling or securing of bodies.



Ref.	Product name	Weight		Rope diameter min		Rope diameter max		CE	
		g	oz	mm	in	mm	in	EN 12841/B	EN 567
2635	TURBOHAND PRO	198	7.0	8	0.31	13	0.51	•	•



Turbochest / Turbofoot
video

CAMP Turbochest
2256

CAVING, INDUSTRIAL

- Proprietary rollers increase climbing efficiency and decrease wear and tear on the device and ropes
- Super smooth action and increased safety on traversing maneuvers
- Thicker body plates and a shaped connection point reduce shifting between the device and the connector
- Can be rigged as a locking pulley for light hauling (max load 50 kg, 110 lbs)
- For ropes from 8 to 13 mm

A revolutionary chest ascender that features two proprietary rollers for a smooth interface with the rope. This not only helps with climbing efficiency by making the upward glide much smoother. It also reduces dangerous wear on the device where the rope tends to rub on the body of a traditional ascender. The perfectly profiled closure keeps the rope in line with the body of the device and the rollers to prevent the rope from escaping the device during tight pendulums and traverses. The toothed cam is finished with a special anti-wear treatment and features drain holes to help prevent the build up of mud, grit and ice. The main body also features drain holes along the rope path to allow grit and moisture to escape during use for better contact with the rope. Thicker body plates and a shaped connection point reduce wear on the device caused by shifting between the device and the connector (especially when used with steel connectors). This also keeps the device more in-line with the body during use. The opening mechanism is simple and secure with the ability to lock the device open for easier attachment and a removable pull cord that makes it easier to operate while wearing gloves. The proprietary rollers also allow the Turbochest to be rigged as a locking pulley for light hauling with a max load of 50 kg, 110 lbs. NOTE: This configuration is not intended for hauling or securing of bodies.



2258



2259

CAMP Turbofoot
2258 Right
2259 Left

CAVING, INDUSTRIAL

- Proprietary rollers increase climbing efficiency and decrease wear and tear on the device and ropes
- Innovative straps provide a secure and ergonomic fit on boots
- Can be rigged as a locking pulley for light hauling (max load 50 kg, 110 lbs)
- For ropes from 8 to 13 mm
- Available in right and left versions

Hook these mini ascenders to your feet and climb lines with greater ease than you ever imagined! Proprietary rollers positioned where the rope tends to rub on the body of a traditional ascender ensure the smoothest action and a longer product life for both the ascender and the rope. The toothed cam is finished with a special anti-wear treatment and features drain holes to help prevent the build up of mud, grit and ice. The innovative strap design provides a secure fit to any kind of boots or shoes and aligns the straps with the direction of the forces being applied for optimal comfort and efficiency. The proprietary rollers also allow the Turbo Foot to be rigged as a locking pulley for light hauling with a max load of 50 kg, 110 lbs. NOTE: This configuration is not intended for hauling or securing of bodies.

Ref.	Product name	Weight		Rope diameter min		Rope diameter max		CE	
		g	oz	mm	in	mm	in	EN 12841/B	EN 567
2256	TURBOCHEST	110	3.9	8	0.31	13	0.51	•	•
2258	TURBOFOOT RIGHT	135	4.8	8	0.31	13	0.51		
2259	TURBOFOOT LEFT	135	4.8	8	0.31	13	0.51		



CAMP Turboloop
0726

ALPINISM, CAVING, INDUSTRIAL

- Foot loop for use in rope ascent
- Adjustable length from 95 to 150 cm
- Tensioning strap for the foot
- Reinforced main attachment point

The Turboloop is a simple, high-functioning foot loop for use in rope ascent, ideal for caving and big wall. The steel buckle allows for quick length adjustment from 95 to 150 cm. Features a tensioning strap for the foot and a reinforced main attachment point.



CAMP Solo 2
2257

CAVING, INDUSTRIAL

- Light and compact ascender
- For ropes from 8 to 13 mm

A hyperlight, compact ascender with an ergonomic design that makes it very easy to use. The toothed cam is finished with a special anti-wear treatment and features drain holes to help prevent the build up of mud, grit and ice. The opening mechanism is simple and secure with the ability to lock the device open for easier attachment and a removable pull cord that makes it easier to operate while wearing gloves.



Solo 2 video



CAMP Lift
1175

ALPINISM, ROCK CLIMBING

- CE certified

This extremely compact and lightweight ascender is very rope-friendly because it has no teeth or cam. It operates by pivoting the rope around a lever when weighted. Simply open the rotating side plate, insert the rope and close the plate, clip a carabiner in the hole, and start climbing.

Ref.	Product name	Weight		Rope diameter min		Rope diameter max		Strength	CE	
		g	oz	mm	in	mm	in	kN	EN 12841/B	EN 567
0726	TURBOLOOP	120	4.2					5		
2257	SOLO 2	95	3.4	8	0.31	13	0.51		•	•
1175	LIFT	95	3.4	8	0.31	13	0.51		•	•



CASSIN Standard aider
3041

ALPINISM, AID CLIMBING

- 1" (25 mm) flat webbing for comfort and durability
- Two full-strength handle/clip-in loops

For climbers that prefer the traditional, alternating step aiders, CASSIN offers a sound design with steps that stay open. A carabiner loop at the bottom allows the aiders to be extended without collapsing the bottom step.



CASSIN Ladder aider
304101

ALPINISM, AID CLIMBING

- 10 steps with an aluminum spreader bar at the top to hold them open
- 1" (25 mm) flat webbing for comfort and durability
- Two full-strength handle/clip-in loops

Veteran wall climbers know that the old-style alternating-step aiders tend to twist and tangle in the wind. Ladder Aiders eliminate this nuisance and are easier to use with big boots. A full 6-feet long, these are taller than many aiders for maximum efficiency.

Ref.	Product name	Weight		Length		Steps Width		Steps Strength	Material
		g	oz	cm	in	cm	in	kN	
3041	STANDARD AIDER	181	6.4	172	67.7	18	7.1	10	Nylon
304101	LADDER AIDER	275	9.7	184	72.4	15	5.9	10	Nylon



CAMP Cable Ladder 10 m
0268 2300 g

HIGH ALTITUDE, CAVING

- 3 mm stainless steel cable construction
- Includes 4 stainless steel quicklinks for rigging

The 10 meter Speleo Ladder is the rig of choice for steep passages in caves. The 3 mm stainless steel cable construction will resist deterioration in wet conditions. Designed for fast and secure fixing at the top and bottom with 30 nylon coated steps providing maximum security for adventurers.



CAMP Andry
0108

ALPINISM

- Accessory Pulley
- Brass bushing
- Nylon sheave

An inexpensive pulley with a nylon wheel and zinc-plated steel side plates. A great basic accessory pulley for occasional hauling and fixing.

Ref.	Product name	Weight		Inner sheave diameter		Rope diameter Max		Working load Max		Breaking load		Ball bearings	Brass bushing	Sheave material	CE EN 12278
		g	oz	mm	in	mm	in	kN	LBF	kN	LBF				
0108	ANDRY	100	3.5	26	1.06	12	0.47	1,5 kN x 2 = 3 kN	337 LBF x 2 = 674 LBF	22	4946		•	Polyamide	•



CAMP Sphinx 2152

ALPINISM, INDUSTRIAL

- Fixed side plates
- Self-lubricated brass bushings with 80% efficiency
- Super-compact aluminum alloy body and sheave, stainless steel axle
- Prusik-minding
- For ropes up to 13 mm

A super-compact, ultralight pulley with fixed side plates. The Sphinx is very easy to handle and convenient to carry on a harness while ski touring or mountaineering. The attachment hole is large enough to allow full rotation of a standard locking carabiner. Self-lubricated brass bushings are perfect for light applications at low speed. Unlike other pulleys with fixed side plates, the Sphinx allows for a prusik knot to be installed on one side (aramid cord suggested) making it an ideal pulley for rigging a haul system on route or managing crevasse rescues.



Sphinx video



CAMP Sphinx Pro 2153

BEST SELLER

ALPINISM, INDUSTRIAL

- Fixed side plates
- Sealed ball bearings for high efficiency (92%)
- Super-compact with aluminum alloy body and sheave, stainless steel axle
- Prusik-minding
- For ropes up to 13 mm

A super-compact, lightweight and easy-handling pulley with fixed side plates. The Sphinx Pro uses the same design as the Sphinx, but features sealed ball bearings for higher efficiency. The Sphinx Pro is designed for intensive use at higher speeds, but is small and light enough to easily carry on your harness or throw in your pack for ski touring and mountaineering. Unlike other pulleys with fixed side plates, the Sphinx Pro allows a prusik knot to be installed on one side (aramid cord suggested) making it an ideal pulley for rigging a haul system on route or managing crevasse rescues.

Ref.	Product name	Weight		Inner sheave diameter		Rope diameter Max		Working load Max		Breaking load		Ball bearings	Brass bushing	Sheave material	CE EN 12278
		g	oz	mm	in	mm	in	kN	LBF	kN	LBF				
2152	SPHINX	95	3.4	28	1.10	13	0.51	2 kN x 2 = 4 kN	450 LBF x 2 = 900 LBF	24	5396		•	Aluminum alloy	•
2153	SPHINX PRO	85	3.0	28	1.10	13	0.51	3 kN x 2 = 6 kN	675 LBF x 2 = 1349 LBF	25	5620	•		Aluminum alloy	•



CAMP Tethys
2154

ALPINISM, INDUSTRIAL

- Rotating side plates with a large opening that accommodates 2 carabiners
- Self-lubricated brass bushings with 80% efficiency
- Compact and lightweight aluminum alloy body and sheave, stainless steel axle
- Prusik-minding
- For ropes up to 13 mm

The Tethys is a compact, lightweight pulley designed to carry seamlessly on a harness and attach to a rope with ease. It features rotating side plates and a large attachment point that accommodates two carabiners. Self-lubricated brass bushings are perfect for light applications at low speed. Prusik knots can be installed on either side (aramid cord suggested) making it an ideal pulley for rigging a hauling system on route or managing crevasse rescues.



Tethys video



CAMP Tethys Pro
2155

ALPINISM, INDUSTRIAL

- Rotating side plates
- Sealed ball bearings for high efficiency (92%)
- Compact and lightweight aluminum alloy body and sheave, stainless steel axle
- Prusik-minding
- For ropes up to 13 mm

The Tethys Pro is a lightweight, high-efficiency, compact pulley designed to carry seamlessly on a harness and attach to ropes with ease. It features rotating side plates and a large attachment point that accommodates two carabiners. The Tethys Pro uses the same design as the Tethys, but features sealed ball bearings for higher efficiency and intensive use at higher speeds. Prusik knots can be installed on either side (aramid cord suggested) making it an ideal pulley for rigging a hauling system on route or managing crevasse rescues.

Ref.	Product name	Weight		Inner sheave diameter		Rope diameter Max		Working load Max		Breaking load		Ball bearings	Brass bushing	Sheave material	CE EN 12278
		g	oz	mm	in	mm	in	kN	LBF	kN	LBF				
2154	TETHYS	100	3.5	28	1.10	13	0.51	2 kN x 2 = 4 kN	450 LBF x 2 = 900 LBF	24	5396		•	Aluminum alloy	•
2155	TETHYS PRO	90	3.2	28	1.10	13	0.51	3 kN x 2 = 6 kN	675 LBF x 2 = 1349 LBF	25	5620	•		Aluminum alloy	•



CAMP Dryad 2156

INDUSTRIAL

- Compact double pulley
- Self-lubricated brass bushings with 80% efficiency
- Aluminum alloy body and sheaves, stainless steel axle
- Prusik-minding
- For ropes up to 13 mm

The Dryad is a remarkably compact double pulley designed for quick and easy haul systems. It features a large primary attachment hole that accommodates two carabiners and a lower becket hole for a single carabiner. Self-lubricated brass bushings are perfect for light applications at low speed. Prusik knots can be installed on either side (aramid cord suggested) making it particularly useful for crevasse rescue scenarios.



Dryad video



CAMP Dryad Pro 2157

INDUSTRIAL

- Compact double pulley
- Sealed ball bearings for high efficiency (92%)
- Aluminum alloy body and sheaves, stainless steel axle
- Prusik-minding
- For ropes up to 13 mm

The Dryad Pro is a high-efficiency compact double pulley designed for quick and easy haul systems. It uses the same design as the Dryad, but features sealed ball bearings for higher efficiency and intensive use at higher speeds. It has a large primary attachment hole that accommodates two carabiners and a lower becket hole for one carabiner. Prusik knots can be installed on either side (aramid cord suggested) making it particularly useful for crevasse rescue scenarios.

Ref.	Product name	Weight		Inner sheave diameter		Rope diameter Max		Working load Max		Breaking load		Ball bearings	Brass bushing	Sheave material	CE EN 12278
		g	oz	mm	in	mm	in	kN	LBF	kN	LBF				
2156	DRYAD	170	6.0	28	1.10	13	0.51	1 kN x 4 = 4 kN	225 LBF x 4 = 900 LBF	24	5396		•	Aluminum alloy	•
2157	DRYAD PRO	155	5.5	28	1.10	13	0.51	1,8 kN x 4 = 7 kN	405 LBF x 4 = 1574 LBF	26	5845	•		Aluminum alloy	•



Naiad video

CAMP Naiad
2158

INDUSTRIAL

- High-strength, multifunctional pulley
- Self-lubricated brass bushings with 90% efficiency
- Aluminum alloy body and large sheave, stainless steel axle
- Prusik-minding
- For ropes up to 16 mm

A high-strength, multifunctional pulley featuring a large sheave for high efficiency. The Naiad is ideal for high-load haul systems and complex operations. It features a main attachment hole that accommodates three carabiners, two secondary holes on the sides for positioning and a large lower becket hole. Self-lubricated brass bushings are perfect for light applications at low speed. Prusik knots can be installed on either side (aramid cord suggested).



CAMP Naiad Pro
2159

INDUSTRIAL

- High-strength, multifunctional pulley
- Sealed ball bearings for high efficiency (97%)
- Aluminum alloy body and large sheave, stainless steel axle
- Prusik-minding
- For ropes up to 16 mm

A high-strength, multifunctional pulley featuring a large sheave for high efficiency. The Naiad Pro is ideal for high load haul systems and complex operations. It uses the same design as the Naiad with a main attachment hole that accommodates three carabiners, two secondary holes on the sides for positioning and a large lower becket hole, but features sealed ball bearings for higher efficiency and intensive use at higher speeds. Prusik knots can be installed on either side (aramid cord suggested).

Ref.	Product name	Weight		Inner sheave diameter		Rope diameter Max		Working load Max		Breaking load		Ball bearings	Brass bushing	Sheave material	CE EN 12278
		g	oz	mm	in	mm	in	kN	LBF	kN	LBF				
2158	NAIAD	280	9.9	49	1.93	16	0.63	3,5 kN x 2 = 7 kN	787 LBF x 2 = 1574 LBF	44	9892		•	Aluminum alloy	•
2159	NAIAD PRO	300	10.6	49	1.93	16	0.63	5 kN x 2 = 10 kN	1124 LBF x 2 = 2248 LBF	46	10341	•		Aluminum alloy	•

CAMP Janus
2160

INDUSTRIAL

- High-strength, multifunctional double pulley
- Self-lubricated brass bushings with 90% efficiency
- Aluminum alloy body and large sheaves, stainless steel axle
- Prusik-minding
- For ropes up to 16 mm

The Janus is a high-strength, multifunctional double pulley with large sheaves that has been optimized for complex haul systems and rescue operations. It features a main attachment hole that accommodates three carabiners, two secondary holes on the sides for positioning and a large lower becket hole. Self-lubricated bushings are perfect for light applications at low speed. Prusik knots can be installed on either side (aramid cord suggested).



Janus video

CAMP Janus Pro
2161

1ST CLASS

INDUSTRIAL

- High strength, multifunctional double pulley
- Sealed ball bearings for high efficiency (97%)
- Aluminum alloy body and large sheaves, stainless steel axle
- Prusik-minding
- For ropes up to 16 mm

The Janus Pro is a high-strength, multifunctional double pulley with large sheaves for high efficiency haul systems. It uses the same design as the Janus with a main attachment hole that accommodates three carabiners, two secondary holes on the sides for positioning and a large lower becket hole, but features sealed ball bearings for higher efficiency and intensive use at higher speeds. Prusik knots can be installed on either side (aramid cord suggested).



Ref.	Product name	Weight		Inner sheave diameter		Rope diameter Max		Working load Max		Breaking load		Ball bearings	Brass bushing	Sheave material	CE EN 12278
		g	oz	mm	in	mm	in	kN	LBF	kN	LBF				
2160	JANUS	400	14.1	49	1.93	16	0.63	2 kN x 4 = 8 kN	450 LBF x 4 = 1799 LBF	38	8543		•	Aluminum alloy	•
2161	JANUS PRO	425	15.0	49	1.93	16	0.63	3 kN x 4 = 12 kN	675 LBF x 4 = 2698 LBF	42	9442	•		Aluminum alloy	•



CAMP Wing 2
1025

ROPE COURSES & INSTITUTIONAL

- Unique closure for increased safety
- Guards serve a dual purpose by keeping clothing and hair away from the wheels and carrying backup lines
- Sealed steel ball bearings
- Stainless steel sheaves
- Maximum speed: 20 m/sec, 45 mph

The Wing introduces a new level of safety to zip lines with an elegant pivot locking mechanism. This system makes attaching participants to cable or rope faster and easier. It also ensures that the pulley cannot detach from the line while it is loaded. Features efficient steel bearings for high-speed adventure and stainless steel sheaves for durability. Thermoplastic guards prevent accidental entanglement from clothing and hair and carry backup lines along with the pulley on upright prongs.



CAMP Wing 2 Bag
1071 68 g

Durable nylon bag designed to securely carry the Wing 2 Traveling Pulley on high-ropes courses. Attaches securely to any harness waist belt thanks to a vertical Velcro closure.



CAMP Wing / Wing 2 Caps
2008 10 g

Two bolt-on replacement caps prevent accidental entanglement from clothing and hair and carry backup lines along with the pulley.



CAMP Wing 2 Arms
1027 27 g

Replacement caps with the upright arms for carrying backup lines designed to fit with both the Wing 2 and older versions of the Wing.

Ref.	Product name	Weight		Inner sheave diameter		Rope diameter		Cable diameter		Working load max	Breaking load	Ball bearings	Sheave material	CE
		g	oz	mm	in	mm	in	mm	in		kN			prEN 17109
1025	WING 2	347	12.2	26	1.02	13	0.51	12	0.47	1349 LBF	15	•	Stainless steel	•



CAMP Tarzan Rewind

139711

UPDATED '20

ROPE COURSES & INSTITUTIONAL

- Webbing lanyards with rewind elastic keep straps tight and out of the way when not in use
- Features an extra central loop for fixing a traveling pulley

A special version of the Jungle Rewind Lanyard with a central sling that has an attachment loop for fixing a traveling pulley. The lanyards are constructed from special rewind webbing designed to retract the lanyards to 45 cm when not in use keeping them tight to the body and out of the way. The twist ring attachment point optimally positions the lanyards when attached through the tie-in points on traditional harnesses. Not rated for use in via ferrata.



CAMP Jungle Rewind

139703

ROPE COURSES & INSTITUTIONAL

- Webbing lanyards with rewind elastic keep straps tight and out of the way when not in use

Double lanyard constructed from special rewind webbing designed to retract the lanyards to 45 cm when not in use keeping them tight to the body and out of the way. The twist ring attachment point optimally positions the lanyards when attached through the tie-in points on traditional harnesses. Not rated for use in via ferrata.

Ref.	Product name	Weight		Length		Construction	Breaking load	CE prEN 17109
		g	oz					
139711	TARZAN REWIND	138	4.9	45-85 cm	17.7-33.5 in	Rewind	15	•
139703	JUNGLE REWIND	120	4.2	45-85 cm	17.7-33.5 in	Rewind	15	•



CAMP Tarzan

139710

UPDATED '20

ROPE COURSES & INSTITUTIONAL

- Constructed from 23 mm semi-static webbing with an extra central loop for fixing a traveling pulley

A special version of the Jungle Lanyard with a central sling that has an attachment loop for fixing a traveling pulley. Constructed from 23 mm semi-static webbing with a twist ring attachment point that optimally positions the lanyard when attached through the tie-in points on traditional harnesses. Not rated for use in via ferrata.



CAMP Jungle

139702

ROPE COURSES & INSTITUTIONAL

- Constructed from 23 mm semi-static webbing

Double lanyard constructed from 23 mm semi-static webbing. The twist ring attachment point optimally positions the lanyards when attached through the tie-in points on traditional harnesses. Not rated for use in via ferrata.

Ref.	Product name	Weight		Length		Construction	Breaking load		CE prEN 17109
		g	oz				kN		
139710	TARZAN	120	4.2	72 cm	28.3 in	Webbing	15		•
139702	JUNGLE	95	3.4	72 cm	28.3 in	Webbing	15		•



CAMP Basic 9 mm

1397

UPDATED '20

ROPE COURSES & INSTITUTIONAL

- 9 mm dynamic rope construction naturally absorbs energy

Double lanyard constructed from 9 mm dynamic rope naturally absorbs energy in the event of a fall. The durable transparent sheaths protect seams from cuts and abrasions. Supplied with rubber keepers to help prevent rotation of the connectors. Not rated for use in via ferrata.



CAMP Jungle Single

139708

ROPE COURSES & INSTITUTIONAL

- Constructed from 23 mm semi-static webbing

Single lanyard constructed from 23 mm semi-static webbing with a twist ring attachment point that optimally positions the lanyard when attached through the tie-in points on traditional harnesses. Use a 10 mm quick link to fix it to the Wing Traveling Pulley for fast and secure attachments. Not rated for use in via ferrata.

Ref.	Product name	Weight		Length		Construction	Breaking load	CE prEN 17109
		g	oz				kN	
1397	BASIC 9 mm	130	4.6	78 cm	30.7 in	Rope	15	•
139708	JUNGLE SINGLE	52	1.8	59 cm	23.2 in	Webbing	15	•


ROPES




Alessandro Bau opening a new route on "Tre Cime di Lavaredo"
© Giovanni Danieli

ROPES

Sleek and sophisticated single, half and twin ropes draw on the same kind of technical ingenuity and craftsmanship climbers have come to expect from C.A.M.P. The full range includes some dynamic ropes designed to meet the varied demands of all climbers and some semi-static ropes for caving and work and rescue.



Single Ropes. Ropes certified to be used by themselves. Ideal for sport routes and everyday climbing where long rappels will not be required.




Half Ropes. A rope system comprised of two lines that are usually thinner than single ropes. The leader must tie into both lines, but clips only one line into each piece of pro making half ropes the preferred choice for wandering routes where gear must be placed in zigzag arrangements. Half ropes are also ideal on routes with shoddy protection and loose rock. A single line through a piece of pro or anchor places less stress on the gear than twin ropes and if one line gets damaged by falling rock, the other can still be intact and perfectly safe. Two seconds may follow the leader each tied into only one line.



Twin Ropes. A rope system comprised of two lines that must be used together and in parallel at all times. The leader and the follower must be tied into both lines and both lines must be clipped into every piece of gear and anchors. Twin ropes are lighter than half ropes and excel on long, protectable routes where rappels often require the full length of the rope.

Technical Information. Dynamic climbing ropes are designed to absorb the impact of a fall in such a way that minimizes the amount of force put on the climber and the anchor system. The following ratings are used to help climbers compare factors like a rope's capacity to absorb energy, durability and strength.



Fall Factor. The fall factor is used to evaluate the force of a fall on a climber. The fall factor is calculated by dividing the length of the fall by the length of the rope deployed. For example, if a climber falls from 2 meters above their last piece of protection with 20 meters of rope between leader and belayer, the resulting fall of ~4m would be calculated as 4m/20m, or 1/5, or .2 (fall factor). It is important to note that the fall factor is not simply a function of the length of a fall, but of the ratio of the length of the fall to amount of rope deployed. With more rope deployed, the rope can stretch more thereby absorbing more of the force generated by the fall. Additionally, the fall factor can only be applied as a theoretical function as it assumes there is no friction between the belay and the last piece of protection.

Impact Force. Impact force is a rating used to determine how well a rope absorbs the energy of a fall. All climbing ropes are rated with a maximum impact force that allows the consumer to compare the energy absorption capabilities of various ropes. The lower the maximum impact force, the more energy a rope can absorb thereby softening a fall. For single ropes, the maximum impact force must be less than 12 kN for a factor 1.77 fall with a mass of 80 kg. For half ropes, the maximum impact force must be less than 8 kN for a factor 1.77 fall with a mass of 55 kg. For twin ropes (tested with two parallel strands), the maximum impact force must be less than 12 kN for a factor 1.77 fall with a mass of 80 kg. The maximum impact force is calculated in a laboratory and simulates a severe fall that responsible climbers are unlikely to duplicate in the field.

Category leaders



LIGHT&FAST

Isotop 7.6 mm
0803



1ST CLASS

Spectrum 8.9 mm
2235



BEST SELLER

Hadron 9.4 mm
0807

Number of UIAA Falls. The UIAA falls rating is used to determine how many severe falls a rope can withstand before breaking. Generally speaking, the higher the number the stronger the rope. Single ropes must withstand a minimum of five successive factor 1.77 falls with a mass of 80 kg. Double ropes must withstand a minimum of five successive factor 1.77 falls with a mass of 55 kg. Twin ropes (tested with two parallel strands) must withstand a minimum of twelve successive factor 1.77 falls with a mass of 80 kg.

- **Dynamic Elongation:** this is the stretch of the rope during the first UIAA test fall. For all climbing ropes, dynamic elongation cannot exceed 40%.
- **Static Elongation:** measured under a static load of 80 kg, it must not exceed 10% for single ropes, 12% for double ropes, or 10% for twin ropes which are tested with two parallel strands.

The life of your rope. The life of a rope depends on the frequency and intensity of use as well as exposure to UV rays and humidity which can gradually degrade the integrity of the fibers that comprise the rope. When stored under proper conditions, ropes can have a shelf life of up to five years before first use without affecting the rope's climbing life.

Follow these general guidelines to help evaluate the life of your rope:

- Intensive use: 3 months to 1 year
- Average use: 2 to 3 years
- Regular, but light use: 4 to 5 years
- Infrequent use: 10 years (this is the maximum recommended duration of use)

Replace your rope immediately if:

- It has held a major fall approaching fall factor 2
- Inspection reveals or even indicates damage to the core
- The sheath is seriously worn
- Any part of the rope has come in contact with damaging chemicals or agents
- There is the slightest doubt about its safety



DRY. A process where each strand of the sheath is treated with a hydrophobic coating to help repel moisture, dirt and grit which can damage the rope with intensive use over time. This is the first line of defense for the core of the rope and a feature present in all CAMP ropes.



FULL DRY. Hydrophobic treatment of the core and sheath. Full Dry is a great choice for alpinism and ice climbing where wet conditions are common. It is also a great way to increase the lifespan of a rope used primarily for rock climbing as the double treatment helps repel dirt and grit which can damage the rope with intensive use over time.



UNIFORM THREAD. An exclusive mechanical process used to optimize the uniformity of each thread during the braiding process. This uniformity helps the rope keep its shape over time and delivers consistent performance along the entire length of the rope.



HEATCORE. A process that involves fusing the sheath and the core of the rope using heat to link the two parts of the rope. Heatcore gives the rope a higher overall breaking strength and reduces the amount of sheath slippage that can cause abrasion or bunching over time.



MIDDLE MARKING. Ink marks indicate the middle of the rope for easier management and safe descents.

Dynamic

Ref.	Product name	Length		Weight		Type			Impact force kN		UIAA falls N°			Dynamic elongation (%)			Static elongation (%)			Sheath slippage mm	Dry	Full Dry	MiddleMark	Material	CE		UIAA
		m	g/m	oz	Single	Half	Twin	Single	Half	Twin	Single	Half	Twin	Single	Half	Twin	Single	Half	Twin						EN 892	101	
0803	ISOTOP 7.6 mm	20-30	40	1.4	•	•			6.3	10.1	7	16	28.5	26.5		9.2	5	0	•		•	Polyamide 6	•	•			
0804	MESON 7.7 mm	60-70-200	38	1.3	•	•			5.5	8.5	5	16	35.7	32.3		11.6	9.6	4	•			Polyamide 6	•	•			
0805	MESON 7.7 mm FULL DRY	60	38	1.3	•	•			5.5	8.5	5	16	35.7	32.3		11.6	9.6	4		•		Polyamide 6	•	•			
2234	BARYON 8.2 mm	50-60	41	1.4	•				5.6		7		34			11.4		5	•			Polyamide 6	•	•			
2235	SPECTRUM 8.9 mm	60-70-80-90	55	1.9	•	•	•	7.7	5.9	9	5	15	37	35.7	32.3	27.6	9.2	9.2	5.4	0	•		Polyamide 6	•	•		
0807	HADRON 9.4 mm	60-70-80	55	1.9	•			7.8			5		34.4			5.8		4	•			Polyamide 6	•	•			
0808	GLUON 9.7 mm	60-70-80	63	2.2	•			8.6			7		33.1			9.8		0	•			Polyamide 6	•	•			
2236	QUASAR 9.9 mm	60-70-80-200	66	2.3	•			8.7			7		31.9			6.3		5	•			Polyamide 6	•	•			
2237	CLUSTER 10.5 mm	50-60-200-600	69	2.4	•			8.1			10		29.8			5.3		0	•			Polyamide 6	•	•			
2238	MAGNON 11 mm	50-60-200	73	2.6	•			8.5			12		29.2			6.5		3	•			Polyamide 6	•	•			

Semi-static

Ref.	Product name	Length	Weight		Static strength kN	Static strength w/ figure 8 knot kN	No. of factor 1 falls (100 kg)	Fall factor 0.3 impact force kN	Static elongation 50/150 kg (%)	Sheath slippage mm	Sheath %	Core %	Shrinkage in water %	Material	CE EN 1891	Type	EAC	UIAA 107
			g/m	oz/m														
2809	IRIDIUM 10 mm	50 m	67	2.4	27.4	20.8	29	5.3	3.9	0	41	59	3	Polyamide 6	•	A	•	•
		200 m																
2810	IRIDIUM 10.5 mm	50 m	68	2.4	29.2	19.5	22	5.1	3.1	0	38	62	2.3	Polyamide 6	•	A	•	•
		200 m																
		600 m																
2811	IRIDIUM 11 mm	50 m	76	2.7	34.8	22	>35	5.3	1.4	0	37	63	3	Polyamide 6	•	A	•	•
		200 m																
		600 m																
2812	IRIDIUM 12.5 mm	50 m	98	3.5	38.5	25.6	>100	5.2	3.3	0	39	61	3.5	Polyamide 6	•	A	•	•
		200 m																

Dynamic



CAMP
Isotop 7.6 mm
0803



CAMP
Meson 7.7 mm
0804/0805



CAMP
Baryon 8.2 mm
2234



CAMP
Spectrum 8.9 mm
2235



CAMP
Hadron 9.4 mm
0807



CAMP
Gluon 9.7 mm
0808



CAMP
Quasar 9.9 mm
2236



CAMP
Cluster 10.5 mm
2237



CAMP
Magnon 11 mm
2238

Semi-static



CAMP
Iridium 10 mm
2809



CAMP
Iridium 10.5 mm
2810




CAMP
Iridium 11 mm
2811




CAMP
Iridium 12.5 mm
2812

Cords



CAMP



CAMP Isotop 7.6 mm

0803 Dry

LIGHT&FAST

MOUNTAINEERING, SKI MOUNTAINEERING

- Hyperlight dual-rated half and twin rope for light and fast glacier and snow travel
- Uniform Thread treatment with Dry treatment on the sheath

The Isotop is our skinniest rope, specifically designed for use in ski mountaineering and glacier travel. Available in 20 and 30 meter lengths. Note: Only use the Isotop as a single line on low angle terrain where the potential forces are lower than more technical, vertical climbing.



CAMP Meson 7.7 mm


0804 Dry

0805 Full Dry

MOUNTAINEERING, SKI MOUNTAINEERING, ALPINISM, MULTI-PITCH CLIMBING, ICE CLIMBING

- Dual rated half and twin rope for light and fast alpinism
- Uniform Thread treatment
- Available with Dry or Full Dry treatments

The prime line for technical ice climbing and wandering alpine routes where the very low impact force will still give precarious gear a fighting chance. Available with Dry or Full Dry treatments for extreme protection from moisture. Uniform Thread treatment delivers unparalleled consistency along the entire length of the rope and two coordinating colors optimize rope management. The Meson is also a great rope for ski mountaineering and glacier travel where the lower impact forces allow for the use of a single line.



CAMP Baryon 8.2 mm

2234 Dry

ALPINISM, ROCK CLIMBING, MULTI-PITCH CLIMBING, ICE CLIMBING

- Light and thin half rope for technical climbing
- Uniform Thread treatment with Dry treatment on the sheath

A thin, technical half rope designed for advanced alpinism, ice climbing and rock climbing. The Baryon is notable for its light and fluid hand that delivers a solid grip even in adverse conditions.

Ref.	Product name	Length		Wieght		Type			Impact force kN		UIAA falls N°		Dynamic elongation (%)			Static elongation (%)			Sheath slippage mm	Dry	Full Dry	MiddleMark	Material	CE		UIAA
		m	g/m	oz	Single	Half	Twin	Single	Half	Twin	Single	Half	Twin	Single	Half	Twin	Single	Half						Twin	EN 892	
0803	ISOTOP 7.6 mm	20-30	40	1.4	•	•		6.3	10.1	7	16	28.5	26.5	9.2	5	0	•		•	Polyamide 6	•	•				
0804	MESON 7.7 mm	60-70-200	38	1.3	•	•		5.5	8.5	5	16	35.7	32.3	11.6	9.6	4	•			Polyamide 6	•	•				
0805	MESON 7.7 mm FULL DRY	60	38	1.3	•	•		5.5	8.5	5	16	35.7	32.3	11.6	9.6	4		•		Polyamide 6	•	•				
2234	BARYON 8.2 mm	50-60	41	1.4	•			5.6		7			34			11.4		5	•		Polyamide 6	•	•			

1 Green



CAMP Spectrum 8.9 mm

2235 Dry

1ST CLASS

ALPINISM, ROCK CLIMBING, MULTI-PITCH CLIMBING, SPORT CLIMBING

- Triple-rated single, half and twin rope
- Uniform Thread treatment with Dry treatment on the sheath

Our lightest single line is primed for the mega-project where every gram counts. The Spectrum features a fluid hand for fast clipping and paying out slack. Due to its very low impact force, the Spectrum is also ideal for trad climbing where it places less force on protection than most thicker ropes. Available with our special Heatcore treatment that increases the ultimate breaking strength and reduces slippage between the sheath and core. Dry treatment on the sheath protects against grit and grime that can damage the rope with intensive use. Available in 60, 70, 80 and 90 meter lengths!

1 Light Blue / Blue / Grey



CAMP Hadron 9.4 mm

0807 Dry

BEST SELLER

ALPINISM, ROCK CLIMBING, MULTI-PITCH CLIMBING, SPORT CLIMBING

- Lightweight single rope
- Uniform Thread treatment with Dry treatment on the sheath

A lightweight single line with enough structure to deliver good durability for everyday use. Uniform Thread treatment delivers a high level of dimensional stability that keeps the rope round and soft. Dry treatment on the sheath protects against grit and grime that can damage the rope with intensive use.

1 Red / Orange / Grey



CAMP Gluon 9.7 mm

0808 Dry

ALPINISM, ROCK CLIMBING, MULTI-PITCH CLIMBING, SPORT CLIMBING

- Multipurpose single rope
- Uniform Thread treatment with Dry treatment on the sheath

A versatile single rope that is ideal for everything from sport climbing to alpinism. 9.7 mm diameter strikes a perfect balance between durability, strength and lightweight. Uniform Thread treatment ensures good flexibility and handling over the life of the rope. Dry treatment on the sheath protects against grit and grime that can damage the rope with intensive use.

Ref.	Product name	Length		Weight		Type			Impact force kN			UIAA falls N°			Dynamic elongation (%)			Static elongation (%)			Sheath slippage mm	Dry	Full Dry	MiddleMark	Material	CE		UIAA
		m	g/m	oz	Single	Half	Twin	Single	Half	Twin	Single	Half	Twin	Single	Half	Twin	Single	Half	Twin	EN 892						101		
2235	SPECTRUM 8.9 mm	60-70 80-90	55	1.9	•	•	•	7.7	5.9	9	5	15	37	35.7	32.3	27.6	9.2	9.2	5.4	0	•			Polyamide 6	•	•		
0807	HADRON 9.4 mm	60-70-80	55	1.9	•			7.8			5			34.4			5.8			4	•			Polyamide 6	•	•		
0808	GLUON 9.7 mm	60-70-80	63	2.2	•			8.6			7			33.1			9.8			0	•			Polyamide 6	•	•		



2 White / Red 1 White / Light Blue

CAMP Quasar 9.9 mm
2236 Dry

ALPINISM, ROCK CLIMBING

- High-quality and affordable single rope
- Uniform Thread treatment with Dry treatment on the sheath

A high-quality and affordable single rope for rock climbing and alpinism. 9.9 mm diameter delivers great strength and durability without being bulky and cumbersome. Uniform Thread treatment ensures good flexibility and handling over the life of the rope. Dry treatment on the sheath protects against grit and grime that can damage the rope with intensive use.

2 Red / Papaya Orange / Fluo Yellow




1 Light Blue / Green / Sky Blue

CAMP Cluster 10.5 mm
2237 Dry

ROCK CLIMBING, SPORT CLIMBING, CLIMBING GYMS

- Single rope for intensive everyday use
- Uniform Thread treatment with Dry treatment on the sheath

Single rope designed to hold up to intensive everyday climbing. The Cluster is ideal for indoor climbing, top-rope sessions and intensive outdoor use. The 10.5 mm diameter will hold up to repeated thrashings while maintaining a good hand and soft catch over the life of the rope.



1 Fluo Yellow / Green

CAMP Magnon 11 mm
2238 Dry

ROCK CLIMBING, SPORT CLIMBING, CLIMBING GYMS

- Superstrong and durable single rope with reinforced sheath
- Uniform Thread treatment with Dry treatment on the sheath

A superstrong single rope with a reinforced sheath that features 30% more material making it both stronger and more resistant to abrasions and cutting. The Magnon is the right choice for the most intense terrain and frequent use where ropes are really put to the test.

Ref.	Product name	Length		Weight		Type			Impact force kN			UIAA falls N°			Dynamic elongation (%)			Static elongation (%)			Sheath slippage mm	Dry	Full Dry	MiddleMark	Material	CE		UIAA
		m	g/m	oz	Single	Half	Twin	Single	Half	Twin	Single	Half	Twin	Single	Half	Twin	Single	Half	Twin	EN 892						101		
2236	QUASAR 9.9 mm	60-70 80-200	66	2.3	•				8.7			7			31.9			6.3			5	•			Polyamide 6	•	•	
2237	CLUSTER 10.5 mm	50-60 200-600	69	2.4	•				8.1			10			29.8			5.3			0	•			Polyamide 6	•	•	
2238	MAGNON 11 mm	50-60-200	73	2.6	•				8.5			12			29.2			6.5			3	•			Polyamide 6	•	•	

SEMI-STATIC ROPES

Semi-static ropes are broken out into two types to help users compare important factors like durability and strength. They are not designed to cushion the impact of a fall and should not be used for dynamic applications like climbing. They are designed primarily for rigging, work and rescue.

Type A. The strongest and most durable semi-static ropes. Excellent for accessing work areas and roping in when working at heights.

Type B. Smaller diameter semi-static ropes designed for more moderate work and rescue applications. Type B static ropes are both less durable and not as strong as Type A ropes.

Technical Information. Use the information in the charts below to determine the best semi-static rope for your needs. Generally speaking, ropes with larger diameters will be stronger and more durable. Use ratings like semi-static strength, number of falls and weight to compare ropes of similar diameters. Higher values for semi-static strength and number of falls indicate greater durability. For rescue applications, weight is often a concern as well.



White/Black - **501**: 50 m, **2001**: 200 m

CAMP Iridium 10 mm

2809

- Type A semi-static line

A light and minimalist semi-static rope that still guarantees a high strength. The small diameter is balanced with a compact sheath construction of 40 carriers for exceptional handling and twisted yarns for increased abrasion resistance.



White/Black - **501**: 50 m, **2001**: 200 m, **6001**: 600 m



Red/Black - **502**: 50 m, **2002**: 200 m, **6002**: 600 m



Yellow/Black - **503**: 50 m, **2003**: 200 m, **6003**: 600 m



Black - **504**: 50 m, **2004**: 200 m, **6004**: 600 m

CAMP Iridium 10.5 mm

2810

- Type A semi-static line

The Iridium 10.5 delivers the best combination of handling and strength. The compact core combines with a 32 carrier sheath for superb handling and twisted yarns for a high level of resistance to abrasion.



White/Black - **501**: 50 m, **2001**: 200 m, **6001**: 600 m



Red/Black - **502**: 50 m, **2002**: 200 m, **6002**: 600 m



Yellow/Black - **503**: 50 m, **2003**: 200 m, **6003**: 600 m



Black - **504**: 50 m, **2004**: 200 m, **6004**: 600 m

CAMP Iridium 11 mm

2811

- Type A semi-static line

The Iridium 11 mm is the right choice for riggers who need a super strong rope that remains compatible with most mechanical devices. The high-strength core combines with a 32 carrier sheath for good handling and twisted yarns for a very high level of abrasion resistance.



White/Black - **501**: 50 m, **2001**: 200 m


CAMP Iridium 12.5 mm

2812

- Type A semi-static line

Our strongest semi-static rope. Features a compact core and a 40 carrier sheath with twisted yarns to give the Iridium 12.5 mm a very high breaking strength and the ability to resist to a very high number of falls.

Ref.	Product name	Length	Weight		Static strength w/ figure 8 knot kN	No. of factor 1 falls (100 kg)	Fall factor 0.3 impact force kN	Static elongation 50/150 kg (%)	Sheath slippage mm	Sheath %	Core %	Shrinkage in water %	Material	CE EN 1891	Type	EAC	107
			g/m	oz/m													
2809	IRIDIUM 10 mm	50 m	67	2.4	27.4	29	5.3	3.9	0	41	59	3	Polyamide 6	•	A	•	•
		200 m															
2810	IRIDIUM 10.5 mm	50 m	68	2.4	29.2	22	5.1	3.1	0	38	62	2.3	Polyamide 6	•	A	•	•
		200 m															
		600 m															
2811	IRIDIUM 11 mm	50 m	76	2.7	34.8	>35	5.3	1.4	0	37	63	3	Polyamide 6	•	A	•	•
		200 m															
		600 m															
2812	IRIDIUM 12.5 mm	50 m	98	3.5	38.5	>100	5.2	3.3	0	39	61	3.5	Polyamide 6	•	A	•	•
		200 m															



CAMP Cords

ALPINISM, ROCK CLIMBING

A wide range of accessory cords available in numerous widths to handle a large variety of applications. The 5.5 mm aramid is especially strong and is a great choice for rigging lightweight rappels and anchors. The hydrophobic, abrasion-resistant properties of the aramid material make it great for extended outdoor use.

Ref.	Product name	Length	Weight		Strength	CE
			g/m	oz	kN	EN 564
0817	CORD 2 mm	120 m	2.5	0.1	0.8	
0818	CORD 3 mm	120 m	7	0.2	2.5	
0822	CORD 4 mm	120 m	10	0.4	4	•
0823	CORD 5 mm	120 m	15	0.5	6	•
0824	CORD 6 mm	120 m	23	0.8	10	•
0825	CORD 7 mm	120 m	30	1.1	12	•
0826	CORD 8 mm	120 m	43	1.5	18	•
0827	CORD 5.5 mm ARAMID	50 m	25	0.9	17.5	•



HARNESSES & CHALK



HARNESSES

Construction and Design. CAMP harnesses are best known for their amazing blend of lightweight, comfort and durability. We offer individual models specifically designed for every kind of adventure. We use different types of construction in the line. Webbing loop construction is the most simple and allows for the widest range of adjustment. It is used in the Energy series, Jasper CR4, Topaz and Topaz Plus. We have pioneered the use of innovative Load Webbing construction with the Alp Racing, Alp Mountain and Alpine Flash harnesses. The technology achieves a remarkable combination of properties including exceptional comfort from even weight distribution, hyper lightweight and hydrophobic, exceptional packability and minimalist construction that reduces the number of stitch points. The Impulse series uses new Smart Webbing Technology, which is a variation on the Load Webbing used in the Alp series, in more padded and breathable harnesses designed to be comfortable enough to work projects and still light enough to send them.


Energy: Introducing a complete collection. The Energy met with immediate success when it was launched in 2015. At the time, it was our second lightest sport climbing harness, but also our most affordable. This combination of top level design and materials at an entry-level pricepoint has made it our best seller since its inception. For 2020, we have taken the tried and true design of the Energy and expanded it into an entire range of harnesses for rock climbers of every kind. The Energy remains with fixed leg loops for a performance fit. The Energy CR3 is a lightweight, versatile design for any kind of climber. The Energy CR4 provides a very broad fit range in just two sizes. The Energy Junior is a lightweight, simple and safe harness for children that follows the design of the Energy CR3. The Energy Nova (perhaps the model we are most proud of) has been tuned for a precise fit on female climbers not just in simple attributes like the length of the rise or ratios in sizing between the waist and legs -- the Energy Nova actually features our high end conical construction on the waist belt that profiles to the shape of the hips for the very best fit on the market.

Manufacturing. C.A.M.P. is an ISO 9001:2008 certified manufacturer and meets the 11B article of the 89/686/EEC directive which means every harness is sewn to an exact specification with an extremely tight tolerance for any variance. Before each run, we calibrate the machines and we source only the highest-quality materials in order to ensure maximum quality, durability and uniformity. Special touches like machine-driven circular bar tacks and laminate construction are examples of the advanced manufacturing methods that C.A.M.P. employs to produce the superior blend of lightweight, comfort and durability CAMP and CASSIN harnesses are known for.

Evolution. It has been many years since we introduced our new line of harnesses built around patents and innovations like No-Twist and Flat Link. From that first generation, we have evolved the line into a broad range of harnesses designed to cover every kind of mountain adventure from competitive ski mountaineering to trad and big wall climbing. Along the way, we have established benchmarks for the category including top class models and affordable harnesses for groups with construction more like modern sport climbing harnesses than seatbelts. Load Webbing construction has been expanded into a complete high-end range of hyperlight harnesses all purpose-built for top level results on the most extreme terrain. The Alp Racing is one of the lightest harness in the world specifically designed for competitive ski mountaineering. The Alp Mountain is designed for mountaineering expeditions and the Alpine Flash takes its place as the ultimate harness for light and fast alpinism and technical ice climbing. Our latest step is Smart Webbing Technology and the DeltaFrame leg loops used in the construction of the Impulse series.

Harnesses classification and marking according to EN 12277

- Full body harness (**type A**): Harness which fits at least around the upper part of the body and the thighs. Note: This type of harness will support an unconscious person in a head up position.
- Small body harness (**type B**): Full body harness according to type A intended for people up to 40 kg. Note: This type of harness is particularly suitable for people with an undeveloped or ill defined waistline.
- Sit harness (**type C**): Harness in the form of a waist belt and connecting sub-pelvic support suitably arranged to support a conscious body in a sitting position.
- Chest harness (**type D**): Harness which fits around the upper part of the body around the chest and under the armpits. Note 1: This type of harness alone cannot support a person in the hanging position without permanent injury in less than one minute. Note 2: A type D harness should only be used in combination with a type C harness.



Category leaders



LIGHT&FAST

Alp Mountain
2144



LIGHT&FAST

Alpine Flash
2720



LIGHT&FAST

Alp Racing
0286



1ST CLASS

Impulse CR
2937



BEST SELLER

Energy CR 3
2870

Climbing

New	Ref.	Product name	Sizes	Weight Size (M)						No-Twist Belay Loop	Haul Loop	Drop Seat	CE EN 12277/C	
				g	oz	B - Waist (cm / in)		C - Legs (cm / in)						
NEW 20	2937	IMPULSE CR	XS	420	14.8	62-72	24.4-28.3	45-55	17.7-21.6		•	•	•	
			S			69-79	27.2-31.1	50-60	29.7-23.6					
			M			76-86	29.9-33.9	55-65	21.6-25.6					
			L			83-93	32.7-36.6	60-70	23.6-27.6					
			XL			90-100	35.4-39.4	65-75	25.6-29.5					
NEW 20	2936	IMPULSE	XS	355	12.5	62-72	24.4-28.3	48-52	18.9-20.5		•	•	•	
			S			69-79	27.2-31.1	52-56	20.5-22					
			M			76-86	29.9-33.9	56-60	22-26					
			L			83-93	32.7-36.6	60-64	23.6-25.2					
	2720	ALPINE FLASH	XS	300	10.6	64-74	25.2-29.1	47-57	18.5-22.4			•	•	
			S			70-80	27.6-31.5	51-61	20.1-24.0					
			M			76-86	29.9-33.9	55-65	21.7-25.6					
			L			82-92	32.3-36.2	59-69	23.2-27.2					
			XL			88-98	34.7-38.6	63-73	24.8-28.7					
	2396	JASPER CR 4	XS-M	410	14.5	62-82	24.4-32.3	46-56	18.1-22.1	•	•	•	•	
			M-XL			76-100	29.9-39.4	52-62	20.5-24.4					
NEW 20	2871	ENERGY CR 4	XS-M	380	13.4	62-82	24.4-32.3	46-56	18.1-22		•		•	
						M-XL	76-100	29.9-39.4	52-62					20.5-24.4
NEW 20	2870	ENERGY CR 3	XS	375	13.2	58-68	22.8-26.8	39-49	15.3-19.3		•		•	
			S			65-75	25.6-29.5	49-59	19.3-23.2					
			M			72-82	28.3-32.3	55-65	21.6-25.6					
			L			79-89	31.1-35	60-70	23.6-27.6					
NEW 20	2869	ENERGY	XS	305	10.8	58-68	22.8-26.8	45-53	17.7-20.9		•		•	
			S			65-75	25.6-29.5	50-58	19.7-22.8					
			M			72-82	28.3-32.3	55-63	21.6-24.8					
			L			79-89	31.1-35	60-68	23.6-26.8					
			XL			86-96	33.9-37.8	65-73	25.6-28.7					
NEW 20	2872	ENERGY NOVA	XS	345	12.2	56-66	22-26	52-62	20.5-24.4		•		•	
			S			63-73	24.8-28.7	56-66	22-26					
			M			70-80	27.6-31.5	60-70	23.6-27.6					
			L			77-87	30.3-34.2	64-74	25.2-29.1					
	0205	FLINT	S	460	16.2	65-77	25.6-30.3	52-62	20.5-24.4		•	•	•	
			M			75-87	29.5-34.3	56-66	22.1-26.0					
			L			85-97	33.5-38.2	60-70	23.6-27.6					

Alpinism-Ski Mountaineering

Ref.	Product name	Sizes	Weight Size (M)						Drop Seat	CE EN 12277/C
			g	oz	B - Waist (cm / in)		C - Legs (cm / in)			
0286	ALP RACING	S	99	3.5	68-78	26.8-30.7	51-56	20.1-22.1		•
		M			75-85	29.5-33.5	55-60	21.7-23.6		
		L			82-92	32.3-36.2	59-64	23.2-25.2		
		XL			86-96	33.9-37.8	62-68	24.4-26.8		
2144	ALP MOUNTAIN	S	260	9.2	64-82	25.2-32.3	53-59	20.9-23.2	•	•
		M			78-96	30.7-37.8	58-66	22.8-26.0		
		L			92-110	36.2-43.3	63-69	24.8-27.2		

Groups

Ref.	Product name	Sizes	Weight						CE EN 12277/C
			g	oz	B - Waist (cm / in)		C - Legs (cm / in)		
2294	TOPAZ PLUS	One-size	490	17.3	66-110	26.0-43.3	40-75	15.8-29.5	•
2293	TOPAZ	One-size	430	15.2	52-95	20.5-37.4	30-70	11.8-27.6	•
0911	GROUP II	XS-XL	470	16.6	52-105	20.5-41.3	30-70	11.8-27.6	•

Chest harnesses

Ref.	Product name	Sizes	Weight				CE EN 12277/D
			g	oz	A - Chest (cm / in)		
0909	FIG. 8 CHEST	XS-L	290	10.2	61-110	24.0-43.3	•

Junior

New	Ref.	Product name	Sizes	Weight								CE		
				g	oz	B - Waist (cm / in)		A - Chest (cm / in)		C - Legs (cm / in)		EN 12277/B	EN 12277/C	EN 12277/D
NEW 20	2873	ENERGY JR	One-size	280	9.9	48-60	18.9-23.6			38-48	15.0-18.9		•	
	1895	BABY ADVENTURE	One-size	430	15.2			50-85	19.7-33.5	30-60	11.8-23.6	•		
	0657	BAMBINO	One-size	370	13.1			50-85	19.7-33.5	30-60	11.8-23.6	•		
	0900	BAMBINO CHEST	One-size	160	5.6			61-70	24.0-27.6					•

Climbing



CAMP
Impulse CR
2937



CAMP
Impulse
2936



CAMP
Alpine Flash
2720



CAMP
Jasper CR 4
2396



CAMP
Energy CR 4
2871



CAMP
Energy CR 3
2870



CAMP
Energy
2869



CAMP
Energy Nova
2872



CAMP
Flint
0205

Alpinism-Ski Mountaineering



CAMP
Alp Racing
0286



CAMP
Alp Mountain
2144

Groups



CAMP
Topaz Plus
2294



CAMP
Topaz
2293



CAMP
Group II
0911

Junior



CAMP
Energy JR
2873



CAMP
Baby Adventure
1895



CAMP
Bambino
0657




CAMP
Bambino Chest
0900

Chest harnesses



CAMP
Figure 8 Chest
0909

Technical features on CAMP harnesses



Weight: 420 g (size M)

* Also available with fixed leg loops for sport climbing - see page 135

** Features vary by model



CAMP Impulse CR

2937

NEW '20

1st CLASS

ALPINISM, ROCK CLIMBING

- Our top-level all-rounder
- Innovative Smart Webbing Technology for superior comfort
- Perforated EVA foam with 3D mesh for exceptional breathability
- Stainless steel auto-locking buckles on the waist and legs
- Adjustable leg loops for a fine-tuned fit
- Signature DeltaFrame construction on the leg loops increase comfort while hanging
- Differentiated color belay loop
- Four contoured gear loops with a fifth loop in the rear
- Stitched loops for Hub racking carabiners
- Haul loop with integrated chalk bag loop
- Drop seat with plastic buckles

The Impulse CR is our top-level all-around climbing harness. It features innovative Smart Webbing Technology that distributes pressure uniformly over the entire surface of the harness for the best comfort and perforated EVA foam with soft 3D mesh for exceptional breathability. The waist and legs are adjusted with secure stainless steel auto-locking buckles. Adjustable leg loops feature our signature DeltaFrame construction to maximize comfort while hanging. Four contoured gear loops plus a fifth loop in the rear keep gear at the ready. The differentiated color belay loop, drop seat buckles, stitched loops for the Hub racking carabiner and a haul loop with an integrated chalk bag loop round out the features on this highly technical harness.

Ref.	Product name	Sizes	Weight Size (M)						No-Twist Belay Loop	Haul Loop	Drop Seat	 EN 12277/C
			g	oz	B - Waist (cm / in)		C - Legs (cm / in)					
2937	IMPULSE CR	XS	420	14.8	62-72	24.4-28.3	45-55	17.7-21.6	•	•	•	
		S			69-79	27.2-31.1	50-60	29.7-23.6				
		M			76-86	29.9-33.9	55-65	21.6-25.6				
		L			83-93	32.7-36.6	60-70	23.6-27.6				
		XL			90-100	35.4-39.4	65-75	25.6-29.5				




CAMP Impulse
2936

NEW '20

ROCK CLIMBING

- Our top-level rock climbing harness
- Innovative Smart Webbing Technology for superior comfort
- Perforated EVA foam with 3D mesh for exceptional breathability
- Stainless steel auto-locking buckle on the waist
- Fixed leg loops for a performance fit
- Signature DeltaFrame construction on the leg loops increase comfort while hanging
- Differentiated color belay loop
- Four contoured gear loops
- Haul loop with integrated chalk bag loop
- Drop seat with plastic buckles

The Impulse is our top-level rock climbing harness. It features innovative Smart Webbing Technology that distributes pressure uniformly over the entire surface of the harness for the best comfort and perforated EVA foam with soft 3D mesh for exceptional breathability. The waist is adjusted with a secure stainless steel auto-locking buckle. Fixed leg loops feature our signature DeltaFrame construction to maximize comfort while hanging. Four contoured gear loops keep gear at the ready. The differentiated color belay loop, drop seat buckles and a haul loop with an integrated chalk bag loop round out the features on this high-performance harness.



Ref.	Product name	Sizes	Weight Size (M)						No-Twist Belay Loop	Haul Loop	Drop Seat	 EN 12277/C
			g	oz	B - Waist (cm / in)		C - Legs (cm / in)					
2936	IMPULSE	XS	355	12.5	62-72	24.4-28.3	48-52	18.9-20.5		•	•	•
		S			69-79	27.2-31.1	52-56	20.5-22				
		M			76-86	29.9-33.9	56-60	22-26				
		L			83-93	32.7-36.6	60-64	23.6-25.2				



CAMP Alpine Flash
2720

LIGHT&FAST

ALPINISM, ICE CLIMBING, HIGH ALTITUDE

- Hyperlight and compact harness for technical alpinism and ice climbing
- Innovative Load Webbing construction
- Integrated 3 mm padding on the waist and legs
- Auto-locking buckles on the waist and legs
- Elastic straps between the waist and legs are connected by a single buckle for an easy drop seat
- 5 gear loops: 4 on the sides and 1 on the back
- 4 integrated slots for Hub racking carabiners
- Chalk bag loop
- 5 sizes: XS - XL

The Alpine Flash builds on the amazing Flash harness with a purpose-built design for technical alpinism and ice climbing at the highest level. By incorporating innovative Load Webbing construction, we achieve a remarkable combination of properties including exceptional comfort, hyper lightweight and hydrophobia, exceptional packability and minimalist construction that minimizes the number of stitch points. Features for ice climbing and alpinism include 5 gear loops (4 on the sides and 1 on the back), 4 integrated slots for Hub racking carabiners and adjustable leg loops with auto-locking steel buckles. Available in 5 sizes from XS - XL.



1 Orange

CAMP Jasper CR 4
2396

ALPINISM, MULTI-PITCH CLIMBING, AID CLIMBING

- 2 buckles on the waist for fast and easy adjustment
- Adjustable legs with innovative hidden webbing system
- Thermoformed EVA padding (6 mm on the waist, 4 mm on the legs)
- Super strong fabric on waist and legs
- Elastic straps that connect the waist and legs are detachable with steel hooks
- 20 mm belay loop
- 4 gear loops are optimized for fast access to gear
- 2 integrated slots for Hub racking carabiners
- Haul loop

The Jasper CR4 is a big rig in a sleek package. The design delivers the optimal blend of lightweight, comfort and functionality for long days in the mountains. The waist belt features more coverage than other two-buckle harnesses and the burly exterior fabric delivers a high level of durability to help protect the harness when the climbing gets rowdy. Double buckles on the waist allow the harness to be perfectly centered and make it easy to transition across climbing styles and seasons that require different layering systems. The leg loops are also fully adjustable and feature a special system that keeps the excess tail hidden and protected while climbing. Auto-locking steel buckles on the waist and legs are easy to operate and the 4 gear loops are designed for optimal functionality: the front loops are ergonomically molded for fast access to gear and the rear loops are softer and more compact to maintain a low profile. The integrated slots for the Hub racking carabiners have also been updated: they are positioned higher and built with more rigidity for optimal stability of the Hub racking biner making screws and pins easier to engage. A haul loop on the rear rounds out the features on this versatile harness.

Ref.	Product name	Sizes	Weight Size (M)		B		C		No-Twist Belay Loop	Haul Loop	Drop Seat	CE EN 12277/C
			g	oz	B - Waist (cm / in)	C - Legs (cm / in)						
2720	ALPINE FLASH	XS	300	10.6	64-74	25.2-29.1	47-57	18.5-22.4			•	•
		S			70-80	27.6-31.5	51-61	20.1-24.0				
		M			76-86	29.9-33.9	55-65	21.7-25.6				
		L			82-92	32.3-36.2	59-69	23.2-27.2				
		XL			88-98	34.7-38.6	63-73	24.8-28.7				
2396	JASPER CR 4	XS-M	410	14.5	62-82	24.4-32.3	46-56	18.1-22.1	•	•	•	•
		M-XL			76-100	29.9-39.4	52-62	20.5-24.4				

CAMP Energy CR 4
2871

NEW '20

ALPINISM, ROCK CLIMBING

- A versatile and highly adjustable harness for rock climbing at every level
- Thermo-formed padding on the waist and legs molds to the body for exceptional comfort
- 2 auto-locking buckles on the waist combine with adjustable leg loops for a broad fit range
- 4 webbing reinforced gear loops
- Haul loop

A versatile and highly adjustable harness designed for rock climbing at every level. The proven design of the Energy CR4 makes it a great choice for any kind of climbing from gym to sport to trad. The thermo-formed padding molds to the body for exceptional comfort. Adjustable leg loops and 2 buckles on the waist allow for a broad fit range. 4 webbing-reinforced gear loops and a haul loop round out the features on this versatile harness.



1 Grey



2 Red

Ref.	Product name	Sizes	Weight Size (M)		B - Waist (cm / in)		C - Legs (cm / in)		No-Twist Belay Loop	Haul Loop	Drop Seat	CE EN 12277/C
			g	oz	62-82	24.4-32.3	46-56	18.1-22				
2871	ENERGY CR 4	XS-M	380	13.4	62-82	24.4-32.3	46-56	18.1-22		•		•
		M-XL			76-100	29.9-39.4	52-62	20.5-24.4				



CAMP Energy CR 4 Pack
2932

NEW '20

ALPINISM, ROCK CLIMBING

- Kit includes the Energy CR4 harness (2871), Core Lock carabiner (2925), Piu 2.0 belay device (086501) and the stylish Acqualong chalk bag (1370-1)
- Available in 2 sizes: S and L

The Energy CR4 is a versatile and highly adjustable harness designed for rock climbing at every level. The proven design of the Energy CR4 makes it a great choice for any kind of climbing from gym to trad. The kit also includes our top-level Piu 2.0 belay device and Core Lock HMS carabiner for a high level of performance in the gym or at the crag.

Ref.	Product name	Sizes
2932	ENERGY CR 4 PACK - 2871-S1 / 2925 / 086501 / 1370-1	S
	ENERGY CR 4 PACK - 2871-L1 / 2925 / 086501 / 1370-1	L



CAMP Energy CR 3

2870

NEW '20 BEST SELLER

ALPINISM, ROCK CLIMBING

- A lightweight, versatile harness for rock climbing at every level
- Thermo-formed padding on the waist and legs molds to the body for exceptional comfort
- Auto-locking buckles on the waist and legs
- 4 webbing reinforced gear loops
- Haul loop

A lightweight and comfortable harness designed for rock climbing at every level. The versatile design of the Energy CR3 makes it a great choice for any kind of climbing from gym to sport to trad. The thermo-formed padding molds to the body for exceptional comfort. Adjustable leg loops allow for a fine-tuned fit. 4 webbing-reinforced gear loops and a haul loop round out the features on this sophisticated harness.



CAMP Energy

2869

NEW '20

ROCK CLIMBING

- A sophisticated and versatile rock climbing harness
- Thermoformed padding on the waist and legs molds to the body for exceptional comfort
- Fixed leg loops for a performance fit
- Auto-locking buckle on the waist
- 4 webbing-reinforced gear loops
- Haul loop

A lightweight and comfortable harness designed for rock climbing at every level. The simple design of the Energy makes it a great choice for any kind of climbing from gym to sport to trad. The thermoformed padding molds to the body for exceptional comfort. Fixed leg loops deliver a performance fit. Four webbing-reinforced gear loops and a haul loop round out the features on this striking harness.

Ref.	Product name	Sizes	Weight Size (M)		B - Waist (cm / in)		C - Legs (cm / in)		No-Twist Belay Loop	Haul Loop	Drop Seat	CE EN 12277/C
			g	oz								
2870	ENERGY CR 3	XS	375	13.2	58-68	22.8-26.8	39-49	15.3-19.3		•		•
		S			65-75	25.6-29.5	49-59	19.3-23.2				
		M			72-82	28.3-32.3	55-65	21.6-25.6				
		L			79-89	31.1-35	60-70	23.6-27.6				
		XL			86-96	33.9-37.8	65-75	25.6-29.5				
2869	ENERGY	XS	305	10.8	58-68	22.8-26.8	45-53	17.7-20.9		•		•
		S			65-75	25.6-29.5	50-58	19.7-22.8				
		M			72-82	28.3-32.3	55-63	21.6-24.8				
		L			79-89	31.1-35	60-68	23.6-26.8				
		XL			86-96	33.9-37.8	65-73	25.6-28.7				



CAMP Energy Nova

2872

NEW '20

LADY

ALPINISM, ROCK CLIMBING

- A lightweight harness designed to deliver a high level of comfort and performance for women
- The waist features conical construction to follow the contours of the hips for unparalleled support
- Thermo-formed padding on the waist and legs molds to the body for exceptional comfort
- Auto-locking buckles on the waist and legs
- 4 webbing reinforced gear loops
- Haul loop

A lightweight and comfortable harness designed specifically for women. The versatile design of the Energy Nova makes it a great choice for any kind of rock climbing from gym to sport to trad. The thermo-formed padding molds to the body for exceptional comfort. The waist uses conical construction to follow the contours of the hips for unparalleled support. Adjustable leg loops allow for a fine-tuned fit. 4 webbing-reinforced gear loops and a haul loop round out the features on this high-performance harness.



CAMP Energy JR

2873

NEW '20

JUNIOR

ROCK CLIMBING

- The Energy CR3 designed specifically for children
- Thermoformed EVA padding on the waist and legs
- Auto-locking buckles on the waist and legs
- 2 molded gear loops
- Chalk bag loop

The Energy Junior is a full-featured harness that kids love to wear because it is just like what their parents are wearing. Thermoformed EVA padding on the waist and legs ensure a secure and comfortable fit. Auto-locking buckles on the waist and legs are easy to operate and two molded gear loops give junior climbers a chance to rack gear.

Ref.	Product name	Sizes	Weight Size (M)		B - Waist (cm / in)		C - Legs (cm / in)		No-Twist Belay Loop	Haul Loop	Drop Seat	CE EN 12277/C
			g	oz								
2872	ENERGY NOVA	XS	345	12.2	56-66	22-26	52-62	20.5-24.4		•		•
		S			63-73	24.8-28.7	56-66	22-26				
		M			70-80	27.6-31.5	60-70	23.6-27.6				
		L			77-87	30.3-34.2	64-74	25.2-29.1				
2873	ENERGY JR	One-size	280	9.9	48-60	18.9-23.6	38-48	15.0-18.9				•



1 Black / Red



CAMP Flint
0205

ROCK CLIMBING, ALPINISM

- Auto-locking buckles on the waist and legs
- Comfortable 6 mm EVA foam padding
- Patented No-Twist belay loop
- Drop seat with plastic buckles
- 4 webbing reinforced gear loops and haul loop

The Flint has been a popular and welcome addition to price-point harnesses where it blows the competition away with a patented belay loop, robust materials and construction, and technical features that make it ready for any adventure. Use it for top roping in the gym one day and gunning trad routes in the mountains the next. With four webbing reinforced gear loops, adjustable leg loops, drop seat buckles, patented No-Twist belay loop and a haul loop, the Flint is ready for anything you plan to throw its way.

Ref.	Product name	Sizes	Weight Size (M)						No-Twist Belay Loop	Haul Loop	Drop Seat	 EN 12277/C
			g	oz	B - Waist (cm / in)		C - Legs (cm / in)					
0205	FLINT	S	460	16.2	65-77	25.6-30.3	52-62	20.5-24.4	•	•	•	•
		M			75-87	29.5-34.3	56-66	22.1-26.0				
		L			85-97	33.5-38.2	60-70	23.6-27.6				



CAMP Alp Racing

0286

LIGHT&FAST SKI COMP



SKI MOUNTAINEERING, COMPETITIVE SKI MOUNTAINEERING

- 99 grams: lighter than light and still comfortable!
- Innovative webbing construction
- Packs down to the size of a small fist
- Fully tested and certified according to UIAA and CE norms
- Pre-Threaded buckle on the waist
- Reinforced single tie-in point
- One carabiner loop on each side of the waist belt

The Alp Racing is a new innovative, superlight and comfortable harness designed to take the competitive ski mountaineering world by storm. The combination of lighter weight and greater comfort is accomplished using an innovative webbing with structural transparent longitudinal yarns that allow wider cross sections for greater comfort and support without increasing weight. Features a reinforced single tie-in point and a pre-threaded buckle on the waist.



CAMP Alp Mountain

2144

LIGHT&FAST

SKI MOUNTAINEERING, ALPINISM, HIGH ALTITUDE

- Light and compact for high-level mountaineering
- All-mountain functionality allows the harness to be put on and stripped off without removing crampons or skis
- Innovative Load Webbing construction maximizes comfort and reduces pressure points
- Legs and waist feature proprietary Sicura buckles that give the security of steel auto-locking functionality with the ability to quickly de-thread for easy on-and-off in the mountains
- Integrated 3 mm padding on the waist
- 3 gear loops: 2 on the sides and 1 on the back
- Elastic straps between waist and legs are connected by a single buckle for an easy drop seat
- 6 integrated slots for Hub racking carabiners to hold ice screws and tools or to rig additional gear loops

The Alp Mountain is a cutting-edge, ultralight and compact harness that features our innovative load webbing construction. It is more durable, comfortable, lighter, and easier to use than the existing lineup of mountaineering harnesses. Thanks to the blend of lightness, comfort, and ease of taking the Alp Mountain off and on, the harness is ideal for alpinism, ski mountaineering and high-level mountaineering. The Alp Mountain can be fully opened to be quickly put on or stripped off while wearing skis or crampons. Simply insert the waist belt through the belay loop and then close the buckles on the waist and legs. Webbing tabs on the buckles make them easy to de-thread while wearing gloves or mittens and the proprietary Sicura buckle design gives the security of steel auto-locking functionality at these critical connection points without losing the ability to quickly remove the harness.

Ref.	Product name	Sizes	Weight Size (M)						Drop Seat	 EN 12277/C
			g	oz	B - Waist (cm / in)	C - Legs (cm / in)				
0286	ALP RACING	S	99	3.5	68-78	26.8-30.7	51-56	20.1-22.1		•
		M			75-85	29.5-33.5	55-60	21.7-23.6		
		L			82-92	32.3-36.2	59-64	23.2-25.2		
		XL			86-96	33.9-37.8	62-68	24.4-26.8		
2144	ALP MOUNTAIN	S	260	9.2	64-82	25.2-32.3	53-59	20.9-23.2	•	•
		M			78-96	30.7-37.8	58-66	22.8-26.0		
		L			92-110	36.2-43.3	63-69	24.8-27.2		



CAMP Topaz Plus
2294

CLIMBING GYMS, VIA FERRATA, ROPE COURSES & INSTITUTIONAL

- Special FIT System with Velcro fits a huge range of waist sizes from 66-110 cm (26-43")
- Sliding padding on the waist and legs allows the padding to be centered
- Comfortable 6 mm EVA foam padding with soft, breathable inner mesh
- Pre-threaded auto-locking steel buckles with special safety keepers help prevent accidental unthreading
- The waist buckle is positioned on the left side so it can be easily adjusted by right-handed instructors
- 2 webbing reinforced gear loops and a chalk bag loop
- Different colored leg loops and color-coded tie-in point for easy identification

The Topaz Plus incorporates an innovative system with Velcro that allows the harness to adjust from very small to very large in a single size. Adults will keep the waist belt webbing running through the Special FIT System for the larger fit, while children and teenagers can remove the webbing from this system to gain an extra 4 inches of downward adjustability. Sliding padding on the waist and legs allows the padding to be perfectly centered for the best comfort and performance and the color-coded tie-in point is easy to identify. The Topaz Plus is a great option when a wide range in fit, modern features, superior comfort and low cost are all desired in a single harness.



CAMP Topaz
2293

CLIMBING GYMS, VIA FERRATA, ROPE COURSES & INSTITUTIONAL

- One size fits all from 52-95 cm (20-37")
- Sliding padding on the waist and legs allows the padding to be centered
- Comfortable 6 mm EVA foam padding with soft, breathable inner mesh
- Pre-threaded auto-locking steel buckles with special safety keepers help prevent accidental unthreading
- The waist buckle is positioned on the left side so it can be easily adjusted by right-handed instructors
- 2 webbing reinforced gear loops and a chalk bag loop
- Different colored leg loops and color-coded tie-in point for easy identification

A perfect harness for beginners and groups with a wide fit range from 52-95 cm (20-37 inches). The Topaz has been designed for safety with a single contrasting colored tie-in point and pre-threaded auto-locking buckles with special keepers to help prevent accidental unthreading. The waist buckle is positioned on the left side of the waist so it can be easily adjusted by right-handed instructors. Sliding padding on the waist and legs allows for a fine-tuned fit on a large range of body shapes and sizes. The simplicity, comfort and low cost make this an excellent choice for climbing gyms, rope courses, and via ferrata.

Ref.	Product name	Sizes	Weight		B - Waist (cm / in)		C - Legs (cm / in)		CE EN 12277/C
			g	oz	cm	in	cm	in	
2294	TOPAZ PLUS	One-size	490	17.3	66-110	26.0-43.3	40-75	15.8-29.5	•
2293	TOPAZ	One-size	430	15.2	52-95	20.5-37.4	30-70	11.8-27.6	•



9 Black / Red / Light Blue

CAMP Group II
0911

ROPE COURSES & INSTITUTIONAL

- Webbing construction
- Pre-Threaded Auto-Locking Buckles on the waist and legs
- Available with color-coded leg loops for easy fitting
- Single Color-Coded Tie-In Point
- 1 webbing reinforced gear loop

The Group II is a durable webbing harness with safety features like a single color-coded tie-in point and auto-locking buckles to help minimize user error.



8 Black

CAMP Figure 8 Chest
0909

ALPINISM, VIA FERRATA, ROPE COURSES & INSTITUTIONAL, CAVING

- Wide 45 mm webbing for comfort
- One size fits most

Many climbers rig a chest harness from webbing, but these are difficult to adjust as layers change and the carabiner is likely to smack them in the face during a fall. The Figure 8 chest harness is superior to any rigged chest harness. The buckles are located under the arms where they are out of the way of pack shoulder straps. Use a locking carabiner to clip the chest harness to the rope that is tied into the sit harness.

Ref.	Product name	Sizes	Weight								CE	
			g	oz	B - Waist (cm / in)		A - Chest (cm / in)		C - Legs (cm / in)		EN 12277/C	EN 12277/D
0911	GROUP II	XS-XL	470	16.6	52-105	20.5-41.3			30-70	11.8-27.6	•	
0909	FIG. 8 CHEST	XS-L	290	10.2			61-110	24.0-43.3				•



CAMP Baby Adventure

1895

JUNIOR

ROPE COURSES & INSTITUTIONAL

- Pre-Threaded Auto-Locking Buckles
- One size fits all
- Recommended for children 3 to 8 years old not exceeding 85 lbs.

Designed specifically for adventure parks and ropes courses to help fit children quickly and securely. The harness opens on the front end with our patented Sicura buckle allowing the child to step straight into the harness. Color-coded leg loops and a total of 5 adjustment points provide a precise and secure fit. The tie-in point is large enough to accept ropes and lanyards simultaneously.



CAMP Bambino

0657

JUNIOR

ROCK CLIMBING, ROPE COURSES & INSTITUTIONAL

- Pre-Threaded Auto-Locking Buckles
- One size fits all
- Recommended for children 3 to 8 years old not exceeding 85 lbs.

Climbing is a fantastic activity for young kids! Start them early but keep them safe with the Bambino full-body harness. Six points of adjustment allow the harness to be fine-tuned for a wide range of body styles and sizes. A single tie-in point at the sternum keeps the child positioned upright while hanging. The pre-threaded auto-locking buckles are quick, safe and easy to adjust and elastic retainers keep fidgeting fingers from loosening things when you aren't looking. Color-coding on the leg loops, waist belt and tie-in point make fitting the Bambino a breeze and further reduce the potential for user error.



CAMP Bambino Chest

0900

JUNIOR

ROCK CLIMBING

- Pre-Threaded Auto-Locking Buckles
- For children up to 85 lbs.

Kids have more mass in their upper bodies so they can flip upside down during a free fall while wearing a sit harness, increasing the chance of hitting their head or slipping out of the harness when inverted. Therefore, it is important for young children to wear a chest harness while lead climbing and rappelling. A chest harness is only designed for use with a certified sit harness and can NEVER be worn alone!

Ref.	Product name	Sizes	Weight		B - Waist (cm / in)		A - Chest (cm / in)		C - Legs (cm / in)		CE		
			g	oz							EN 12277/B	EN 12277/C	EN 12277/D
1895	BABY ADVENTURE	One-size	430	15.2			50-85	19.7-33.5	30-60	11.8-23.6	•		
0657	BAMBINO	One-size	370	13.1			50-85	19.7-33.5	30-60	11.8-23.6	•		
0900	BAMBINO CHEST	One-size	160	5.6			61-70	24.0-27.6					•

CHALK BAGS



1 Denim

2 Rainbow



4 Fluo

3 Peace

CASSIN Polimagò

4073

ROCK CLIMBING

- Flat bottom allows the chalk bag to stand upright
- Stiffened rim creates a wide opening while climbing
- Dual belt loop attachment points
- Delivered with a 15 mm webbing belt with fast-clip buckle
- Webbing brush holder
- Canvas fabric with 4 color combinations

The Polimagò is an excellent choice for a wide variety of climbing styles, including bouldering where the bag is designed to stand upright when set on the ground to help reduce chalk spillage. Constructed from canvas fabric and available in four striking color combinations.

CASSIN Package 8 pcs.

4074



1 Blue / Light Blue

5 Red



6 Orange

7 Green

CAMP Acqualong

1370

ROCK CLIMBING

- Flat bottom allows the chalk bag to stand upright
- Stiffened rim creates a wide opening while climbing
- Tight closure prevents chalk leaking
- Dual belt loop attachment points
- Webbing brush holder
- Nylon fabric with 4 color combinations

The Acqualong features our most traditional cut with a flat bottom and round design that makes it a great cross-over for bouldering and rope climbing. Constructed from bright nylon fabric and available in four striking color combinations.

CAMP Package 8 pcs.

1372



2 Green / Grey

1 Light Blue / Grey

CAMP Patabang

1376

ROCK CLIMBING

- Ergonomic design with a large, bellowed bottom
- Easily swallows an entire block of chalk and taped hands
- Stiffened rim creates a wide opening while climbing
- Tight closure prevents chalk leaking
- Dual belt loop attachment points
- Delivered with a 15 mm webbing belt with fast-clip buckle
- Elastic brush keeper
- Burlly nylon fabric with 2 color combinations

The Patabang is the best choice for traditional rock climbing as its larger capacity allows you to carry more chalk than smaller bags and fits big hands made even bigger with tape gloves. Constructed from burly nylon fabric and available in two color combinations.

Ref.	Product name	Capacity	Weight		With tape
			g	oz	
4073	POLIMAGÒ	1.3 L	85	3.0	•
1370	ACQUALONG	1 L	60	2.1	•
1376	PATABANG	1.9 L	85	3.0	•

CHALK DNA

Do you care about what you breathe in or put on your skin? Most climbers do not realize that simple climbing chalk can actually contain numerous impurities and additives. Recent studies have shown that inhaled chalk dust is harmful to the lungs if it contains more than 1% crystalline silica. Drying agents have also been known to contribute to cracking of the skin and decreased friction.

CAMP chalk (a form of magnesium carbonate $4MgCO_3 \cdot Mg(OH)_2 \cdot 4H_2O$) is tested by an independent laboratory to verify its purity. The measured content of silicon is just 0.021% (equivalent to 0.043% crystalline silica), far less than the dangerous threshold and far ahead of the industry standard.

CAMP Liquid Chalk does not use crystalline silica at all. Instead, we use synthesized amorphous silica to fully eliminate every impurity. Unlike crystalline silica, amorphous silica is not harmful to the lungs and because it is applied in liquid form, it does not produce the same kind of mess or dust as regular chalk. It is also insoluble so it does not have the same polishing effect on rock and doesn't disappear from the hands like regular soluble chalk does on sustained pitches.



CAMP Liquid Chalk

0879

1ST CLASS

CLIMBING GYMS, ROCK CLIMBING

- Liquid chalk
- Biodegradable composition features no resin or alcohol to be more skin and rock friendly
- 125 ml squeeze tube with screw cap helps prevent waste

Liquid chalk ensures the highest performance of any chalk. Lay it down as a base before tackling long routes and your forearms will thank you! Our innovative composition delivers optimal performance without additives like alcohol or resin that are particularly tough on skin and which polish rock over time. Another upside to liquid chalk is the lack of dust that makes it ideal for bouldering and gym climbing.



CAMP Chalk Tank

0741

ROCK CLIMBING

- Super dry CAMP climbing chalk in a leak proof plastic container

400 grams of crumbled super dry CAMP climbing chalk in a refillable leak-proof plastic container with handle.



CAMP Chunky Chalk

0510

ROCK CLIMBING

- Crumbled super dry CAMP climbing chalk in a durable, resealable bag

300 grams of bone-dry, super-pure chalk sealed in a large zip lock bag.

Ref.	Product name	Weight		Grind	Pack
		g	oz		
0879	LIQUID CHALK	148	5.2	Liquid	Bottle
0741	CHALK TANK	545	19.2	Coarse	Bottle
0510	CHUNKY CHALK	320	11.3	Coarse	Resealable bag



CAMP Chalk

0916

BEST SELLER

ROCK CLIMBING

- Super dry CAMP climbing chalk
- Packaged in boxes of 8

2 ounce blocks of super-pure, bone-dry chalk. Many climbers prefer breaking and powdering blocks of chalk.



CAMP Chalk Pouch

2500

CLIMBING GYMS

- Mesh pouch contains 2 oz / 56 g of chalk
- Lasts longer than block or powdered chalk

Ideal for home or gym use, the mesh cover keeps dust to a minimum and our pure climbing chalk keeps grip at its maximum. Not refillable.



CAMP Re-Chalk

2511

SPORT CLIMBING, CLIMBING GYMS

- Mesh pouch contains 1.75 oz / 50 g of chalk
- Refillable to lower the replacement cost for gyms and institutions

Ideal for home or gym use, the mesh cover keeps dust to a minimum and our pure climbing chalk keeps grip at its maximum. Refillable.

Ref.	Product name	Weight		Grind	Pack
		g	oz		
0916	CHALK	56	2.0	Fine	Block
2500	CHALK POUCH	56	2.0	Fine	Mesh net
2511	RE-CHALK	50	1.8	Fine	Refillable bag



BOULDERING



BOULDERING

UIAA Crash Pad Certifications. The UIAA 161 standard specifies safety requirements and test methods for crash pads used in bouldering. Each model is tested by following a defined procedure to determine the critical fall height, defined as the maximum free height of a fall from the top of the crash pad to the lowest part of the climber, for which the crash pad will provide an acceptable level of impact attenuation. The standard helps climbers understand the safety margins of any given crash pad using an objective testing methodology.



CASSIN MiniDò


4078

BEST SELLER

BOULDERING

- Compact and affordable crash pad
- Burly Tri-Ripstop 600D fabric with an internal coating for tensile strength and weather resistance
- 4 inches (10.5 cm) of padding comprised of 3 different foam densities
- Strong aluminum buckles
- UIAA 161 certified (2.20 m critical falling height)

A crash pad that follows in the footsteps of the popular Domino with burly materials and high-quality construction; but with a smaller footprint and a lower price tag. With its compact footprint, the MiniDò fits easily in small cars, but still delivers a soft landing with 4 inches (10.5 cm) of padding comprised of 3 different foam densities. Zippers allow access to the padding so it can be ventilated for drying or removed to wash the shell. The exterior is Tri-Ripstop 600D nylon fabric with an internal coating to increase the tensile strength of the fabric and block moisture and dirt from reaching the foam. Modular shoulder straps allow the MiniDò to be carried as a backpack, over one shoulder like a messenger bag, or as a brief case with two large, comfortable handles. The closure straps are long enough to wrap around large loads carried inside the pad and the bright colors on the landing area make the pad easily visible from above.



Ref.	Product name	Weight	
		g	oz
4078	MINIDÒ	3760	132.7



CASSIN Domino



4016

1st CLASS

BOULDERING

- Straps allow the crash pad to be converted into a sofa
- 5.3 inches (13.5 cm) of padding is made up of 5 layers for optimal energy absorption
- Hypalon® reinforcements on primary wear points and corners maximize durability
- UIAA 161 certified (2.75 m critical falling height)

The extra-thick padding (5.3 inches made up of 5 multi-density layers) with a diagonal fold provides solid, uniform landings on uneven terrain. The rugged fabric and Hypalon® reinforcements on the corners and straps guarantee strength, prevent tears, and limit stretching in the exact places where other pads tend to fail. Join together as many Dominos as you have access to for a large landing area that acts as a solid single unit when linked in coordination with the dots on the pads. The dots also serve as a catchy technical solution to highlight the optimal landing zone. The side straps are extendable and can be connected to the sides to convert the Domino into a sofa for luxury lounging. The shoulder straps are modular and allow the pad to be carried as a backpack (even features attachment points for lashing two pads together for the approach), over one shoulder like a messenger bag, or as a suitcase.



Ref.	Product name	Weight	
		g	oz
4016	DOMINO	5700	201.2



HELMETS



HELMETS

Climbing and mountaineering helmet standards. In climbing and mountaineering it is always highly recommended to wear a helmet. To ensure appropriate protection, helmets are subjected to laboratory tests that ensure their compliance with a standard. Standards guarantee a level of protection that adequately protects the user from the risks of the activity performed. Helmets for climbing and mountaineering must be compliant with the EN 12492 standard. This standard is primarily designed as a function of the risk of falling objects from above like rock fragments or pieces of ice. The tests evaluate both the ability of the helmet to absorb the impact of a mass that hits it on the upper two thirds of the shell and its resistance to the penetration of a pointed mass (60° cone) at its vertex. The tests are carried out by mounting the helmet on a dummy head form and dropping the masses onto the helmet. All CAMP climbing helmets are compliant with the EN 12492 standard.

Side impact protection. Helmets absorb and disperse energy before it is transmitted to the head primarily using EPS foam that deforms on impact. The Storm and Speed Comp helmets are notable for their full protection with EPS foam covering every part of the head that is covered by the helmet. Molded EPS foam helmets are the safest climbing helmets due to their ability to absorb energy anywhere they are struck.

Ski mountaineering helmets. In ski mountaineering, the helmet serves the same function as a traditional alpine ski helmet which is designed to absorb impacts from a fall. In the event of a fall, the skiers' head undergoes a sudden deceleration. For this reason, the tests for the standards related to alpine ski helmets do not measure impact force, but deceleration. There are also additional parts of the standard related to penetration of objects like ski and pole tips. This is why alpine ski helmets are generally not particularly well ventilated. Ski mountaineering is a complex blend of alpine skiing and mountaineering and this is why the helmet must comply with both the ski helmet standard EN 1077 and the mountaineering helmet standard EN 12492.



Category leaders



LIGHT&FAST **1ST CLASS**

Storm
2457



1ST CLASS

Speed Comp
2458



BEST SELLER

Armour
2595

For the EN 1077 standard, the deceleration is measured by dropping the helmet with a dummy head form onto a flat surface. The standard has two different classifications: class A and class B. Class A helmets fully cover the head and ears and are intended primarily for downhill only skiers who need both mechanical and thermal protection. Class B helmets leave the ears uncovered so they do not inhibit hearing and can have better ventilation. Ski mountaineering activity requires the helmet to meet both the EN 1077/B and the EN 12492 standard so it can protect the user from all of the elements that are part of the activity. Helmets that do not meet both standards are not certified for use in ISMF sanctioned ski mountaineering races.

The Speed Comp helmet is one of the few helmets on the market that meets both the standards. Through multiple rounds of R&D, C.A.M.P. designed a helmet that meets the standards while maintaining a performance fit and enough ventilation to be able to go hard in the mountains.

New	Ref.	Product name	Size		Weight		Construction	Shell material	CE	
					g	oz			EN 12492	EN 1077/B
	2458	SPEED COMP	54-60 cm	21.3-23.6 in	350	12.4	In-Mold	Polycarbonate	•	•
UPDATED '20	2457	STORM	48-56 cm	18.9-22 in	230	8.1	In-Mold	Polycarbonate	•	
			54-62 cm	21.3-24.4 in	250	8.8				
	2595	ARMOUR	50-57 cm	19.7-22.4 in	315	11.1	Injection	ABS	•	
			54-62 cm	21.3-24.4 in	370	13.1				
	212701	TITAN - Small	48-56 cm	18.9-22 in	385	13.6	Injection	ABS	•	
	212702	TITAN - Large	54-62 cm	21.3-24.4 in	435	15.4	Injection	ABS	•	
	0202	ROCKSTAR	53-62 cm	20.9-24.4 in	400	14.1	Injection	Polypropylene	•	

Helmets



CAMP
Speed Comp
2458



CAMP
Storm
2457



CAMP
Armour
2595



CAMP
Titan
212701/212702



CAMP
Rockstar
0202



2 Black



1 Light Blue



3 White

CAMP Speed Comp 2458

1st CLASS SKI COMP



COMPETITIVE SKI MOUNTAINEERING, SKI MOUNTAINEERING, ALPINE SKIING

- Lightweight in-mold EPS construction with a durable polycarbonate shell
- EN 12492 and EN 1077/B certified in accordance with ISMF rules
- Ventilation holes on the sides and back for excellent breathability
- Foam padding is lined with soft microfiber for sweat absorption and comfort
- Size adjustment wheel is easy to operate with one hand
- Dedicated elastic straps keep ski goggles in the optimal position even when they are not being used
- Headlamp holder with clips on the front and elastic cord on the back
- Size can be customized with a special adapter kit (included)
- Available in 3 colors

The Speed Comp is in accordance with the ISMF rules that state that helmets must meet both EN 12492 standards for alpinism and EN 1077/B standards for alpine skiing. The dual certification guarantees a higher level of safety for athletes, especially improved from the old standard for side impacts. C.A.M.P. went through multiple rounds of R&D to deliver a helmet that is very strong, yet comfortable and breathable enough for the high intensity of randonee racing. Other improved features include a special adapter system for adjusting the size of the helmet for smaller heads and a unique strap system for securing ski goggles in the optimal position even when they are not being used.



5 Light Blue



6 Grey



7 White



8 Red

CAMP Storm 2457

UPDATED '20 LIGHT&FAST 1st CLASS

ALPINISM, ROCK CLIMBING, MULTI-PITCH CLIMBING

- Our lightest helmet designed for technical climbing and mountaineering
- In-mold EPS construction with a durable polycarbonate shell
- Open air design with 22 vent holes for remarkable breathability
- Precise fit with removable padding for exceptional comfort and safety
- Lightweight and secure dial adjustment system sits low on the head to keep the helmet in position
- Quick adjust locking buckles on both sides of the chin strap for easy and secure adjustment
- Headlamp compatible
- 4 new colors and 2 sizes
- EN 12492 certified

The Storm is a cutting-edge helmet that provides exceptional protection and is comfortable enough to wear all day in any conditions and for any kind of climbing. 22 streamlined vents keep the head cool on multi-pitch climbs and when conditions warm up on mountaineering routes. Two sizes have been optimized for a very broad fit range and the harness and dial system cradle the head low to keep the helmet in position even with dynamic movements. Available in 2 sizes and 4 new colors.

Ref.	Product name	Size		Weight		Construction	Shell material	CE	
				g	oz			EN 12492	EN 1077/B
2458	SPEED COMP	54-60 cm	21.3-23.6 in	350	12.4	In-Mold	Polycarbonate	•	•
2457	STORM	48-56 cm	18.9-22 in	230	8.1	In-Mold	Polycarbonate	•	
		54-62 cm	21.3-24.4 in	250	8.8				



CAMP Armour
2595

BEST SELLER

ALPINISM, ROCK CLIMBING, VIA FERRATA

- Hybrid construction with new fit profile for a wide range of head shapes and sizes
- Durable and easy-to-use rotating size adjustment wheel
- Side holes for ventilation
- 4 burly headlamp holder clips
- Available in 2 sizes and in 4 colors/designs for each size
- EN 12492 certified

The wildly popular Armour has been updated with a new fit profile for a wide range of head shapes and sizes. Other updates include all new colors and designs, a new durable and easy-to-use rotating size adjustment wheel, and larger headlamp holder clips for greater ease of use. The molded ABS shell has vents on the sides for excellent ventilation.



JUNIOR S1 White / Red



S2 White / Light Blue



S3 Opal Green



S4 Orange



L1 White / Red



L2 Lime / Green



L3 Grey



L4 Red



Ref.	Product name	Size		Weight		Construction	Shell material	CE	
				g	oz			EN 12492	EN 1077/B
2595	ARMOUR	50-57 cm	19.7-22.4 in	315	11.1	Injection	ABS	•	
		54-62 cm	21.3-24.4 in	370	13.1				



3 White

CAMP Titan

JUNIOR 212701 Small
212702 Large

ALPINISM, ROCK CLIMBING, VIA FERRATA, ROPE COURSES & INSTITUTIONAL

- ABS injection molded shell
- Assembled without rivets or screws
- Fast and easy to disassemble for washing and cleaning
- Spider suspension framework offers exceptional comfort and ventilation
- 4 burly headlamp holder clips
- Strong and durable size adjustment wheel
- 4 colors and 2 sizes
- EN 12492 certified

The Titan blends strength, durability, comfort, and a striking aesthetic unlike any other helmet. It is an authentic workhorse with an ABS injection molded shell that is specially shaped to optimize strength and durability. Assembly is done without the use of fixed components which means it can be disassembled for easy cleaning and maintenance. This is particularly useful for adventure parks and guiding outfits who can replace the liners as they get contaminated over time. The spider suspension framework delivers a precise fit and excellent ventilation. Comfort is enhanced even further with soft, breathable, absorbent padding that keeps everything feeling dry and light during use. An updated dial adjustment system is beefed up to handle heavy use and four strong clips hold a head lamp securely in place.



4 Green

1 Red

2 Grey



6 Light Blue

CAMP Rockstar

0202

ALPINISM, ROCK CLIMBING, VIA FERRATA

- Hybrid construction
- Slider size adjustment
- Comfort chin strap
- Headlamp compatible
- EN 12492 certified

This versatile and affordable helmet is perfect for large groups and rental programs where helmets are bound to get beat up. The durable injection-molded polypropylene shell has 4 side vents. A replaceable polyethylene inner suspension cradle offers fast and easy slide adjustment and is covered with fast-drying material for comfort.



4 Orange

1 Red

7 White

Ref.	Product name	Size		Weight		Construction	Shell material	CE	
				g	oz			EN 12492	EN 1077/B
212701	TITAN - Small	48-56 cm	18.9-22 in	385	13.6	Injection	ABS	•	
212702	TITAN - Large	54-62 cm	21.3-24.4 in	435	15.4	Injection	ABS	•	
0202	ROCKSTAR	53-62 cm	20.9-24.4 in	400	14.1	Injection	Polypropylene	•	



CAMP Speed Comp Ear Protection **2576**

ALPINE SKIING, SKI MOUNTAINEERING, COMPETITIVE SKI MOUNTAINEERING

Ear protection kit that converts the Speed Comp helmet to a full-coverage downhill ski helmet. Attaches to the helmet with a simple, secure system. Made from soft padded fabric, with insulation to protect the ears from the cold and wind.



CAMP Padding Kit for Speed Comp **2678**

- Speed Comp Helmet Padding Replacement Kit



CAMP Helmet Liners **1585** 200 pcs

The perfect solution for ropes courses and adventure parks to extend the life of helmets and prevent germs from spreading. Sold in dispensers of 200 pcs.



CAMP Rockstar Cradle **0110**

- Rock Star Replacement Cradles
- Climbing Schools, Rental Programs

The suspension cradles get a lot of abuse from students making their own adjustments. They also get stinky over time. Fortunately, they are easily and inexpensively replaced. The lifespan of the Rock Star helmet is 10 years, but of course this depends heavily on use and care. The replacement cradles do not revitalize the safety functions of the helmet, but they are a great way to cut the funk or to replace the sizing system which can loosen with frequent adjustments over time. Inspect the styrofoam in the top of the helmet (no missing chunks or compressed cells) and the outer shell (no dents, punctures, or significant wear) to ensure the integrity of the helmet's safety functions.



1 Green

2 Orange

CAMP Chin Strap Kit for Titan

2717 Small
2716 Large

- Titan helmet chin strap replacement kit (2 sizes available)



CAMP Head Band System for Titan

2194S Small
2194L Large

- Titan helmet size adjustment system replacement kit (2 sizes available)



CAMP Padding Kit for Titan

2715

- Titan helmet padding replacement kit



CAMP Headlamp holder for Titan

2718 4 pcs - Green
2719 4 pcs - Orange

- Titan helmet headlamp clip replacement kit
- Sold in a set of 4 (sufficient for 1 helmet)
- 2 colors available



CAMP Padding Kit for Storm

2480

- Storm helmet padding replacement kit



CAMP Padding Kit for Armour

2646

- Armour Helmet Padding Replacement Kit



CAMP Headlamp holder for Armour

2647

- Armour Helmet Replacement Headlamp Clips
- Sold in sets of 4



CAMP Dial kit for Speed Comp / Storm / Armour

2639

- Replacement dials for Speed Comp, Storm and Armour



CAMP Chin strap buckle for helmets

2072

- Replacement Helmet Chin Strap Buckles
- Sold in bags of 5



CAMP Chin strap padding for helmets

2067

- Replacement Helmet Chin Strap Pads
- Sold in bags of 5



CAMP Dial padding for helmets

2068

- Replacement Helmet Back Dial Padding
- Sold in bags of 5



VIA FERRATA



VIA FERRATA

The rise of via ferrata. Every summer, from the Brenta peaks to the Sella pass, historic paths are sieged by thousands of hikers who are now also exploring the wonderful world of via ferrata where outdoor enthusiasts of any age can enjoy the sights from up high that they will never see from the trails. The same is happening all across the Alps. Via ferrata is great fun because of the thrill of the heights and the exposure. That same thrill is also where the danger lies. This is why it is always important to climb with the necessary equipment like a helmet, harness, and lanyards designed to handle the falls that via ferrata can expose climbers to.

Via ferrata is still for the bold. There is a common misperception that via ferrata is less dangerous than technical rock climbing. As with anything, both activities can be safe if practiced with the right levels of skill and competence. Via ferrata, by its very nature, is dangerous which is why we say it is still for the bold. The lower angle terrain means there are more obstacles to hit in the event of a fall. No rope is in use to stop the progression of the fall before hitting the anchor point. Metal pegs, cables and the presence of other climbers only add to these hazards that are far less present in technical rock climbing. It is never a bad idea to hire a guide if you are a beginner. Doing so can really enhance the experience by helping to remove some of the concern and leaving more room for the fun.

Continuous innovation. The perpetual drive for innovation at C.A.M.P. has resulted in the most efficient and safe systems for fall protection in via ferrata. In addition to purpose-built carabiners designed to maximize performance and safety, C.A.M.P. now uses Rewind technology in both the lanyards and in the connection ring to hold the kit closer to the harness making it even more convenient for climbing. The Rewind Twist Ring is now available on the Kinetic Rewind Comp, Kinetic Rewind Pro and Kinetic Gyro Rewind Pro. Our most notable innovation remains the patented Gyro system that features three independent swivels where the lanyards connect to the harness to prevent the annoying and potentially dangerous twisting and tangling typical of traditional lanyard systems. That's three serious innovations in just a few short years!

Shock-absorbing systems. In climbing, the force of a fall is largely consumed by the dynamic rope. The more rope there is in the system, the more energy it can absorb. In via ferrata, there is no energy-absorbing rope; in some ways, this makes via ferrata even more dangerous than technical rock climbing. This is why the energy absorption systems built into via ferrata lanyards are so important: C.A.M.P. uses compact shock packs with lacerated stitching that is designed to break when a certain level of force is reached. In the breaking process, energy is absorbed before it is transmitted to the body. The Kinetic shock packs used in the entire range of via ferrata lanyards has been designed in accordance with the new EN 958 standard of 2017.



Category leaders



Tests and inspections. As C.A.M.P. regularly tests its products, users must also check their equipment to make sure that it is always safe before use. Inspections should be done before, during and after each use. Equipment must be stored away from corrosive substances, direct sunlight, humid environments and high temperatures. Before and after each use, check for any damage caused by sharp edges which are often present in the metal systems used to rig via ferrata routes. Via ferrata lanyards are not designed to last forever. The maximum lifespan of a lanyard system is five years in order to minimize the possibility of failure in the field. The year of manufacturing can be found on the label stitched to the webbing ring that connects the lanyard to the harness. If the tag is unreadable, the lanyard should be retired immediately as this is evidence that the equipment has been subject to extensive wear and tear or potentially damaging environmental conditions. As via ferrata lanyards are designed to save lives in the event of catastrophic falls, it is important that the gear we rely on is never in question.

The new EN 958 certification. The new edition of the EN 958 standard, that came into force in early 2017, specifies via ferrata set safety requirements for users with a weight not lower than 40 kg (total weight without equipment) and not higher than 120 kg (total weight including equipment). The new edition uses two different tests with different masses. The first test is made with a 40 kg mass subjected to a fall factor 5: in this case the set must have a 220 cm maximum braking length and 3.5 kN maximum impact force. The second test is made with a 120 kg mass subjected to a fall factor 5: in this case the set must have 220 cm maximum braking length and 6 kN maximum impact force. Another significant change in the standard is the new requirement for the breaking strength after the fall, which has been increased to 12 kN.

Lanyards

New	Ref.	Product name	Length	Weight		Lanyard material	Shock absorber system	Connectors	CE
				g	oz				EN 958:2017
UPDATED '20	2868	KINETIC GYRO REWIND PRO	90-135 cm	675	23.8	Rewind polyester 22 mm	Laceration	Horai	•
UPDATED '20	2867	KINETIC REWIND PRO	85-120 cm	550	19.4	Rewind polyester 22 mm	Laceration	Horai	•
UPDATED '20	2866	KINETIC REWIND	85-120 cm	545	19.2	Rewind polyester 22 mm	Laceration	Hercules	•
	2742	KINETIC	105 cm	470	16.6	Polyester 20 mm	Laceration	Nomad	•
	2749	KINETIC REWIND COMP	75-110 cm	435	15.4	Rewind polyester 19 mm	Laceration	Icarus	•



Via Ferrata Gloves

Ref.	Product name	Size	Weight / Pair Size (L)		Material			CE EN 388			
			g	oz				Abrasion	Cut	Tear	Puncture
1879	AXION	S-M-L-XL-XXL	140	4.9	Leather	•		4	1	3	3
187903	AXION BLACK	S-M-L-XL-XXL	140	4.9	Leather	•		4	1	3	3
2122	AXION LIGHT	S-M-L-XL-XXL	85	3.0	Leather + Synthetic	•		3	1	2	2
2045	PRO FINGERLESS	XS-S-M-L-XL	80	2.8	Leather + Synthetic		•	3	1	2	2
2042	START FINGERLESS	XS-S-M-L-XL	60	2.1	Synthetic		•	3	1	2	1
2043	START FULL FINGER	XS-S-M-L-XL	70	2.5	Synthetic	•		3	1	2	1

XS=5 / S=6 / M=7 / L=8 / XL=9 / XXL=10

Lanyards



CAMP
Kinetic Gyro Rewind Pro
2868



CAMP
Kinetic Rewind Pro
2867



CAMP
Kinetic Rewind
2866



CAMP
Kinetic
2742



CAMP
Kinetic Rewind Comp
2749

Via Ferrata Gloves



CAMP
Axion
1879



CAMP
Axion Light
2122



CAMP
Pro Fingerless
2045



CAMP
Start Fingerless
2042



CAMP
Start Full finger
2043



CAMP Kinetic Gyro Rewind Pro

2868

UPDATED '20 1st CLASS

VIA FERRATA

- Stitched shock absorber is lightweight and compact
- 22 mm Rewind webbing lanyards stay compressed and out of the way while climbing
- Patented Gyro system has three independently rotating swivels to prevent twisting and tangling
- Equipped with Horai squeeze-activated carabiners
- New Rewind Webbing Twist Ring connects quickly to any harness and keeps the lanyards situated in their proper orientation
- Certified in accordance with safety requirements fixed by the new review of the EN 958 standard
- New color for 2020

The Kinetic Gyro Rewind Pro via ferrata lanyard is a prime combination of our top-of-the-line via ferrata components. It features our light and compact stitched shock absorber that is compliant with the newly updated EN 958 standard, super-safe Horai carabiners and the patented Gyro system designed to eliminate twisting and tangling. The lanyards use special elasticized 22 mm Rewind webbing that contracts to a shortened length to stay out of the way while climbing, but extends effortlessly to full length for passing anchors or straying from fixed lines. Connects to any harness with the new Rewind Webbing Twist Ring that positions the unit in its upright position even when passed through vertical tie-in points.



CAMP Kinetic Rewind Pro

2867

UPDATED '20 BEST SELLER

VIA FERRATA

- Stitched shock absorber is lightweight and compact
- 22 mm Rewind webbing lanyards stay compressed and out of the way while climbing
- Equipped with Horai squeeze-activated carabiners
- New Rewind Webbing Twist Ring connects quickly to any harness and keeps the lanyards situated in their proper orientation
- Certified in accordance with safety requirements fixed by the new review of the EN 958 standard
- New color for 2020

The Kinetic Rewind Pro via ferrata lanyard is an advanced design featuring our light and compact stitched shock absorber, super-safe Horai carabiners, and 22 mm Rewind lanyards that contract to a shortened length to stay out of the way while climbing, but extend effortlessly to full length for passing anchors or straying from fixed lines. Connects to any harness with the new Rewind Webbing Twist Ring that positions the unit in its upright position even when passed through vertical tie-in points.

Ref.	Product name	Length	Weight		Lanyard material	Shock absorber system	Connectors	CE EN 958:2017
			g	oz				
2868	KINETIC GYRO REWIND PRO	90-135 cm	675	23.8	Rewind polyester 22 mm	Laceration	Horai	•
2867	KINETIC REWIND PRO	85-120 cm	550	19.4	Rewind polyester 22 mm	Laceration	Horai	•



CAMP Kinetic Rewind

2866

UPDATED '20

VIA FERRATA

- Stitched shock absorber is lightweight and compact
- 22 mm Rewind webbing lanyards stay compressed and out of the way while climbing
- Equipped with Hercules squeeze-activated carabiners
- Durable webbing twist ring keeps the lanyards in their proper orientation
- In compliance with safety requirements fixed by the new review of the EN 958 standard
- New color for 2020

A lightweight via ferrata lanyard set designed with our light and compact stitched shock absorber to absorb the energy of a fall. The lanyards use special elasticized 22 mm Rewind webbing that compacts to a shortened length to stay out of the way while climbing, but extends effortlessly to full length for passing anchors or straying from fixed lines. Connects to any harness with a webbing twist ring that positions the unit in its upright position even when passed through vertical tie-in points. Equipped with Hercules squeeze-activated carabiners.



CAMP Kinetic

2742

VIA FERRATA

- Stitched shock absorber is lightweight and compact
- 20 mm webbing lanyards
- Equipped with Nomad slide-locking carabiners
- Durable webbing twist ring keeps the lanyards in their proper orientation
- In compliance with safety requirements fixed by the new review of the EN 958 standard

A high-end via ferrata lanyard set designed with our light and compact stitched shock absorber to absorb the energy of a fall. The Y-formation formed from strong 20 mm webbing allows the climber to pass fixtures while remaining securely attached to the wall. Connects to any harness with a webbing twist ring that positions the unit in its upright position even when passed through vertical tie-in points. Equipped with Nomad slide-locking carabiners.



CAMP Kinetic Rewind Comp

2749

LIGHT&FAST SKI COMP

COMPETITIVE SKI MOUNTAINEERING, VIA FERRATA

- Stitched shock absorber is lightweight and compact
- 19 mm Rewind webbing lanyards stay compressed and out of the way while climbing
- Equipped with lightweight Icarus carabiners
- Rewind webbing twist ring connects quickly to any harness and keeps the lanyards in their proper orientation
- In compliance with safety requirements fixed by the new review of the EN 958 standard

The Kinetic Rewind Comp is our lightest via ferrata set, specifically designed for ski mountaineering competitions. It features our light and compact stitched shock absorber and lightweight elasticized 19 mm Rewind webbing that compacts to a shortened length to stay out of the way while climbing, but extends effortlessly to full length for passing anchors or straying from fixed lines. Quickly connects to any harness with the Rewind webbing twist ring that keeps the lanyards in their proper orientation even when passed through vertical tie-in points. Equipped with lightweight Icarus carabiners for easy one-handed operation.



Ref.	Product name	Length	Weight		Lanyard material	Shock absorber system	Connectors	CE EN 958:2017
			g	oz				
2866	KINETIC REWIND	85-120 cm	545	19.2	Rewind polyester 22 mm	Laceration	Hercules	•
2742	KINETIC	105 cm	470	16.6	Polyester 20 mm	Laceration	Nomad	•
2749	KINETIC REWIND COMP	75-110 cm	435	15.4	Rewind polyester 19 mm	Laceration	Icarus	•

CAMP Kit Ferrata Kinetic Rewind Energy CR 4
2908

NEW '20

- Our top-of-the-line via ferrata kit
- In compliance with safety requirements fixed by the review of the EN 958 standard
- Available in 2 versions with harness and helmet of different sizes:
 - S includes:
 - Kinetic Rewind Set (2866),
 - Energy CR4 Harness size S (2871-S1),
 - Titan Helmet size 1 (212701-3)
 - L includes:
 - Kinetic Rewind Set (2866),
 - Energy CR4 Harness size L (2871-L1),
 - Titan Helmet size 2 (212702-3)



CAMP Kit Ferrata Kinetic Rewind Topaz Plus
2938

UPDATED '20

- A high-end, versatile via ferrata kit
- In compliance with safety requirements fixed by the review of the EN 958 standard
- Kit includes:
 - Kinetic Rewind Set (2866),
 - Topaz Plus Harness (2294),
 - Armour Helmet (2595-L3)



CAMP Kit Ferrata Kinetic Topaz
2746

- Our most affordable via ferrata kit
- In compliance with safety requirements fixed by the review of the EN 958 standard
- Kit includes:
 - Kinetic Via Ferrata Set (2742),
 - Topaz Harness (2293),
 - Rockstar Helmet (0202-1)





CAMP Axion

1879
187903 Black

ROCK CLIMBING, VIA FERRATA

- Durable reinforced leather construction
- Rubber padding on the knuckles

Our most durable gloves. Constructed from premium grade leather for a precise fit and reinforced in areas that usually see higher amounts of abrasion. A great choice for belaying your hang-dogging partners or for long rappels.



CAMP Axion Light

2122

ROCK CLIMBING, VIA FERRATA

- Premium goatskin leather gloves designed for work with ropes
- Lightweight, breathable mesh backing for maximum dexterity and comfort
- CE EN 388 certified for mechanical risks

A comfortable glove for work on ropes, with construction and materials specifically designed for durability and performance. The palm is constructed from premium goatskin leather, the back uses light and breathable mesh fabric for maximum dexterity and comfort, and the cuff is constructed from durable elastic with a strong Velcro closure. CE EN 388 certified for mechanical risks (protection values: abrasion 3, cutting 1, tearing 2, perforation 2). Available in 5 sizes: S-XXL.



CAMP Pro

2045 Fingerless

1st CLASS

VIA FERRATA, ROPE COURSES & INSTITUTIONAL

- Durable leather construction with elastic back for greater breathability

Offers the comfort of leather with the benefits of rugged nylon reinforcements for greater abrasion resistance and a breathable elastic mesh back for better breathability.



CAMP Start

2042 Fingerless

2043 Full finger

BEST SELLER

VIA FERRATA, ROPE COURSES & INSTITUTIONAL

- Full synthetic construction for wet or hot conditions
- Available with full or half fingers

Full synthetic construction makes these gloves breathable so they remain comfortable even when wet. All wear points are reinforced for maximum durability.

Ref.	Product name	Size	Weight / Pair Size (L)		Material	 	CE EN 388				
			g	oz			Abrasion	Cut	Tear	Puncture	
1879	AXION	S-M-L-XL-XXL	140	4.9	Leather	•	4	1	3	3	
187903	AXION BLACK	S-M-L-XL-XXL	140	4.9	Leather	•	4	1	3	3	
2122	AXION LIGHT	S-M-L-XL-XXL	85	3.0	Leather + Synthetic	•	3	1	2	2	
2045	PRO FINGERLESS	XS-S-M-L-XL	80	2.8	Leather + Synthetic		•	3	1	2	2
2042	START FINGERLESS	XS-S-M-L-XL	60	2.1	Synthetic		•	3	1	2	1
2043	START FULL FINGER	XS-S-M-L-XL	70	2.5	Synthetic	•	3	1	2	1	

CAMPACK



Luka Strazar during the first ascent of the huge North Face of Latok 1
(7145 m, Karakorum) - © Aleš Česen

CAMPACK

Designs and Systems. Our packs are crafted for optimal performance thanks to our focus on materials and fabric patterns combined with proprietary innovations that make your adventures faster and easier. The first thing most people notice about CAMPacks is their trim cuts and minimalist systems. This is because every CAMPack is designed by a group of mountain athletes who live by the basic principle that less can indeed be more. CAMPacks are loaded with systems, but they have a tendency to be more streamlined and simplistic than those of other pack manufacturers who use bells and whistles in an effort to "oversell" the features. We also design most systems to tuck away when not in use in order to eliminate the potential for snagging in tight spaces typical of climbing, ski-mountaineering and backcountry hiking. Below is a short list of features that demonstrate the innovation of the CAMPack line:

Xpress. An innovative system for attaching and removing skis without removing the pack. The skier simply slides the tails into the loop at the left hip, flips the tips to the right shoulder and grabs them with the Nylon strap attached to the shoulder strap. This system is found on our ski mountaineering packs.

Easy Access Crampons Pocket. The bottom portion of our hyperlight competitive ski mountaineering packs feature a fast access pocket for crampons to keep them at the ready. If crampons are not part of the mandatory gear, it is also a perfectly situated pocket for water bottles, snacks and layers.

Backdoor. Many of our alpine and ski touring packs use the space between the padding on the back panel as a duffel style zipper opening allowing access to the entire contents of the packs without having to remove everything on top before gaining access to gear at the bottom. The system has been improved in the new M series packs with the Full Backdoor that opens the entire back of the pack for even easier access to the contents of the pack. The Roxback also features a special variation of this system which allows the user to load and unload the pack with the shoulder straps up - a particularly noticeable feature when the ground is wet and dirty.

XAir. An innovative back ventilation system on the new M20, M30 and M45 models. It uses 3D EVA foam pads with horizontal ventilation channels in the parts that are in contact with the body. The padding is situated in an X shape for an open air design that channels air away from the back for increased comfort during intensive use.

Balance System. A unique feature that allows the user to balance the load using just two straps on top of the shoulders. The new Balance System links these straps to the low-center part of the pack where the weight is consolidated and works to compress, stabilize and situate the load without removing the pack.

EZ OP buckle. The EZ OP buckle features a special pull tab that engages a wire to automatically open the buckle for super-fast and easy operation while wearing gloves or with cold fingers. This is especially useful for competitions where every action is on the clock.

Hydration. The SFC Soft Flask has become the preferred means of hydration for athletes making the most of our skimo race and trail packs. Unlike bottles, Soft Flasks compress as they are emptied so they take up very little space. Unlike bladders, they can be carried on shoulder straps, in pockets, and even in the hand where they can be squeezed. This makes drinking on the go much simpler. CAMPack ski mountaineering and Trail packs feature pockets specifically designed to fit the SFC Soft Flasks. For packs without these pockets, we also make the SFC Holders that attach to the shoulder straps of most packs.

The Line.

CAMPack Mountain. This is our high-end alpine climbing and mountaineering line. The updated range includes new features like Full BackDoor access, XAir ventilation, and our new Balance System for exceptional load stability and distribution. The M20 is the right choice for multi-pitch alpine climbing. The M30 is developed for fast & light ascents on big peaks, and the M45 is the best for intensive mountaineering typical of the great ranges. M-Series packs feature systems to carry skis, axes, ropes, and helmets so the same pack covers every part of the adventure from the approach to the summit to the descent.

CAMPack Climbing. This our cragging and rock climbing line. These packs are designed to swallow gear in quick, organized and systematic ways. Climbers particularly like the large duffel style openings that make loading a bulky rack or rope super easy.



XAir



Xpress



EZ OP



Video EZ OP

Category leaders



LIGHT&FAST

Veloce
2601



LIGHT&FAST 1st CLASS

Trail Force 5
2577



1st CLASS

Rapid Racing
2603



1st CLASS

M45
2919



BEST SELLER

Trail Force 10
2591

CAMPack Ski Mountaineering. The Rapid Racing is the minimalist's choice for ski mountaineering competitions with its amazing combination of features, fit, weight and function. The Rapid is also fine-tuned to facilitate the specific maneuvers common in ski mountaineering competitions, but it is also an excellent choice for light and fast tours in the backcountry. The Veloce is specifically designed for Sprint and Vertical race formats with the bare minimum in build and features to set the pace in the fastest ski mountaineering competitions. The Skin uses the same design as trail vests which have grown in popularity among mountain runners for their ability to carry the essentials in a way that makes them feel more balanced than traditional backpacks. The Ski Raptor builds on our years of experience in skimo racing and integrates many of the features in a next level freeride pack for fast and light romps in the backcountry. Finally, the Snow Set puts an end to the packing and travel nightmares typical of skimo racing with a compartmentalized design that carries race gear in an most organized way.

CAMPack Trail. A complete range of vest packs designed for training, racing, ultra-running and peak-bagging at the highest level. The new range features packs for trail raids of every shape and size. The Trail Force 5 and 10 are specifically designed for speed with particular attention paid to wearability and comfort. The Raid Vest is a higher volume pack designed to carry the mandatory gear for ultra trail races. As such, it is also a great choice for mountain hikers looking for a better way to carry gear on long missions with the potential for real exposure.

CASSIN Alpine Simplicity. Elite alpinists and climbers have long asked us for purpose-built packs specifically designed for ascents of difficult rock, ice, and mixed routes. It is here with the Cassin Eghen series which now features the award-winning Eghen 22 and the spacious Eghen 35. Both packs have been specifically designed for carrying on route with trim profiles and sophisticated features that make big routes more manageable. Fans of Cassin will also be impressed by the Torre 70 and 40 haul bags and the new Fitz 25 haul pack designed specifically for big team free ascents.

Mountaineering

New	Ref.	Product name	Capacity	Weight		X-PRESS	BACK DOOR	H ₂ O	ICE AXE	HELMET	ROPE	BOTTLES	HIP BELT	
				g	oz									
NEW '20	2919	M45	45 L	1300	45.9	Lateral	•	•	•	•	•	•	•	1
NEW '20	2679	M30	30 L	1100	38.8	Lateral	•	•	•	•	•	•	•	1
NEW '20	2918	M20	20 L	800	28.2		•	•	•	•	•	•	•	
NEW '20	2914	FITZ 25	25 L	1200	42.4									
UPDATED '20	2774	TORRE 70	70 L	3400	120.0									
NEW '20	2913	TORRE 40	40 L	2800	98.8									
	2536	EGHEN 35	35 L	880	31.1	Lateral			•		•			
	2446	EGHEN 22	22 L	670	23.7			•	•	•	•	•		

Climbing

Ref.	Product name	Capacity	Weight		ROPE
			g	oz	
0660	ROXBACK	40 L	750	26.5	•
0450	ROX	40 L	600	21.2	
0473	ROCKY CARPET - 100x150 cm		380	13.4	

Ski Mountaineering

Ref.	Product name	Capacity	Size	h		Weight		X-PRESS	BACK DOOR	H ₂ O	ICE AXE	HELMET	ROPE	BOTTLES	HIP BELT
				h (cm)	h (in)	g	oz								
2603	RAPID RACING	20 L				360	12.7	X-Press		•	•	•			
2601	VELOCE	15 L				195	6.9	X-Press							
2602	RAPID	20 L				545	19.2	X-Press		•	•	•			
2569	SKI RAPTOR	30 L				920	32.5	X-Press	•	•	•	•	•	•	2
0740	SKIN	15 L	S	150-175	59.1-68.9	495	17.5	X-Press		•	•	•	•		
			L	175-190	68.9-74.8	505	17.8								
0667	X3 BACKDOOR	30 L				780	27.5	X-Press	•	•		•			1
2571	SNOWSET	65 L				2110	74.5								
2574	BE SAFE	10 L				270	9.5								

Trail Multisport

Ref.	Product name	Capacity	Size	h		cm		Weight		H ₂ O	HELMET	BOTTLES	HIP BELT	
				h (cm)	h (in)	cm	in	g	oz					
2577	TRAIL FORCE 5	5 L	XS-M	150-175	59.1-68.9	69-85	27.2-33.5	170	6.0					6
			M-L	175-195	68.9-76.8	85-115	33.5-45.3	195	6.9					
2591	TRAIL FORCE 10	10 L	XS-M	150-175	59.1-68.9	69-85	27.2-33.5	240	8.5					6
			M-L	175-195	68.9-76.8	85-115	33.5-45.3	255	9.0					
2638	TREKKING POLES HOLDER							82	2.9					
0725	RAID VEST	20 L	S	150-175	59.1-68.9			465	16.4		•			2
			L	175-195	68.9-76.8			470	16.6		•			
1542B	TRAIL OUTBACK 5	5 L						207	7.3	•				
2594	SC 200							11	0.4					
1794	ACTION Bottle 0.75 L							100	3.5					
1795	ACTION Bottle 0.75 L TUBE							123	4.3					
2592	SFC 300							33	1.2					
2593	SFC 600							44	1.6					
2136	TRAIL 1							210	7.4					1
2137	BOTTLE HOLDER							62	2.2					
2665	ERGO BELT							153	5.4			•		1
2637	SFC HOLDER							29	1.0					

 SKI CARRYING SYSTEM	 BACK DOOR	 HYDRATION COMPATIBLE	 ICE AXE HOLDER(S)	 HELMET CARRIER
 ROPE CARRIER	 BOTTLE HOLDERS COMPATIBLE	 HIP BELT POCKET	 EASY-ENTRY CRAMPON POCKET	

Mountaineering



CAMP
M45
2919



CAMP
M30
2679



CAMP
M20
2918



CAMP
Fitz 25
2914



CASSIN
Eghen 35
2536



CASSIN
Eghen 22
2446



CASSIN
Torre 70
2774



CASSIN
Torre 40
2913

Climbing



CAMP
Roxback
0660



CAMP
Rox
0450



CAMP
Rocky Carpet
0473

Ski Mountaineering



CAMP
Rapid Racing
2603



CAMP
Veloce
2601



CAMP
Rapid
2602



CAMP
Skin
0740



CAMP
X3 Backdoor
0667



CAMP
Ski Raptor
2569



CAMP
Snowset
2571



CAMP
Be Safe
2574

Trail Multisport



CAMP
Trail Force 5
2577



CAMP
Trail Force 10
2591



CAMP
Trekking Poles Holder
2638



CAMP
Raid Vest
0725



CAMP
Trail Outback 5
1542B



CAMP
Trail 1
2136



CAMP
Bottle Holder
2137



CAMP
Ergo Belt
2665




CAMP
SFC holder
2637

Technical features on CAMP backpacks



Balance System allows for load adjustment, compression and stabilization using the two straps on the shoulders



Removable lid features a large main compartment and a smaller compartment on the bottom for valuables



Protective cover can be pulled out to cover the top of the pack when the lid is removed



2 removable ice axes holders

2 interior elastic pockets

M30
2679

External helmet carrying system can be hidden when not in use

A-Frame ski carrying straps can be hidden when not in use



Hydration compatible

Full BackDoor access

Balance System

Contrast zipper pullers for immediate recognition

XAir ventilated back

Waist belt features one zippered pocket and one gear loop

Padded waist belt is removable for technical activities

* Features vary by model



CAMP M45

2919

NEW '20


1st CLASS

ALPINISM

- Full BackDoor access
- XAir ventilated back
- 3 mm aluminum wire frame
- Ergonomic shoulder straps for a performance fit
- Padded waist belt is removable for technical activities
- Waist belt features one zippered pocket and one gear loop
- Balance System allows for load adjustment, compression and stabilization using the two straps on the shoulders
- Removable lid features a large main compartment and a smaller compartment on the bottom for valuables
- Protective cover can be pulled out to cover the top of the pack when the lid is removed
- 2 interior elastic pockets
- 2 removable ice axes holders
- A-Frame ski carrying straps can be hidden when not in use
- External helmet carrying system can be hidden when not in use
- Hydration compatible



The M45 does a brilliant job merging the capacity of a large pack with the stability, fit and performance of a smaller pack. It incorporates many of the unique features found in the CAMPack range like the BackDoor panel that allows access to the contents of the pack without having to remove everything on top before gaining access to gear at the bottom. Comfort is assured by the new XAir ventilated back with a 3 mm aluminum wire frame and breathable, ergonomic shoulder straps. The padded waist belt is removable for technical activities. It features one zippered pocket and one gear loop. The innovative Balance System uses the same two straps on the top of the shoulders to simultaneously adjust, compress and stabilize the load by pull from the bottom of pack instead of the top. The removable lid features a large main compartment on top and a smaller compartment on the bottom for valuables. A protective cover can be pulled out to cover the top of the pack when the lid is removed. Additional technical features include 2 removable ice axe holders, A-Frame ski carrying straps and external helmet carrying system that can be hidden when not in use, hydration bladder compatibility, and large elastic pockets on the inside of the main compartment for extra organization.



Ref.	Product name	Capacity	Weight		X PRESS	BACK DOOR	H ₂ O	Ice	Helmet	Ski	Hydration	Elastic Pockets	
			g	oz									
2919	M45	45 L	1300	45.9	Lateral	•	•	•	•	•	•	•	1




CAMP M30
2679

NEW '20 BEST SELLER

ALPINISM, ICE CLIMBING

- Full BackDoor access
- XAir ventilated back
- 3 mm aluminum wire frame
- Ergonomic shoulder straps for a performance fit
- Padded waist belt is removable for technical activities
- Waist belt features one zippered pocket and one gear loop
- Balance System allows for load adjustment, compression and stabilization using the two straps on the shoulders
- Removable lid features a large main compartment and a smaller compartment on the bottom for valuables
- Protective cover can be pulled out to cover the top of the pack when the lid is removed
- 2 interior elastic pockets
- 2 removable ice axes holders
- A-Frame ski carrying straps can be hidden when not in use
- External helmet carrying system can be hidden when not in use
- Hydration compatible

30 liters is a great size for one-day excursions in the backcountry, leaving room for the essentials but cutting the weight of excess capacity. The M30 incorporates many of the unique features found in the CAMPack range like the BackDoor panel that allows access to the contents of the pack without having to remove everything on top before gaining access to gear at the bottom. Comfort is assured by the new XAir ventilated back with a 3 mm aluminum wire frame and breathable, ergonomic shoulder straps. The padded waist belt is removable for technical activities. It features one zippered pocket and one gear loop. The innovative Balance System uses the same two straps on the top of the shoulders to simultaneously adjust, compress and stabilize the load by pull from the bottom of pack instead of the top. The removable lid features a large main compartment on top and a smaller compartment on the bottom for valuables. A protective cover can be pulled out to cover the top of the pack when the lid is removed. Additional technical features include 2 removable ice axe holders, A-Frame ski carrying straps and external helmet carrying system that can be hidden when not in use, hydration bladder compatibility, and large elastic pockets on the inside of the main compartment for extra organization.



Ref.	Product name	Capacity	Weight		X PRESS	BACK DOOR	H ₂ O	Ice	Helmet	Ski	Hydration	Gear	
			g	oz									
2679	M30	30 L	1100	38.8	Lateral	•	•	•	•	•	•	•	1



CAMP M20
2918

NEW '20

ALPINISM, MULTI-PITCH CLIMBING, ICE CLIMBING

- Full BackDoor access
- XAir ventilated back
- 3 mm aluminum wire frame
- Ergonomic shoulder straps for a performance fit
- Padded waist belt is removable for technical activities
- Waist belt features two gear loops
- Balance System allows for load adjustment using the two straps on the shoulders
- Zip top lid combines with drawstring closure for extra security and protection from the elements
- The zip top lid also functions as a content divider for better organization and load balancing
- 2 high capacity elastic pockets and 1 large zipper pocket on the exterior for extra capacity
- Exterior zipper pocket can also be accessed from the inside
- 2 removable ice axes holders
- Trekking poles holders can be hidden when not in use
- External helmet carrying system can be hidden when not in use
- Hydration compatible



The M20 is a sophisticated lightweight pack for fast packing and general outdoor adventures. It incorporates many of the unique features found in the CAMPack range like the BackDoor panel that allows access to the contents of the pack without having to remove everything on top before gaining access to gear at the bottom. Comfort is assured by the new XAir ventilated back with a 3 mm aluminum wire frame and breathable, ergonomic shoulder straps. The padded waist belt with two gear loops is removable for technical activities. Balance System allows for load adjustment using the two straps on the shoulders. The zip top lid combines with a drawstring closure for extra security and protection from the elements. Additional technical features include 2 removable ice axe holders, trekking poles holders and external helmet carrying system that can be hidden when not in use, hydration bladder compatibility, and large external pockets for extra capacity.



Ref.	Product name	Capacity	Weight									
			g	oz								
2918	M20	20 L	800	28.2		•	•	•	•		•	

CAMP Fitz 25
2914

NEW '20 **1ST CLASS**

AID CLIMBING, ALPINISM



- A compact haul pack designed to carry well on the approach and fit all the essential bivy gear for a two-person team
- Constructed from wear resistant Tarpaulin PVC 500D with a gray finish on the interior for improved visibility
- Differentiated length haul straps double as lashing straps for ropes and other gear
- Removable thermoformed back panel increases comfort while hiking and doubles as an emergency bivy pad
- Back panel can be stowed with the shoulder straps for hauling
- Reinforced bottom with drain holes
- Structural crossed webbing on the bottom
- Expandable lid with cinch system for easy opening and security strap for a solid closure
- Volume ranges from 25 liters which is optimal for hauling to 35 liters with the lid fully expanded
- Ergonomic shoulder straps can be tucked into a protected pocket for hauling and travel
- Removable webbing waist belt with two adjustment points
- Height adjustable chest strap
- Large interior security pocket with zip closure and handle
- Fixed gear loop on the interior

The Fitz 25 is designed to fit all the essential bivy gear for a two-person team in a pack that both carries well on the approach and can be hauled while on the route. Wear resistant Tarpaulin PVC 500D is reinforced on the bottom and stands upright for easy packing. Ergonomic shoulder straps and the removable webbing waist belt can be tucked into a protected pocket for hauling and travel. A removable thermoformed back panel increases comfort while hiking and doubles as an emergency bivy pad. The back panel can be stowed in the same pocket as the shoulder straps for hauling. The differentiated length main haul straps on the top double as lashing straps for ropes and other gear. The interior main compartment features one large zip pocket and a dedicated gear loop.

Ref.	Product name	Capacity	Weight									
			g	oz								
2914	FITZ 25	25 L	1200	42.4								

CASSIN Torre 70

2774

UPDATED '20 1st CLASS

AID CLIMBING, ALPINISM



- A true Grade V haul bag
- Constructed from super strong and amazingly wear-resistant Tarpaulin TPU 4500D fabric
- Taurpalin TPU 4500D main fabric is particularly resistant to low temperatures for extreme conditions
- Main body is high-frequency welded for the highest strength and perfectly cylindrical shape
- Reinforced bottom with drain holes
- Structural crossed webbing attachment points on the bottom for clipping a portledge, sub-bag or poop tube
- Fully adjustable padded shoulder straps can be tucked into a protected pocket for hauling and travel
- Height adjustable chest strap
- Removable padded waist belt with two adjustment points can also be used as a soft bosun chair when removed
- Differentiated length haul straps for easy access while clipped off; handles and daisy chain tie-off points on the insides
- Large interior security pocket with zip closure and handle
- 3 fixed gear loops on the interior
- Roll-top lid with plastic buckle, cinch system and security strap for a solid closure and easy opening

The Torre 70 is a true Grade V haul bag with technical features designed for the advanced aid climber. Wide shoulder straps and padded waist belt makes it comfortable for carrying on the back. For hauling and climbing, the shoulder straps tuck away into a protected compartment and the waist belt can be removed and used as a bosun chair at belays. Strong and rigid Tarpaulin TPU 4500D fabric is reinforced on the bottom and stands upright for easy packing. The differentiated length main haul straps on the top allow for easy access even when they are being used as the primary attachment point. Other clipping points include handles and daisy chain attachments on the insides of the haul straps and structural crossed webbing straps on the bottom for clipping a portledge, sub-bag or poop tube. Interior main compartment features one large zip pocket and 3 dedicated gear loops.

Ref.	Product name	Capacity	Weight									
			g	oz								
2774	TORRE 70	70 L	3400	120.0								



CASSIN Torre 40
2913

NEW '20

AID CLIMBING, ALPINISM

- A compact haul bag with all the features of the Torre 70
- Constructed from super strong and amazingly wear-resistant Tarpaulin TPU 4500D fabric
- Taurpalin TPU 4500D main fabric is particularly resistant to low temperatures for extreme conditions
- Main body is high-frequency welded for the highest strength and perfectly cylindrical shape
- Reinforced bottom with drain holes
- Structural crossed webbing attachment points on the bottom for clipping a portaledge, sub-bag or poop tube
- Fully adjustable padded shoulder straps can be tucked into a protected pocket for hauling and travel
- Height adjustable chest strap
- Removable padded waist belt with two adjustment points can also be used as a soft bosun chair when removed
- Differentiated length haul straps for easy access while clipped off; handles and daisy chain tie-off points on the insides
- Large interior security pocket with zip closure and handle
- 3 fixed gear loops on the interior
- Roll-top lid with plastic buckle, cinch system and security strap for a solid closure and easy opening



The Torre 40 is a compact haul bag with all the technical features for the advanced aid climber. Wide shoulder straps and padded waist belt makes it comfortable for carrying on the back. For hauling and climbing, the shoulder straps tuck away into a protected compartment and the waist belt can be removed and used as a bosun chair at belays. Strong and rigid Tarpaulin TPU 4500D fabric is reinforced on the bottom and stands upright for easy packing. The differentiated length main haul straps on the top allow for easy access even when they are being used as the primary attachment point. Other clipping points include handles and daisy chain attachments on the insides of the haul straps and structural crossed webbing straps on the bottom for clipping a portaledge, sub-bag or poop tube. Interior main compartment features one large zip pocket and 3 dedicated gear loops.



Ref.	Product name	Capacity	Weight									
			g	oz								
2913	TORRE 40	40 L	2800	98.8								



CASSIN Eghen 35 2536

ALPINISM, ROCK CLIMBING, MULTI-PITCH CLIMBING, ICE CLIMBING

- High capacity technical pack for multi-day routes
- Capacity is variable (35-45 lts) with a unique double closure system; roll-top for main closure and drawstring with cinch buckle for secondary security closure
- Very strong fabric with reinforced bottom
- Frameless back with heat-sealed padding and removable 4mm EVA pad that can be used as an emergency bivy pad
- Ergonomic padded shoulder straps with load adjustment are connected high on the pack or better weight distribution while climbing
- Removable chest strap is height adjustable
- Padded waist belt can be tucked away on the front when not in use, with two adjustment points and load adjustment system
- 2 connectable handles on top for hauling and clipping
- Technical ice axe holders with a head-locker system on the bottom and Velcro straps on top
- External rope carrying system stows away when not in use
- Removable inner compartment with two zip pockets and a strap for use as a shoulder bag
- Elastic inner pocket for fast access to essentials
- Fast pull cord closure system has been optimized for use with gloves
- Removable external side straps for lashing extra gear or compressing the pack when it is not full

Building on the success of the Eghen 22, the Eghen 35 brings high capacity to big, technical alpine routes. The capacity is variable due to the unique double closure system with a roll-top for the main closure and a drawstring with cinch buckle for a secondary security closure. The frameless back gets rigidity from 2mm of heat-sealed foam combined with a 4mm removable soft pad that doubles as an emergency bivy pad. Everything about the Eghen 35 has been designed for use on route. The ergonomic waist belt is padded and adjustable for comfort on the approach, but tucks away on the back to maintain a low profile when not in use. The padded shoulder straps are shaped to fit over layers and attach to the pack above the hip belt to distribute weight correctly for climbing and stay out of the way of gear racked on a harness. Side straps can be used for lashing gear to the outside of the pack or as compression straps to trim the profile and distribute weight when the pack is not full. A large inner compartment with two zip pockets can be removed and used as a shoulder bag. A mesh pocket is situated high inside the pack for easy access to essentials and two haul points on the top of the back can be used in unison or alone for clipping the pack to a belay.

Ref.	Product name	Capacity	Weight		X PRESS	SHOCK LOCKER	H ₂ O	Ice	Tent	Screw	Bottle	Ice axe
			g	oz								
2536	EGHEN 35	35 L	880	31.1	Lateral			•		•		



CASSIN Eghen 22
2446

ALPINISM, ROCK CLIMBING, MULTI-PITCH CLIMBING, ICE CLIMBING

- Winner of Climbing Magazine's 2017 Editors' Choice Award
- Technical pack for rock, ice and mixed mountain ascents
- Very strong fabric with reinforced bottom
- Technical ice axe holders with a head-locker system on the bottom and Velcro straps on top
- External helmet carrying system can be stowed away when not in use
- Frameless back is lined with a removable 6 mm rigid pad that can be used as an emergency bivy pad
- Connection points for the bottoms of the shoulder straps are higher for better weight distribution while climbing
- External rope carrying system
- Innovative fast pull cord closure system has been optimized for use with gloves
- Waterproof pocket for maps, phones and other essentials
- Zippered inner pocket for valuables
- Inner gear loop for organizing
- Fixed daisy chains with compression straps for securing gear to the outside of the pack
- Buckles are optimized for use with gloves
- Removable waist belt with two adjustment points
- Removable chest strap is height adjustable
- Burlly handle on top for hauling and clipping
- Hydration compatible

Pizzo d'Eghen is the wildest and most remote mountain in the Grigne group in the Central Alps above the town of Lecco, the home of Riccardo Cassin. In 1932, Cassin first climbed one of his great routes on the Pizzo d'Eghen, ascending the huge chimney in the middle of the wall. The Eghen 22 is a tribute to this historic climb, the very kind of adventures it has been designed for. Elite alpinists and multi-pitch climbers have long been asking us for a purpose-built pack with the 'Cassin touch'. It is here with the Eghen 22. The Eghen 22 is designed for fast and light missions on multi-pitch rock and ice routes. Maxed out, the Eghen 22 has 22 liters of capacity. When not full, the pack is designed to be compressed so it maintains a trim profile. The frameless back gets rigidity from the removable 6mm rigid foam pad that doubles as an emergency bivy pad. Other cold weather features include a fast pull cord closure system and buckles specifically designed for use with gloves. Streamlined technical ice tool holders can be stowed away when not in use. Essential multi-pitch climbing features include a removable waist belt, an external rope carrying system that allows the rope to be carried on the top or bottom of the lid, and an external helmet carrying system that stows away when not in use.

Ref.	Product name	Capacity	Weight									
			g	oz								
2446	EGHEN 22	22 L	670	23.7			•	•	•	•	•	



2 Sky Blue / Black



3 Green / Black



0473

CAMP Roxback
0660

SPORT CLIMBING

- Unique zipper system runs the length of the pack next to the back so climbers can set it down straps up and still have open access to their gear
- 40 liter capacity
- 400D Nylon is PU coated 3 times for super durability
- Ventilated padded back
- Soft mesh ventilated shoulder straps
- External adjustable rope carrying system
- 2 external mesh pockets with cover flaps
- External and internal zippered pockets for accessories and valuables
- Inner gear loops for organizing gear
- Large, comfy handles for easy grabbing
- Rocky Rope Carpet included

The ultimate crag bag is now sold with the Rocky Rope Carpet included. The Roxback features a full-length zipper that runs next to the back so climbers can set it down straps up and still have open access to their gear. The adjustable rope carrying straps make the 40 liter capacity work for longer approaches made comfortable by ventilated padding on the back and soft mesh shoulder straps. Side mesh pockets are perfect for carrying water bottles and chalk. Two zippered pockets (one internal, one external) keep valuables safe.



3 Green / Black



2 Sky Blue / Black



CAMP Rox
0450

SPORT CLIMBING

- UltraPack HD156 fabric
- Spinal ventilation
- Padded back panel
- Daisy chains for clipping bottles and pro
- Large, comfy handles for easy hauling
- Two external mesh pockets with cover flaps

The wildly popular Rox has a simple elegance, great functionality, and an attractive price. This 40-liter pack is superbly designed to manage equipment for a day of sport cragging or bouldering. It easily accommodates a 70-meter rope, two pairs of shoes, a harness, a rack of quick draws, and assorted sundries. The Rox carries comfortably on its own and also stows nicely inside a crash pad. When you reach the crag or the gym, the burly center zipper allows quick access to everything inside. Two exterior mesh pockets are ideal for bits of trash picked up along the trail, water bottles, chalk, or a pair of smelly shoes that need air time.

CAMP Rocky Carpet
0473 100x150 cm

SPORT CLIMBING

As simple as it seems, a good rope tarp truly improves your crag experience. The large pocket is ideal for packing an uncoiled rope (minimizes tangles). Four color-coded tie-in points help coordinate rope ends. Start with orange as the sharp end and gray for the belay end, then after the climb, attach the sharp end to gray and restack to use the other end of the rope for the next lead. Voila! No more tangled ropes.



Ref.	Product name	Capacity	Weight		
			g	oz	
0660	ROXBACK	40 L	750	26.5	•
0450	ROX	40 L	600	21.2	
0473	ROCKY CARPET - 100x150 cm		380	13.4	

CAMP Rapid Racing
2603



1ST CLASS SKI COMP

COMPETITIVE SKI MOUNTAINEERING



1 Orange / White



- 2 X-Press ski carrying options for different race formats: Tubular Rewind for classic races and Hook Rewind for sprint races
- Extra ski carrying system for a second pair of skis
- Lower loop for main ski carrying system has been repositioned for better ergonomics when inserting ski tails
- Side entry crampon pocket is easily accessed without removing the pack
- Ice axe carrier
- Durable elastic Truck Bull tethering system for pulling a partner in team races
- Internal security pocket
- Internal sleeve pocket for shovel and probe
- Superlight and breathable mesh back
- Ventilated shoulder straps with pocket
- EZ OP buckles on chest and waist belt for rapid action while wearing gloves
- Chest strap can be set at three different heights to obtain the optimal fit
- Silicized panel where skis and bindings come in contact with the pack prevent tears and punctures
- Hydration compatible
- Whistle on chest buckle

The Rapid Racing is purpose-built for ski mountaineering competitions where every gram counts. The design comes from the world's top ski racers to get the best combination of features, fit, weight and function. Two X-Press ski carrying systems—the Tubular Rewind system for classic races and the Hook Rewind system for sprint races—allow the pack to be optimized for different race formats. Both systems allow racers to attach and remove skis without removing the pack. The crampon pocket near the right hip has been updated with wider Velcro for a more secure closure: this pocket allows for fast access to crampons and other essentials without taking off the pack and can be zipped open from the inside to connect to the main compartment. The Rapid Racing also features the exclusive EZ OP buckles on the chest strap and waist belt which use a one-handed pull tab for rapid opening and closing while wearing gloves.

CAMP Veloce
2601



LIGHT&FAST SKI COMP

COMPETITIVE SKI MOUNTAINEERING



1 Orange / White



- Superlight, minimalist pack for vertical and sprint race formats
- X-Press ski carrying system with Hook Rewind for the fastest possible attachment of the skis to the pack
- Extra ski carrying system for a second pair of skis
- Internal security pocket
- Breathable mesh shoulder straps with pockets
- Chest strap is height adjustable in 3 positions and features exclusive EZ OP buckle
- Adjustable waist belt
- Soft, breathable mesh back

Our lightest pack for ski mountaineering competitions, specifically designed for Vertical and Sprint race formats. The brilliance of the Veloce can be seen in its simplicity—nothing more and nothing less than what is necessary to facilitate the fastest ascents and speediest transitions. The X-Press Hook Rewind ski carrying system allows for rapid attachment and removal of skis without removing the pack. Soft mesh padding on the back panel and shoulder straps ensure comfort and breathability. A pocket on the left shoulder strap holds a 150 ml Soft Flask at the ready.

Ref.	Product name	Capacity	Size	h		Weight		X-Press	Ski Comp	H ₂ O	Climbing	Ice Axe	Shovel/Probe	Crampon
				h (cm)	h (in)	g	oz							
2603	RAPID RACING	20 L				360	12.7	X-Press		•	•	•		
2601	VELOCE	15 L				195	6.9	X-Press						



1 Black / Green



CAMP Rapid
2602

BEST SELLER **SKI COMP**



SKI MOUNTAINEERING, COMPETITIVE SKI MOUNTAINEERING

- X-Press ski carrying system with Tubular Rewind, that allows skis to be attached and removed without removing the pack
- Extra ski carrying system for a second pair of skis
- Side entry crampon pocket is easily accessed without removing the pack
- Hidden ice axe carrier
- Open mesh pocket for carrying gear on the outside of the pack
- Durable elastic Truck Bull tethering system for pulling a partner in team races
- Internal security pocket
- Breathable light mesh on the back with 4 mm EVA padding
- Ventilated shoulder straps have been redesigned for better ergonomics
- EZ OP buckles on chest and waist belt for rapid action while wearing gloves
- Hydration compatible

The popular Rapid pack has been designed to facilitate the specific maneuvers common in ski mountaineering competitions, but this robust 20-liter pack is also an excellent choice for more general ski touring when racing may be the last thing on your mind. The X-Press Tubular Rewind ski carrying system allows skis to be attached and removed without taking off the pack. The crampon pocket near the right hip has been updated with wider Velcro for a more secure closure: this pocket allows for fast access to crampons and other essentials without taking off the pack and can be zipped open from the inside to connect to the main compartment. The back panel and shoulder straps have been redesigned for better ergonomics, breathability and all-day comfort with more padding. The Rapid also features the exclusive EZ OP buckles on the chest strap and waist belt which use a one-handed pull tab for rapid opening and closing while wearing gloves.

Ref.	Product name	Capacity	Size	h (cm)		Weight		X-PRESS	TUBULAR REWIND	H ₂ O	ICE AXE	TRUCK BULL	CRAMPONS
				h (cm)	h (in)	g	oz						
2602	RAPID	20 L				545	19.2	X-Press		•	•	•	

CAMP Ski Raptor
2569

SKI MOUNTAINEERING



- Constructed from Nylon TriRipstop fabric that is lightweight and remarkably resilient
- X-Press ski carrying system with Tubular Rewind allows skis to be attached and removed without removing the pack
- Skis can also be carried laterally with fast buckle attachments
- Side entry crampon pocket is easily accessed without removing the pack and can be zipped open from the inside to connect to the main compartment
- Hide-away systems for carrying ice axes, trekking poles and helmet
- Thermoformed back panel with full BackDoor opening
- Padded shoulder straps are contoured for a precise fit and equipped with a height adjustable chest strap and gear loops
- Waist belt is equipped with elastic pockets on both sides and a gear loop on the right hip
- Upper zip pocket is lined with soft fleece for goggles and glasses
- Front zipper compartment with security strap holds avalanche shovel and probe
- Top handle for easy transport
- Hydration compatible

The Ski Raptor builds on our years of experience making the most advanced skimo race packs and integrates many of the features into a next level freeride pack for fast and light romps in the backcountry. Skis can be attached and removed without removing the pack with our X-Press ski carrying system. Crampons and other essentials can be accessed through a side opening at the bottom of the pack—again without removing pack. The interior flap that compartmentalizes the crampon pocket can be zipped away to create a single large interior main compartment. Hide-away systems carry essential ski mountaineering gear like poles, axes, and helmet. A zipper pocket on the front is compartmentalized for fast access to avalanche safety gear like the shovel and probe. The upper zip pocket is lined with fleece for goggles and glasses. The back panel features our Back Door access which makes gear accessible independent of where it is layered in the pack. The back panel is shaped with thermoforming and the shoulder straps are cut for a contoured fit that makes the pack feel remarkably stable during dynamic movements. Last, but not least, we sourced an entirely new Nylon TriRipstop fabric that is lightweight and remarkably resilient to the stresses of the backcountry.

Ref.	Product name	Capacity	Size	h (cm)		Weight		X-Press	Back Door	H ₂ O	Trekking Poles	Ice Axes	Helmet	Shovel/Probe
				h (cm)	h (in)	g	oz							
2569	SKI RAPTOR	30 L				920	32.5	•	•	•	•	•	•	2

SKI MOUNTAINEERING, COMPETITIVE SKI MOUNTAINEERING



1 Green / Light Blue



- Innovative vest style construction for light and fast ski mountaineering
- Xpress ski carrying system
- Side entry crampons pocket is easily accessed without removing the pack
- Open mesh pockets for carrying gear on the outside of the pack
- Mesh zip pockets on the waist for easy access to snacks, maps and essentials
- Right shoulder strap with mesh pocket for gel, left shoulder strap with water bottle holder
- Internal security pocket
- Ice axe carrier and external helmet carrying system
- EZ OP buckles on chest strap and waist belt for rapid open/close with gloves or cold fingers
- Semi-rigid padded back with ventilation channels
- Hydration compatible
- Available in 2 sizes: S (for user's height 160-175 cm), L (for user's height 175-190 cm)

The Skin pack builds on the concept of trail vests, which have grown in popularity amongst mountain runners for their ability to carry equipment in a streamlined, accessible, and balanced way. The Xpress ski carrying system allows skis to be attached and removed without removing the pack. A special side-entry pocket near the right hip allows single-handed, fast access to crampons without taking off the pack and can be zipped open from the inside to connect to the main compartment. This pocket is also great for water bottles, snacks, clothing, cameras – anything you might want access to while on the move. The Skin also features the exclusive EZ OP buckles on the chest strap and waist belt which use a one-handed pull tab for faster, easier opening. The interior has a fixed sleeve pocket specifically designed for shovel and probe, a small zippered security pocket, and hydration bladder attachment points. The exterior includes ice axe carriers and a helmet carrying system.

CAMP X3 Backdoor
0667

SKI MOUNTAINEERING, ALPINISM



2 Green / White



- Back Door access
- Constructed from light and strong Tri-Ripstop fabric
- Xpress Wire ski carrying system
- Open mesh pockets on sides for carrying gear on the outside of the pack
- Hip belt pocket
- Internal security pocket
- Ice axe carriers
- EZ OP buckles on the chest strap and waist belt for rapid open/close with gloves or cold fingers

While the X3 600 has long been the top choice for longer format ski mountaineering races, the updated X3 Backdoor delivers the same kind of lightweight performance with a more durable fabric and back-panel access which make it the perfect choice for standard ski tours and days dedicated to hunting for powder stashes. The exclusive Backdoor feature allows access inside the pack without having to remove everything on top before reaching gear at the bottom. The Tri-Ripstop fabric is light, tough and coated for water repellency and abrasion resistance. The Xpress Wire ski carrying system allows skis to be attached and removed without removing the pack. The spacious lid and large open mesh pockets on the sides keep things organized, and the padded hip belt has a fast-access pocket for small essential items. The X3 Backdoor also features the exclusive EZ OP buckles on the chest strap and waist belt which use a one-handed pull tab for faster, easier opening.

Ref.	Product name	Capacity	Size	h		Weight		X-Press	Backdoor	H ₂ O	Climbing	Ice axe	Helmet	Ski
				h (cm)	h (in)	g	oz							
0740	SKIN	15 L	S	150-175	59.1-68.9	495	17.5	X-Press		•	•	•	•	
			L	175-190	68.9-74.8	505	17.8							
0667	X3 BACKDOOR	30 L				780	27.5	X-Press	•	•		•		1



CAMP Snowset
2571

COMPETITIVE SKI MOUNTAINEERING, SKI MOUNTAINEERING

- Made from heat-sealed, waterproof and washable PVC
- 2 large front pockets with waterproof zippers
- Removable zip pocket in the lower front pocket for valuables
- Large pocket with side opening and drain holes for boots and other wet gear
- 2 removable zip pockets (one is waterproof) in the main compartment
- Lateral ski carrying system with fast buckles
- Transparent side pocket for name badge
- Side and front handles for easy carrying
- Padded shoulder straps with load adjustment system can be hidden away for travel
- Adjustable chest strap
- Roll-top lid adjusts to the size of the load

The Snowset has been designed in collaboration with our top skimo athletes to carry race gear to and from competitions. Everything is compartmentalized to help ensure nothing is forgotten while packing for a race. In fact, the only thing that carries on the exterior of the pack is the skis. Everything else has a specific spot in the interior of the pack. Wet and dry gear can be separated into specific compartments after the race. The waterproof fabric is heat-sealed for remarkable durability. The shoulder straps can be hidden away to prevent hanging up during transport.

CAMP Be Safe
2574

SKI MOUNTAINEERING, MOUNTAINEERING



- A contained system for organizing avalanche safety gear in any pack
- Large inner mesh pocket
- Slots specifically designed for shovel handle and probe
- Inner elastic loops for securing accessories
- Small inner pocket with elastic opening for essentials
- Fast opening with double zip pulls
- Shoulder straps can be stashed away when carrying inside a larger pack
- Top handle for easy transport

Being prepared when going near avalanche prone terrain saves lives. The Be Safe is a lightweight sleeve pack designed to carry essential avalanche safety gear in a simple, organized way that also allows for fast access in the event of an emergency. By keeping your safety gear contained in one place, the only things you have to remember before heading out on a tour is your beacon check and that your Be Safe pack is with you. The Be Safe is profiled and compartmentalized to carry the following: shovel, probe, avalanche beacon, first aid kit, space blanket, and headlamp. The double zipper system with pull tabs allows the Be Safe to be opened completely with one swift movement.

Ref.	Product name	Capacity	Size	h		Weight		X PRESS	EPOCH BOOK	H ₂ O	SKI	PICKET	HELMET	SKI GEAR
				h (cm)	h (in)	g	oz							
2571	SNOWSET	65 L				2110	74.5							
2574	BE SAFE	10 L				270	9.5							



1 XS-M Anthracite Grey / Red



2 M-L Anthracite Grey / Lime



CAMP Trail Force 5
2577

LIGHT&FAST 1st CLASS

TRAIL RUNNING

- 2-way stretch fabric is superlight, water repellent and fast drying
- Soft, moisture-wicking 3D mesh fabric combines with super soft edging material for superior comfort
- Zippered pocket for mobile phone on the right shoulder strap
- Zippered pocket for accessories on the left shoulder strap
- 2 Soft Flask holders on the shoulder straps are compatible with the new SFC 300 and 600
- 2 wide pockets for gloves and accessories on the shoulder straps
- Main back compartment is accessible from the top
- Hydration compatible
- Side access back pocket can be accessed without removing the pack
- Innovative fast front closure system provides excellent stability
- Functional and fast side adjustments allow for a fine-tuned fit
- Trekking Poles Holder is available separately
- Back loops for racing bib, signal chip, or safety lamp
- Reflective highlights for high visibility
- Available in 2 sizes: S (150-175 cm torso length), L (175-195 cm torso length)

The Trail Force 5 is a hyperlight form-fitting running vest that has been purpose built for sky running races and light and fast missions where having the right gear and enough hydration is critical, but not knowing you're carrying it is essential. The vest is formed with enough material to create enough surface contact with the body to limit movement while running. The main compartment and all accessory compartments feature compression materials to limit load shifting. Soft, ventilated, moisture-wicking 3D mesh combines with super soft edging material anywhere the vest comes in contact with the body for superior comfort even on bare skin. The main front closure combines with elasticized adjustability on the sides to fine-tune the fit. Trekking Poles Holder (sold separately) can be attached for carrying poles when not in use.

Ref.	Product name	Capacity	Size	h		cm		Weight					
				h (cm)	h (in)	cm	in	g	oz				
2577	TRAIL FORCE 5	5 L	XS-M	150-175	59.1-68.9	69-85	27.2-33.5	170	6.0				
			M-L	175-195	68.9-76.8	85-115	33.5-45.3	195	6.9				6



1 XS-M Anthracite Grey / Red



2 M-L Anthracite Grey / Lime



CAMP Trail Force 10
2591

BEST SELLER

TRAIL RUNNING, RAID RACING

- 2-way stretch fabric is superlight, water repellent and fast drying
- Soft, moisture-wicking 3D mesh fabric combines with super soft edging material for superior comfort
- Zippered pocket for mobile phone on the right shoulder strap
- Zippered pocket for accessories on the left shoulder strap
- 2 Soft Flask holders on the shoulder straps are compatible with the SFC 300 and 600
- 2 wide pockets for gloves and accessories on the shoulder straps
- Main zippered compartment with inner pocket for valuables
- Hydration compatible
- Side access back pocket can be accessed without removing the pack
- Innovative fast front closure system provides excellent stability
- Functional and fast side adjustments allow for a fine-tuned fit
- Trekking Poles Holder is available separately
- Back loops for racing bib, signal chip, or safety lamp
- Reflective highlights for high visibility
- Available in 2 sizes: S (150-175 cm torso length), L (175-195 cm torso length)

The Trail Force 10 increases the volume to 10 liters for longer outings in more variable conditions. Like the Trail Force 5, the Trail Force 10 is designed to carry all the necessary gear and hydration in the most ergonomic way. The vest is formed with enough material to create enough surface contact with the body to limit movement while running. The main compartment and all accessory compartments feature compression materials to limit load shifting. Soft, ventilated, moisture-wicking 3D mesh combines with super soft edging material anywhere the vest comes in contact with the body for superior comfort even on bare skin. The main front closure combines with elasticized adjustability on the sides to fine-tune the fit. Trekking Poles Holder (sold separately) can be attached for carrying poles when not in use.

Ref.	Product name	Capacity	Size	h		cm		Weight					
				h (cm)	h (in)	cm	in	g	oz				
2591	TRAIL FORCE 10	10 L	XS-M	150-175	59.1-68.9	69-85	27.2-33.5	240	8.5				
			M-L	175-195	68.9-76.8	85-115	33.5-45.3	255	9.0				6



CAMP Trekking Poles Holder

2638

TRAIL RUNNING

- Removable fast access pouch for carrying trekking poles on all models of Trail Force packs
- Poles can be stowed, stabilized, and removed without removing the pack
- Clips to either shoulder strap and attaches with a hook to the opposite loop on the bottom of the pack
- Drain holes in the bottom

The Trekking Poles Holder functions like a quiver for carrying trekking poles on the complete range of Trail Force packs. The system allows for poles to be stowed, stabilized and removed without removing the pack. The system attaches with clips to either shoulder strap and a hook on the opposite loop on the bottom of the pack so poles can be accessed from either shoulder depending on personal preference.

CAMP Raid Vest

0725

RAID RACING

- Vest pack for Raid and ultra races
- EZ OP buckles on the waist belt and chest strap
- Elastic chest strap allows a for tight fit without impeding breathing
- Ventilated back with mesh padding
- Breathable mesh on the shoulder straps
- Side and bottom panels are constructed from strong 210D Ripstop Nylon
- The front panel is constructed from hyperlight 230D Ripstop Nylon
- Bungee compression straps hold layers or compress unused space
- Water bladder sleeve along the back is separated from the main compartment
- Shoulder straps feature a water bottle/Soft Flask holder on the left and pockets for accessories and gels on the right
- 2 zippered pockets on the waist belt
- 2 large external mesh pockets on the sides
- Internal zip pocket for valuables
- Express trekking pole carrying system
- Hidden helmet holder
- External daisy chain loops for rigging extra gear
- Available in 2 sizes: S (150-175 cm torso length), L (175-195 cm torso length)

An innovative vest pack specifically designed for ultrarunners and raid/adventure racers who require a lot of equipment, but still want to be moving as quickly and effortlessly as possible. The ergonomic design and 20-liter volume also make it an ideal choice for mountain biking and fast-packing. The Raid Vest delivers the same incredible comfort, lightweight and durability as the popular Trail Vest Light, but increases both the capacity and the features to accommodate more gear for longer pursuits. Pockets on the chest straps allow gels, bottles and other accessories to be carried where they can be accessed quickly and easily. This also helps with balance when the main compartment is loaded. EZ OP buckles can be opened with one hand with a single pull of the red tab. Soft 3D mesh padding on the back combines with durable mesh on the shoulder straps for unparalleled comfort and breathability. Bungee compression straps on the back can be used to hold extra layers or to compress unused space to reduce load shifting.



Ref.	Product name	Capacity	Size	Person Icon		Vest Icon		Weight		Water Bladder	Helmet	Bottle	Poles
				h (cm)	h (in)	cm	in	g	oz				
2638	TREKKING POLES HOLDER							82	2.9				
0725	RAID VEST	20 L	S	150-175	59.1-68.9			465	16.4	•	•		
			L	175-195	68.9-76.8			470	16.6				2



CAMP Trail Outback 5
1542B

TRAIL RUNNING, HIKING

- Stretch mesh pockets
- Ventilated shoulder straps and back panel
- Hydration system compatible

A great hydration pack with a low profile (will even fit cleanly under a parka) and comfortable shoulder straps for running and hiking.

Ref.	Product name	Capacity	Size	Person		Bottle		Weight		H ₂ O	Hydration	Bottle	Pack
				h (cm)	h (in)	cm	in	g	oz				
1542B	TRAIL OUTBACK 5	5 L						207	7.3	•			

CAMP SC 200
2594 200 ml - 11 g



- Soft and compressible 200 ml cup
- PVC and BPA free
- Features a reinforced edge and rubber clipping ring

Super light, soft and compressible cup designed to limit the use of throw-away plastic cups at hydration points during races. When not in use the cup compresses flat for carrying in a pack or a pocket. It can also be clipped off with the rubber ring that also serves as a small handle.

CAMP Action Bottle
1794 0.75 L - 100 g
1795 0.75 L Tube - 123 g



1794

1795

HIKING, TREKKING, LIFESTYLE

- 0.75 Liter Capacity
- Available with standard cap or tube
- Sold Individually

A lightweight water bottle available with a flexible tube designed to be carried on the shoulder strap of a pack. The pressure valve prevents leaking, yet still eliminates the need to open or close a lid in order to take a swig. Carry a set in the Bottle Holders designed to attach to the shoulder straps of almost any pack.

CAMP Soft Flask CAMP (SFC)
2592 300 ml - 33 g
2593 600 ml - 44 g



2592

2593

- Soft and compressible flask bottles for active hydration
- PVC and BPA free
- Available in 2 sizes: 300 ml/10 oz and 600 ml/20 oz
- The 600 ml version comes equipped with a removeable tube
- Sold individually

The SFC Soft Flask is a direct response to mountain athletes who want access to hydration carried close to the body, but without the bulk of traditional bottles or the volume of large bladders. Their flexible construction allows them to mold to the position in which they are being carried and they are water soluble so they can be diluted to make them easier to squeeze and swallow on the fly). The 500 ml/16 oz SFC delivers a good amount of hydration without being cumbersome in size or weight. The SFC is constructed from Thermoplastic Polyurethane (TPU) that is tasteless and completely free of PVC and BPA so they meet or exceed US FDA and EC regulations. If you are looking for a better way to keep up on hydration and gels in the mountains, the SFC is the way to go! Sold in packs of three.



CAMP Trail 1

2136 115 g - 4.1 oz

TRAIL RUNNING, HIKING

- HyperGrid SN44 fabric body

Waist belt bottle holder with gel carriers and a small zipper pocket for valuables and other essentials. A bungee ring secures the bottle to the holster when running. Includes 0.75 L bottle.

Ref.	Product name	Weight		
		g	oz	
2136	TRAIL 1	210	7.4	1



CAMP Bottle Holder

2137 62 g (2 pcs)

TRAIL RUNNING, HIKING, SKI MOUNTAINEERING

- Sold in pairs

Water bottle holders designed to attach to the shoulder straps on packs. Sold in pairs. A bungee ring secures the bottle to the holster when running. Bottles not included. Pouches on the sides for carrying gels.



CAMP Ergo Belt

2665

TRAIL RUNNING, HIKING

- A low profile trail belt for carrying hydration and calories
- Large nylon pocket with 2 large entries designed to carry the Soft Flask CAMP (SFC)
- Zippered mesh pocket for snacks and accessories
- Velcro strap closure for precise adjustment
- 300 and 600 ml (one each) Soft Flasks included

A light and fast waist belt for mountain and trail running specifically designed to carry the Soft Flask CAMP (SFC). Constructed from hyperlight ripstop nylon with soft, absorbent padding against the body. Features a large single pocket with 2 entry slots designed to carry two Soft Flasks which come included. The zippered mesh pocket is perfect for carrying essentials like snacks, keys, ID, and other accessories.

Ref.	Product name	Weight			
		g	oz		
2665	ERGO BELT	153	5.4	•	1



CAMP SFC holder

2637 29 g

TRAIL RUNNING, HIKING

- Holder for carrying the SFC Soft Flask designed to attach to the shoulder straps on most packs
- 600 ml Soft Flask (SFC) included
- Sold individually

Elastic mesh holder that attaches with Velcro straps to the shoulder straps on most packs, designed to carry the SFC Soft Flask. SFC 600 included.


ESSENTIAL



ESSENTIAL LINE LIGHT&FAST



Leave no gear behind. The Essential Line is a group of products that are so light and so compact that you eventually run out of excuses not to carry these necessary pieces of gear with you in the backcountry. The C.A.M.P. Research & Development team was tasked with trimming all discretionary features to distill these products down to the very best in four key areas: lightweight, packability, performance and functionality. By carrying Essential products (a complete line with outerwear, tents, sleeping bags, mats and packs) you have at your disposal, ready to protect you, the right gear when conditions unexpectedly turn critical as so often happens in the mountains.

Essential is more than a product line. It is a demanding philosophy that drives the development of gear for those who want only the best. With the Essential approach, C.A.M.P. works tirelessly to reduce weight, increase packability and simplify every detail to achieve more streamlined performance. The Minima tent series now features different models in one, two and three-person versions; they are extremely compact making them the right choice for multi-day adventures. For lovers of lightweight packability, we have also developed the Ghost and Phantom packs that compress into tiny compartments when not in use, but fold out to full 15 liter fast packs with all the features and systems for carrying essential gear.

Insulation for any occasion. C.A.M.P. has a long experience with down insulation from our years developing high-end sleeping bags. This has been the key to our fast and furious development of Essential insulated garments that have grown in popularity by leaps and bounds since their introduction several years ago. The line today features a wide range of models that use down and synthetic insulation in combination with proprietary exterior fabrics that give Essential garments unparalleled properties of warmth versus weight.



RDS certificate: responsible sourcing of down



C.A.M.P. supports the Responsible Down Standard in its use of down and feathers. The down and feathers used for insulation in consumer products is sourced from worldwide production and processing supply chains. The goal of the Responsible Down Standard is to ensure that the waterfowl in the down supply chain are treated humanely. This is accomplished by providing the industry with the best possible tool to ensure that down and feathers do not come from animals that have been subjected to any unnecessary harm and to institute a chain of custody system to validate the source of the material. At the same time as helping to improve the welfare of animals, the Responsible Down Standard provides retailers and consumers alike with greater confidence in responsible sourcing.

DWR CO (PFC Free) treatment for CAMP products



The DWR (Durable Water Repellent) treatment ensures the water repellency of a fabric, by making drops of water that come in contact with the treated fabric slide off the surface without impregnating it. C.A.M.P. has adopted a CO DWR treatment that guarantees zero use of fluorocarbons (PFC free). This is an advantage both for the health of the environment and the user. CO already used on all items of apparel and will also be used on future production of sleeping bags.

Category leaders



1ST CLASS
ED Hyper Jacket
2858



BEST SELLER
Protection Jacket
2506



BEST SELLER
ED Protection Jacket
2841



1ST CLASS
Minima 2 Pro
2902



BEST SELLER
Ghost
2628

Essential Materials

DISCOVER THE MATERIALS THAT MAKE OUR OUTERWEAR UNIQUE



DOWN: down insulation remains the best insulation material in terms of weight v. warmth. NN/NN indicates the percentage of down and feathers by weight (for example 90/10 means 90% down and 10% feathers). Fill Power measures the ability of the down to loft and fill space thereby providing insulation; generally, the higher the fill power rating, the better the quality and insulation value of the down. The ED Line uses both goose and duck down, depending on the model. Goose down has the highest loft so it is the best in terms of weight v. volume. Duck down has less loft, but is notable for its durability and ability to rebound without losing performance over time.



PrimaLoft® Silver Insulation

PRIMALOFT® SILVER: synthetic insulation engineered to deliver a full spectrum of benefits. Millions of air pockets trap body heat for excellent insulation and the lack of bulk means great freedom of movement. The PrimaLoft® hydrophobic treatment ensures that it will continue to insulate even when it is wet. PrimaLoft® Silver strikes a near perfect blend as a lightweight insulator for active applications in variable conditions.



ARANEUM: a windproof, hyperlight and packable Nylon Ripstop fabric that is calendered* to make it downproof without using any coatings. This makes the fabric perfect for use with down filling as it remains surprisingly breathable, allowing vapor to escape and for the fabric to dry with active body heat. A DWR (Durable Water Repellent) treatment also makes the fabric water repellent.



HITEX EVO: a lightweight and very strong Nylon Ripstop fabric with a DWR (Durable Water Repellent) treatment on the exterior and a special interior coating that makes the fabric waterproof and breathable. It also features an anti-stain treatment.



NIVIX EVO: an amazingly strong and durable Ripstop Nylon fabric for the most technical activities. Nivix Evo features a mixed construction that delivers an optimal blend of strength, durability and lightweight. Downproof by design, it also features a DWR (Durable Water Repellent) treatment on the exterior and an inner coating that makes the fabric waterproof and breathable.



FLEXTEX: an elasticized softshell fabric that delivers a performance fit with great freedom of movement. Lightweight, durable, and water resistant with WR (Water Repellent) treatment, it is an ideal material for technical layering and outer pieces.



B-STRECH: a soft nylon fabric that is elasticized for the best blend of lightweight, packability, dexterity, and comfort. The WR (Water Repellent) treatment makes the fabric water-repellent.



T-LITE: a lightweight, breathable Nylon fabric that is calendered* to be down proof without the use of coatings. It is used as the liner of choice for all of our essential winter garments.



T-FLEX: stretch fabric designed for intense sport activities. Made from extremely soft and uncoated polyester, T-Flex is unique for its amazing breathability even with water repellent properties from the DWR (Durable Water Repellent) treatment. The weave allows the fabric to stretch for great freedom of movement.

* **CALENDERING:** a finishing process where the fabric is pressed under heated rollers. The process makes the fabric more durable, windproof and downproof.

CARE AND MAINTENANCE. The unique features of Essential Outerwear are best maintained over time by following these basic rules: hand wash in lukewarm water using a delicate soap; don't rub, squeeze, or wring out garments; allow to dry completely in a well-ventilated space. For more details, please refer to the washing instructions on each product.

Essential Clothing

Ref.	Product name	Sizes	Weight Size (M)		Fabrics			Seam taping	Hood	Cut
			g	oz	Name	Inner finishing	Outer finishing			
2504	FULL PROTECTION JACKET	XS - S - M L - XL - XXL	180	6.4	Hitex Evo	PU coating	Water resistant treatment	•	Technical	Regular Fit
2505	FULL PROTECTION PANT	XS - S - M L - XL - XXL	140	4.9	Hitex Evo	PU coating	Water resistant treatment	•		Regular Fit
2506	PROTECTION JACKET	XS - S - M L - XL - XXL	160	5.6	Hitex Evo	PU coating	Water resistant treatment		Classic	Regular Fit
2507	PROTECTION PANT	XS - S - M L - XL - XXL	150	5.3	Hitex Evo	PU coating	Water resistant treatment			Regular Fit

Full Protection Line



CAMP

Full Protection Jacket
2504



CAMP

Full Protection Pant
2505

Protection Line



CAMP

Protection Jacket
2506



CAMP

Protection Pant
2507



1 Black



CAMP Full Protection Jacket

2504

1ST CLASS

MOUNTAINEERING, SKI MOUNTAINEERING, ALPINISM, HIKING, TREKKING

- Windproof, waterproof, breathable shell
- Hitex Evo fabric is light, strong, and highly weather resistant with a DWR treatment for excellent water repellency over time
- Special wrap-around construction reduces the number of seams
- Taped seams
- Technical hood with semi-rigid visor, adjustment system and Velcro keeper for when the hood is not in use
- Waterproof full-length YKK® #3 zipper
- 2 external side pockets with hidden YKK® #3 zippers are positioned to allow access while wearing a pack and harness
- Elasticized waist
- Elasticized cuffs with thumb loops
- Laser perforated armpits for additional ventilation
- Built-in Stow-Away Pocket on back
- Regular Fit

The Full Protection Jacket uses our top-of-the-line HiTex Evo fabric and advanced construction to deliver a windproof, waterproof, breathable shell that ensures complete protection in case of bad weather. Features a special wrap-around construction that reduces the number of seams and all seams are taped for complete waterproofing. Other features include a technical hood with a visor, external pockets that are accessible while wearing a pack and harness and a built-in stow-away pocket on the back. Hyperlight and extremely packable, the Full Protection Jacket is ideal for any kind of mountain activity.



Black

CAMP Full Protection Pant

2505

1ST CLASS

MOUNTAINEERING, SKI MOUNTAINEERING, ALPINISM, HIKING, TREKKING

- Windproof, waterproof and breathable pant
- Hitex Evo fabric is light, strong, and highly weather resistant with a DWR treatment for excellent water repellency over time
- Taped seams
- Full-Length waterproof YKK® #3 zippers along legs allow pant to be put on while wearing boots and skis
- Hip pocket with YKK® #3 zipper
- Elasticized adjustable waist
- Stow-Away Pocket

Team the Full Protection Pant with the Full Protection Jacket to have dry legs amid the worst weather conditions. Full-length zippers allow the pants to be donned over boots and skis and the breathable, wind and water repellent properties of the fabric mean they will do as good of a job trapping heat in as they will keeping the elements out.

Ref.	Product name	Sizes	Weight Size (M)		Fabrics			Seam taping	Hood	Cut
			g	oz	Name	Inner finishing	Outer finishing			
2504	FULL PROTECTION JACKET	XS - S - M L - XL - XXL	180	6.4	Hitex Evo	PU coating	Water resistant treatment	•	Technical	Regular Fit
2505	FULL PROTECTION PANT	XS - S - M L - XL - XXL	140	4.9	Hitex Evo	PU coating	Water resistant treatment	•		Regular Fit



1 Black



CAMP Protection Jacket

2506

BEST SELLER

MOUNTAINEERING, SKI MOUNTAINEERING, ALPINISM, HIKING, TREKKING

- Windproof, waterproof and breathable shell
- Hitex Evo fabric is light, strong, and highly weather resistant with a DWR treatment for excellent water repellency over time
- Elastic hood with adjustment system and Velcro to fold back the hood when not in use
- Full-length YKK® #3 zipper
- 2 external side pockets with hidden YKK® #3 zippers are positioned to allow access while wearing a pack and harness
- Elasticized waist
- Elasticized cuffs with thumb holes
- Laser perforated armpits for additional ventilation
- Back Stow-Away Pocket
- Regular Fit

Versatile, light and packable windproof shell, ideal for all outdoor activities. Fold the Protection Jacket in its integrated Stow-Away Pocket and take it in your pack to provide insurance in case of bad weather. The Protection Jacket is very comfortable and breathable thanks to Hitex Evo fabric and perforated armpits.

CAMP Protection Pant

2507

BEST SELLER

MOUNTAINEERING, SKI MOUNTAINEERING, ALPINISM, HIKING, TREKKING

- Windproof, water repellent and breathable pant
- Hitex Evo fabric is light, strong, and highly weather resistant with a DWR treatment for excellent water repellency over time
- Full-Length YKK® #3 zippers allow pant to be put on while wearing boots and skis
- Hip pocket with YKK® #3 zipper
- Adjustable elasticized waist
- Shaped knees for performance fit
- Stretch fabric inserts on the back panels and crotch for dexterity
- Elastic siliconized ankle cuffs for a tight closure around boots
- Stow-Away Pocket

Team the Protection Pants with the Protection Jacket for a full suit that is minimalist in weight, but offers good protection from wind and rain. Full-length zippers allow the pants to be donned over boots and skis and the breathable, wind and water repellent properties of the fabric mean they will do as good a job trapping heat in as they will keeping the elements out.



1 Black

Ref.	Product name	Sizes	Weight Size (M)		Fabrics			Seam taping	Hood	Cut
			g	oz	Name	Inner finishing	Outer finishing			
2506	PROTECTION JACKET	XS - S - M L - XL - XXL	160	5.6	Hitex Evo	PU coating	Water resistant treatment		Classic	Regular Fit
2507	PROTECTION PANT	XS - S - M L - XL - XXL	150	5.3	Hitex Evo	PU coating	Water resistant treatment			Regular Fit




Essential Winter Outerwear

Ref.	Product name	Sizes	Weight			Exterior Fabrics	Filling			Hood	Cut
			Size	g	oz		Type	Filling Power (cuin)	Average weight		
2858	ED HYPER JACKET	S-M-L XL-XXL	M	445	15.7	Hitex Evo	90/10 White Duck Down R.D.S.	700	150 g	Technical	Regular Fit
2859	ED HYPER JACKET LADY	XS-S-M L-XL	S	390	13.8	Hitex Evo	90/10 White Duck Down R.D.S.	700	140 g	Technical	Regular Fit
2857	ED VULCAN JACKET	S-M-L XL-XXL	M	585	20.7	Araneum B-Stretch	90/10 White Goose Down R.D.S.	750	250 g	Technical	Regular Fit
2840	CHAMELEON DUAL JACKET	S-M-L XL-XXL	M	455	16.1	Hitex Evo	90/10 White Duck Down R.D.S. +Primaloft® Silver	750	100 g + undersleeve-side 80 g/m²	Foldable	Regular Fit
2839	NIVIX JACKET 2.0	XS-S-M L-XL-XXL	M	700	24.7	Nivix Evo	90/10 White Duck Down R.D.S.	750	190 g	Technical	Regular Fit
2841	ED PROTECTION JACKET	S-M-L XL-XXL	M	410	14.5	Hitex Evo	90/10 White Duck Down R.D.S.	750	150 g	Technical	Slim Fit
2842	ED PROTECTION JACKET LADY	XS-S-M L-XL	S	350	12.4	Hitex Evo	90/10 White Duck Down R.D.S.	750	140 g	Technical	Slim Fit
2847	CLOUD JACKET	S-M-L XL-XXL	M	395	13.9	Araneum	80/20 White Duck Down R.D.S.	600	170 g	Classic	Slim Fit
2848	CLOUD JACKET LADY	XS-S-M L-XL	S	325	11.5	Araneum	80/20 White Duck Down R.D.S.	600	150 g	Classic	Slim Fit
2843	ED MOTION JACKET LIGHT	S-M-L XL-XXL	M	325	11.5	Araneum	90/10 White Duck Down R.D.S.	700	100 g		Regular Fit
2844	ED MOTION VEST	S-M-L XL-XXL	M	245	8.6	Araneum	90/10 White Duck Down R.D.S.	700	70 g		Regular Fit
2845	ED MOTION JACKET LIGHT LADY	XS-S-M L-XL	S	275	9.7	Araneum	90/10 White Duck Down R.D.S.	700	90 g		Regular Fit
2846	ED MOTION VEST LADY	XS-S-M L-XL	S	215	7.6	Araneum	90/10 White Duck Down R.D.S.	700	60 g		Regular Fit
2853	HYBRID JACKET	S-M-L XL-XXL	M	430	15.2	FlexTex Araneum	80/20 White Duck Down R.D.S. +Primaloft® Silver	600	50 g + back 100 g/m²	Classic	Slim Fit
2854	HYBRID VEST	S-M-L XL-XXL	M	285	10.1	FlexTex Araneum	80/20 White Duck Down R.D.S. +Primaloft® Silver	600	25 g + back 100 g/m²		Slim Fit
2855	HYBRID JACKET LADY	XS-S-M L-XL	S	375	13.2	FlexTex Araneum	80/20 White Duck Down R.D.S. +Primaloft® Silver	600	45 g + back 100 g/m²	Classic	Slim Fit
2856	HYBRID VEST LADY	XS-S-M L-XL	S	250	8.8	FlexTex Araneum	80/20 White Duck Down R.D.S. +Primaloft® Silver	600	20 g + back 100 g/m²		Slim Fit
2849	BLADE JACKET	S-M-L XL-XXL	M	560	19.8	Araneum	Primaloft® Silver		133 g/m² + hood 100 g/m²	Technical	Regular Fit
2850	ADRENALINE JACKET 2.0	XS-S-M L-XL	M	435	15.4	Hitex Evo	Primaloft® Silver		80 g/m²	Foldable	Slim Fit
2851	ADRENALINE PANT 2.0	XS-S-M L-XL	M	360	12.7	Hitex Evo Elastic Fabric	Primaloft® Silver		40 g/m²		Slim Fit
2852	ADRENALINE SHORT PANT	XS-S-M L-XL	M	280	9.9	Hitex Evo Elastic Fabric	Primaloft® Silver		40 g/m²		Slim Fit
2361	ACTIVE JACKET	S-M-L-XL XXL-XXXL	M	390	13.8	X-Soft					Slim Fit
2362	ACTIVE VEST	S-M-L-XL XXL-XXXL	M	290	10.2	X-Soft					Slim Fit

FIT Guide


Slim Fit

- Waist-fitted cut
- Can be worn as an insulating or outer layer




Regular Fit

- Classic cut
- For use as an outer layer with a more spacious fit than the Slim Fit



Size Chart


Measurements refer to body size, not to garment size.



MAN												
Size	XS		S		M		L		XL		XXL	
	cm	in	cm	in	cm	in	cm	in	cm	in	cm	in
1. Chest	88-91	34.6-35.8	92-95	36.2-37.4	96-99	37.7-38.9	100-103	39.3-40.5	104-107	40.9-42.1	108-111	42.5-43.7
2. Waist	76-79	29.9-31.1	80-83	31.4-32.6	84-87	33-34.2	88-91	34.6-35.8	92-95	36.2-37.4	96-99	37.7-38.9
3. Hip	92-95	36.2-37.4	96-99	37.7-38.9	100-103	39.3-40.5	104-107	40.9-42.1	108-111	42.5-43.7	112-115	44-45.2
4. Arm	79	31.1	81	31.9	83	32.7	85	33.5	87	34.3	89	35.0

MEN - Measurement points

1. Measure around the widest part of your chest, keeping the tape snug and level under your arms and across your back.
2. Measure around the narrowest part of your waist.
3. Measure around the widest part of your hips.
4. Measure sleeve length from the center back of your neck, across your shoulder over the bent elbow, to the center of the wrist bone.



WOMAN											
Size	XS		S		M		L		XL		
	cm	in	cm	in	cm	in	cm	in	cm	in	
1. Breast	86-89	33.8-35	90-93	35.4-36.6	94-97	37-38.1	98-101	38.5-39.7	102-105	40.1-41.3	
2. Waist	62-65	24.4-25.5	66-69	25.9-27.1	70-73	27.5-28.7	74-77	29.1-30.3	78-81	30.7-31.8	
3. Hip	90-93	35.4-36.6	94-97	37-38.1	98-101	38.5-39.7	102-105	40.1-41.3	106-109	41.7-42.9	
4. Arm	75	29.5	77.5	30.5	79	31.1	80.5	31.7	83	32.7	

WOMAN - Measurement points

1. Measure around the widest part of your bust, keeping the tape level under your arms and across your back.
2. Measure around the narrowest part of your waist.
3. Measure around the widest part of your hips.
4. Measure sleeve length from the center back of your neck, across your shoulder over the bent elbow, to the center of the wrist bone.

ED Hyper



CAMP
ED Hyper Jacket
2858



CAMP
ED Hyper Jacket Lady
2859

ED Vulcan



CAMP
ED Vulcan Jacket
2857

Chameleon



CAMP
Chameleon Dual Jacket
2840

Nivix



CAMP
Nivix Jacket 2.0
2839

ED Protection



CAMP
ED Protection Jacket
2841



CAMP
ED Protection Jacket Lady
2842

Cloud



CAMP
Cloud Jacket
2847



CAMP
Cloud Jacket Lady
2848

ED Motion



CAMP
ED Motion Jacket Light
2843



CAMP
ED Motion Vest
2844



CAMP
ED Motion Jacket Light Lady
2845



CAMP
ED Motion Vest Lady
2846

Hybrid



CAMP
Hybrid Jacket
2853



CAMP
Hybrid Vest
2854



CAMP
Hybrid Jacket Lady
2855



CAMP
Hybrid Vest Lady
2856

Blade



CAMP
Blade Jacket
2849

Adrenaline



CAMP
Adrenaline Jacket 2.0
2850



CAMP
Adrenaline Pant 2.0
2851



CAMP
Adrenaline Short Pant
2852

Active



CAMP
Active Jacket
2361



CAMP
Active Vest
2362

Technical features on CAMP Essential Winter Outerwear

- C.A.M.P. supports the Responsible Down Standard in its use of down and feathers to ensure that the waterfowl in the down supply chain are treated humanely. This is accomplished by providing the industry with the best possible tool to ensure that down and feathers do not come from animals that have been subjected to any unnecessary harm and to institute a chain of custody system to validate the source of the material.
- CO treatment (zero use of fluorocarbons, PFC free) for the health of the environment and the user. DWR (Durable Water Repellent) treatment ensures the water repellency of the fabric.
- HITEX EVO: a lightweight Nylon Ripstop fabric with a special coating that makes the fabric waterproof and breathable. It also features an anti-stain treatment.



* Features vary by model



Ski mountaineering in Val Culea, on the north side of Gruppo Sella on Dolomites - © Francesco Tremolada



3 Pastel Blue / Lime Punch



1 Black / Lime Punch

2 Black Grey / Anthracite Grey

4 Green / Anthracite Grey

CAMP ED Hyper Jacket

2858

1ST CLASS

ALPINISM, SKI MOUNTAINEERING, MOUNTAINEERING, LIFESTYLE

- Premium-grade white duck down with 700 fill power
- Hitex Evo ripstop nylon shell is light, strong, and still highly weather resistant with a DWR treatment
- T-Lite fabric lining
- 2 zippered inner pockets
- Full-length YKK® #5 zipper with anti-jam system
- 2 zippered external pockets positioned to allow access while wearing a pack and harness
- 2 large inner elasticized pockets
- Zippered inner pocket
- Separate stuff sack for carrying
- Adjustable waist with elastic cord
- Elasticized windproof cuffs
- Regular Fit

The ED Hyper Jacket features a more classic construction, but delivers the same protection from cold that CAMP jackets are known for. 150 grams of 700 fill power premium-grade white duck down combine with a profiled fit and elasticized windproof cuffs for optimal thermal insulation and excellent comfort and mobility.



4 Dark Pink / Anthracite Grey



1 Cobalt Blue / Turquoise

2 Black Grey / Opal Green

3 Pastel Blue / Opal Green

CAMP ED Hyper Jacket Lady

2859

LADY

ALPINISM, SKI MOUNTAINEERING, MOUNTAINEERING, LIFESTYLE

- Premium-grade white duck down with 700+ fill power
- Hitex Evo ripstop nylon shell is light, strong, and still highly weather resistant with a DWR treatment
- T-Lite fabric lining
- 2 zippered inner pockets
- Full-length YKK® #5 zipper with anti-jam system
- 2 zippered external pockets positioned to allow access while wearing a pack and harness
- 2 large inner elasticized pockets
- Zippered inner pocket
- Separate stuff sack for carrying
- Adjustable waist with elastic cord
- Elasticized windproof cuffs
- Regular Fit

Female version of the ED Hyper Jacket. The ED Hyper Jacket Lady features a more classic construction, but delivers the same protection from cold that CAMP jackets are known for. 140 grams of 700 fill power premium-grade white duck down combine with a profiled fit and elasticized windproof cuffs for optimal thermal insulation and excellent comfort and mobility.

Ref.	Product name	Sizes	Weight			Exterior Fabrics	Filling			Hood	Cut
			Size	g	oz		Type	Filling Power (cuin)	Average weight		
2858	ED HYPER JACKET	S-M-L XL-XXL	M	445	15.7	Hitex Evo	90/10 White Duck Down R.D.S.	700	150 g	Technical	Regular Fit
2859	ED HYPER JACKET LADY	XS-S-M L-XL	S	390	13.8	Hitex Evo	90/10 White Duck Down R.D.S.	700	140 g	Technical	Regular Fit



2 Cobalt Blue / Lime Punch



1 Black / Lime Punch

CAMP ED Vulcan Jacket 2857

ALPINISM, MOUNTAINEERING

- Top quality goose down jacket with 750+ fill power
- The warmest jacket in the Essential range
- Araneum fabric shell with B-Stretch fabric inserts on the sides and inner faces of the sleeves and collar
- T-Lite fabric lining
- Dual construction for optimal thermal insulation: Baffle Construction prevents cold spots in the most exposed parts and Stitched-Through construction delivers good dexterity on the sides and inner faces of the sleeves
- Adjustable technical hood is helmet compatible
- Full-length 2-way YKK® #5 zipper with anti-jam system and flap cover
- 2 zippered external side pockets
- 2 wide inner mesh pockets
- Inner chest pocket
- Separate stuff pocket
- Adjustable waist with elastic cord
- Elasticized windproof cuffs
- Regular fit

The warmest jacket in the Essential range with 250 grams of 750+ fill power goose down and baffle Construction in the most exposed parts to eliminate cold spots that reduce the thermal efficiency typical of traditional Stitched-Through construction. The ED Vulcan Jacket also features the technical attributes that have made the Essential range of jackets so beloved by technical users. Lightweight and compact with the Araneum fabric shell, form fitting with B-Stretch fabric inserts on the sides, and premium quality down for comfortable, dry warmth even in the coldest conditions.

CAMP Chameleon Dual Jacket 2840



ALPINISM, SKI MOUNTAINEERING, MOUNTAINEERING, LIFESTYLE



1 Black Grey / Anthracite Grey



2 Cobalt Blue / Lime Punch

3 Green / Anthracite Grey

- 2 products in 1: a versatile technical jacket with zip-off sleeves to become a vest
- New adjustable waist with elastic cord
- Combines premium grade 750+ fill power white duck down with PrimaLoft® Silver insulation
- Hitex Evo ripstop nylon shell is light, strong, and still highly weather resistant with a DWR treatment
- T-Lite fabric lining
- Adjustable hidden hood with stretch inserts fits securely over a helmet
- Full-length 2-way YKK® #5 zipper with anti-jam system
- 2 zippered external side pockets
- Outer chest pocket with vertical zipper
- 2 large inner pockets and a small phone pocket
- Stow-Away Pocket
- Elasticized cuffs
- Regular Fit

The name says it all: the Chameleon Dual is a versatile technical garment designed to adapt for every kind of mountain athlete. Thanks to detachable sleeves, you get two products in one for the best comfort and performance regardless of the specific activity or conditions. Ski mountaineers will zip off the sleeves for climbing and reattach them for the cold descent. Climbers will find special use for the detachable sleeves as they climb through sections of sun and shade, wind and calm, or switch from the sharp end to belaying. The Chameleon Dual Jacket combines premium-grade white duck down with PrimaLoft® Silver insulation in a way that maximizes each material's specific attributes. Down is used on the front and back panels, shoulders, and outer sleeves to ensure the best thermal insulation for the core. PrimaLoft® Silver is used on the side panels and inner sleeves where your body compresses the fill. The superlight, strong, durable and breathable Hitex Evo ripstop nylon shell fabric features a DWR treatment. A lightweight hidden hood, inner and outer pockets and a special Stow-Away Pocket round out the features on this incredibly versatile vest and jacket.

Ref.	Product name	Sizes	Weight			Exterior Fabrics	Filling			Hood	Cut
			Size	g	oz		Type	Filling Power (cuin)	Average weight		
2857	ED VULCAN JACKET	S-M-L XL-XXL	M	585	20.7	Araneum B-Stretch	90/10 White Goose Down R.D.S.	750	250 g	Technical	Regular Fit
2840	CHAMELEON DUAL JACKET	S-M-L XL-XXL	M	455	16.1	Hitex Evo	90/10 White Duck Down R.D.S. +PrimaLoft® Silver	750	100 g + undersleeve-side 80 g/m²	Foldable	Regular Fit



1 Black / Lime Punch



CAMP Nivix Jacket 2.0
2839

ALPINISM, SKI MOUNTAINEERING, MOUNTAINEERING, ALPINE SKIING, LIFESTYLE

- Premium-grade white duck down with 750+ fill power
- Nivix Evo nylon ripstop fabric is water repellent, breathable and super strong
- T-Lite fabric lining
- Full-size hood with visor fits over a helmet
- Full-length 2-way YKK® #5 zipper with anti-jam system
- 2 zippered external side pockets
- Zippered outer chest pocket
- 2 large inner pockets and a small phone pocket
- Ski pass pocket on the left sleeve
- Separate stuff-in pocket
- Elasticized waist
- Zippered armpits for additional ventilation
- Elasticized windproof cuffs with thumb holes
- Regular Fit

The Nivix Jacket 2.0, based on the popular ED Protection Jacket, uses a more robust exterior fabric and extra insulation to make it tougher and warmer for alpine skiing. 190 grams of premium-grade white duck down with 750+ fill power combine with the Nivix Evo ripstop nylon fabric that is both breathable and water repellent. We have designed this jacket for the coldest active alpine conditions, from first tracks and icy ski runs to alpine walls and long couloirs. Alpinists in particular will appreciate the strength and durability of the Nivix Evo fabric while skiers will love the extra bit of insulation and the stretch panels on the sides that keep the jacket snug to the body but still free for dynamic movement. The small pocket on the lower left sleeve is designed to carry a ski pass, climbing topos or other accessories.



2 Cobalt Blue / Lime Punch



3 Night Blue / Dark Orange



4 Green / Anthracite Grey

Ref.	Product name	Sizes	Weight			Exterior Fabrics	Filling			Hood	Cut
			Size	g	oz		Type	Filling Power (cuin)	Average weight		
2839	NIVIX JACKET 2.0	XS-S-M L-XL-XXL	M	700	24.7	Nivix Evo	90/10 White Duck Down R.D.S.	750	190 g	Technical	Regular Fit



5 Cobalt Blue / Dark Orange

Bergsteiger
TIPP
Preis/Leistg.



1 Black / Lime Punch



2 Night Blue / Lime Punch



3 Pastel Blue / Lime Punch



4 Black Grey / Anthracite Grey



6 Green / Anthracite Grey

CAMP ED Protection Jacket

2841

BEST SELLER

ALPINISM, SKI MOUNTAINEERING, MOUNTAINEERING, LIFESTYLE

- Premium-grade white duck down with 750+ fill power
- Hitex Evo ripstop nylon shell is light, strong, and still highly weather resistant with a DWR treatment
- T-Lite fabric lining
- Full-size hood with visor fits over a helmet
- Full-length YKK® #5 zipper with anti-jam system
- 2 zippered external side pockets
- Zippered outer chest pocket
- 2 large inner pockets and a small phone pocket
- Stow-Away Pocket
- Elasticized waist
- Elasticized cuffs
- Elasticized sides for comfort and mobility
- Slim Fit

The ED Protection Jacket is the right choice for protection from the cold and snow. This 'double shield' of protection comes from the blend of premium-grade white duck down insulation and superlight, strong, durable and breathable Hitex Evo ripstop nylon shell fabric with a DWR treatment. The full-size visored hood, inner and outer pockets and a special Stow-Away Pocket round out the features on this sleek jacket.



3 Pastel Blue / Opal Green



1 Cobalt Blue / Pastel Violet



2 Black / Pastel Violet



4 Dark Pink / Anthracite Grey

CAMP ED Protection Jacket Lady

2842

LADY

ALPINISM, SKI MOUNTAINEERING, MOUNTAINEERING, LIFESTYLE

- Premium-grade white duck down with 750+ fill power
- New more linear construction for greater comfort
- Hitex Evo ripstop nylon shell is light, strong, and still highly weather resistant with a DWR treatment
- T-Lite fabric lining
- Full-size hood with visor fits over a helmet
- Full-length YKK® #5 zipper with anti-jam system
- 2 zippered external side pockets
- Zippered outer chest pocket
- 2 large inner pockets and a small phone pocket
- Stow-Away Pocket
- Elasticized cuffs
- Elasticized sides for comfort and mobility
- Slim Fit

Stay warm and dry even in the most miserable conditions. The ED Protection Jacket Lady, with updated construction for greater comfort, is the right choice for protection from the cold and snow. This 'double shield' of protection comes from the blend of premium-grade white duck down insulation and superlight, strong, durable and breathable Hitex Evo ripstop nylon shell fabric with a DWR treatment. The full-size visored hood, inner and outer pockets and a special Stow-Away Pocket round out the features on this sleek jacket.

Ref.	Product name	Sizes	Weight			Exterior Fabrics	Filling			Hood	Cut
			Size	g	oz		Type	Filling Power (cuin)	Average weight		
2841	ED PROTECTION JACKET	S-M-L XL-XXL	M	410	14.5	Hitex Evo	90/10 White Duck Down R.D.S.	750	150 g	Technical	Slim Fit
2842	ED PROTECTION JACKET LADY	XS-S-M L-XL	S	350	12.4	Hitex Evo	90/10 White Duck Down R.D.S.	750	140 g	Technical	Slim Fit



1 Black / Anthracite Grey



2 Emerald Green / Cobalt Blue



3 Pastel Blue / Lime Punch

CAMP Cloud Jacket
2847

MOUNTAINEERING, SKI MOUNTAINEERING, LIFESTYLE

- 600 fill down insulation
- Araneum fabric is lightweight, breathable and water resistant with a DWR treatment
- T-Lite fabric lining
- Simple hood design
- Full-length YKK® #5 zipper with anti-jam system
- 2 external side pockets with YKK® zippers
- 2 large inner pockets and a smaller phone pocket
- Stow-Away Pocket
- Elasticized waist
- Elasticized cuffs
- Elasticized sides for great comfort and mobility
- Slim Fit

An all-mountain layer for everyday use, the Cloud Jacket fits in on the slopes and trails, around town, or at school and work. The Cloud Jacket is an authentic workhorse: light, warm, comfortable, and affordable. It features the same fit as the popular ED Protection Jacket but with a different look, larger channels, and strong double stitching.

CAMP Cloud Jacket Lady
2848

LADY

MOUNTAINEERING, SKI MOUNTAINEERING, LIFESTYLE

- 600 fill down insulation
- Araneum fabric is lightweight, breathable and water resistant with a DWR treatment
- T-Lite fabric lining
- Insulated hood
- Full-length YKK® #5 zipper with anti-jam system
- 2 external side pockets with YKK® zippers
- 2 large inner pockets and a smaller phone pocket
- Stow-Away Pocket
- Elasticized waist
- Elasticized cuffs
- Slim Fit

Our female specific version of the Cloud Jacket is an all-around layer for everyday use in the backcountry or around town. Now, thanks to the Cloud Jackets, the Essential Line's quality becomes affordable. The Cloud Lady is an authentic workhorse: light, warm, comfortable, and durable. It features the same fit as the popular ED Protection Lady, but with a variable channeled design with strong double stitching.



3 Emerald Green / Lime Punch



1 Black / Fuchsia



2 Cobalt Blue / Turquoise

Ref.	Product name	Sizes	Weight			Exterior Fabrics	Filling			Hood	Cut
			Size	g	oz		Type	Filling Power (cuin)	Average weight		
2847	CLOUD JACKET	S-M-L XL-XXL	M	395	13.9	Araneum	80/20 White Duck Down R.D.S.	600	170 g	Classic	Slim Fit
2848	CLOUD JACKET LADY	XS-S-M L-XL	S	325	11.5	Araneum	80/20 White Duck Down R.D.S.	600	150 g	Classic	Slim Fit



3 Black /
Lime Punch



2 Cobalt Blue /
Lime Punch



4 Emerald Green /
Anthracite Grey

CAMP ED Motion Jacket Light
2843

MOUNTAINEERING, SKI MOUNTAINEERING, ALPINISM, LIFESTYLE

- Extremely versatile jacket optimized for variable shoulder season weather
- Premium-grade white duck down with 700+ fill power
- Araneum fabric is lightweight, breathable and water resistant with a DWR treatment
- T-Lite fabric lining
- Full-length YKK® #5 zipper with anti-jam system
- 2 large zippered external side pockets
- 2 large inner pockets
- Stow-Away Pocket
- Adjustable elastic cord seals the bottom hem from drafts
- Elasticized cuffs
- Regular Fit

A casual jacket for wearing in and around town with all of the technical features that high-end users have come to expect from the Essential Outerwear line. Araneum fabric on the exterior combines with lightweight premium white duck down insulation and the soft T-Lite fabric lining for a particularly comfortable and cozy feel. The Regular Fit allows it to be worn comfortably as an outer layer and the full-size hood is ready to lock in extra warmth when temperatures start to cool.



1 Anthracite Grey /
Lime Punch



2 Cobalt Blue /
Lime Punch



3 Black /
Lime Punch



4 Emerald Green /
Anthracite Grey

CAMP ED Motion Vest
2844

MOUNTAINEERING, SKI MOUNTAINEERING, ALPINISM, LIFESTYLE

- Extremely versatile vest optimized for variable shoulder season weather
- Premium-grade white duck down with 700+ fill power
- Araneum fabric is lightweight, breathable and water resistant with a DWR treatment
- T-Lite fabric lining
- Full-length YKK® #5 zipper with anti-jam system
- 2 large zippered external side pockets
- 2 large inner pockets
- Stow-Away Pocket
- Adjustable elastic cord seals the bottom hem from drafts
- Regular Fit

A casual and stylish vest with all of the technical features that high-end users have come to expect from the Essential Outerwear line. Araneum fabric on the exterior combines with middle weight premium white duck down insulation and the soft T-Lite fabric lining for a particularly comfortable and cozy feel. The Regular Fit makes it particularly comfortable as an outer layer.

Ref.	Product name	Sizes	Weight			Exterior Fabrics	Filling			Hood	Cut
			Size	g	oz		Type	Filling Power (cuin)	Average weight		
2843	ED MOTION JACKET LIGHT	S-M-L XL-XXL	M	325	11.5	Araneum	90/10 White Duck Down R.D.S.	700	100 g		Regular Fit
2844	ED MOTION VEST	S-M-L XL-XXL	M	245	8.6	Araneum	90/10 White Duck Down R.D.S.	700	70 g		Regular Fit



3 Pastel Blue / Fuchsia



1 Black / Opal Green



2 Pink / Cobalt Blue



4 Light Blue / Cobalt Blue

CAMP ED Motion Jacket Light Lady

2845

LADY

MOUNTAINEERING, SKI MOUNTAINEERING, ALPINISM, LIFESTYLE

- Extremely versatile jacket optimized for variable shoulder season weather
- Premium-grade white duck down with 700+ fill power
- Araneum fabric is lightweight, breathable and water resistant with a DWR treatment
- T-Lite fabric lining
- Full-length YKK® #5 zipper with anti-jam system
- 2 large zippered external side pockets
- 2 large inner pockets
- Stow-Away Pocket
- Adjustable elastic cord seals the bottom hem from drafts
- Elasticized cuffs
- Regular Fit

Women's version of the sleek ED Motion Jacket Light. The ED Motion Lady Light is a casual jacket for wearing in and around town with all of the technical features that high-end users have come to expect from the Essential Outerwear line. Araneum fabric on the exterior combines with lightweight premium white duck down insulation and the soft T-Lite fabric lining for a particularly comfortable and cozy feel. The Regular Fit is profiled for a sleek appearance as an outer layer and the full-size hood is ready to lock in extra warmth when temperatures start to cool.

CAMP ED Motion Vest Lady

2846

LADY

MOUNTAINEERING, SKI MOUNTAINEERING, ALPINISM, LIFESTYLE



2 Pink / Cobalt Blue



1 Black / Opal Green



3 Pastel Blue / Fuchsia

- Extremely versatile vest optimized for variable shoulder season weather
- Premium-grade white duck down with 700+ fill power
- Araneum fabric is lightweight, breathable and water resistant with a DWR treatment
- T-Lite fabric lining
- Full-length YKK® #5 zipper with anti-jam system
- 2 large zippered external side pockets
- 2 large inner pockets
- Stow-Away Pocket
- Adjustable elastic cord seals the bottom hem from drafts
- Regular Fit

Women's version of the ED Motion Vest. A casual and stylish vest with all of the technical features that high-end users have come to expect from the Essential Outerwear line. Araneum fabric on the exterior combines with middle weight premium white duck down insulation and the soft T-Lite fabric lining for a particularly comfortable and cozy feel. The Regular Fit is profiled to deliver a sleek appearance as an outer layer.

Ref.	Product name	Sizes	Weight			Exterior Fabrics	Filling			Hood	Cut
			Size	g	oz		Type	Filling Power (cuin)	Average weight		
2845	ED MOTION JACKET LIGHT LADY	XS-S-M L-XL	S	275	9.7	Araneum	90/10 White Duck Down R.D.S.	700	90 g		Regular Fit
2846	ED MOTION VEST LADY	XS-S-M L-XL	S	215	7.6	Araneum	90/10 White Duck Down R.D.S.	700	60 g		Regular Fit



3 Pastel Blue / Black



1 Black / Lime Punch

2 Lime Punch / Black

CAMP Hybrid Jacket 2853



ALPINISM, SKI MOUNTAINEERING, LIFESTYLE

- Extremely versatile jacket optimized for variable shoulder season weather
- Dual construction combines the benefits of insulation with a softshell
- New dual insulation with duck down and PrimaLoft® for optimal thermal protection
- The body and sleeves use Araneum fabric
- The sides, inner parts sleeve panels, waist band, and hood use windproof FlexTex stretch fabric
- Body front part and sleeves with 600+ fill power duck down insulation
- Body back part with PrimaLoft® Silver 100 g/m² insulates even when wet
- Fixed hood with elasticized edging
- Full-length YKK® #5 zipper with anti-jam system
- 2 zippered external side pockets
- Elasticized waist
- Elasticized windproof cuffs
- Slim fit

The Hybrid Jacket effectively combines the benefits of an insulated jacket with the performance of a softshell. The dual insulated body and sleeves guarantee good thermal insulation while the elasticized fabric side panels, inner sleeves and waist band deliver high levels of dexterity and breathability. Performance is increased by the new differentiated insulation with duck down on the front and PrimaLoft® Silver in the back which is more subject to compression and moisture. The Hybrid Jacket is perfect as an outer layer with a performance fit that works well with a harness or as an insulating layer under a shell in more extreme conditions where the Slim fit reduces the overall profile of the entire layering system. The Hybrid Jacket is also extremely packable when compared with other soft shells thanks to the Araneum fabric shell material.

CAMP Hybrid Vest 2854



ALPINISM, SKI MOUNTAINEERING, LIFESTYLE



2 Lime Punch / Black



1 Black / Lime Punch

3 Pastel Blue / Black

- Extremely versatile vest optimized for variable shoulder season weather
- Dual construction combines the benefits of insulation with a softshell
- New dual insulation with duck down and PrimaLoft® for optimal thermal protection
- Araneum fabric with 600+ fill power duck down insulation on the body front part
- PrimaLoft® Silver 100 g/m² on the body back part insulates even when wet
- The side panels, waist band, and collar use windproof FlexTex stretch fabric
- Full-length YKK® #5 zipper with anti-jam system
- 2 zippered external side pockets
- Elasticized waist
- Slim fit

A sophisticated vest that effectively combines the benefits of insulation with the performance of a softshell. The dual insulated body guarantees good thermal insulation while the elasticized fabric side panels, waist band, and collar deliver high levels of dexterity and breathability. Performance is increased by the new differentiated insulation with duck down on the front and PrimaLoft® Silver in the back which is more subject to compression and moisture. The Hybrid Vest is perfect as an over layer with a performance fit that works well with a harness or as an insulating layer under a shell in more extreme conditions where the Slim fit reduces the overall profile of the entire layering system. The Hybrid Vest is also extremely packable when compared with other soft shells thanks to the Araneum fabric shell material.

Ref.	Product name	Sizes	Weight			Exterior Fabrics	Filling			Hood	Cut
			Size	g	oz		Type	Filling Power (cuin)	Average weight		
2853	HYBRID JACKET	S-M-L XL-XXL	M	430	15.2	FlexTex Araneum	80/20 White Duck Down R.D.S. +PrimaLoft® Silver	600	50 g + back 100 g/m ²	Classic	Slim Fit
2854	HYBRID VEST	S-M-L XL-XXL	M	285	10.1	FlexTex Araneum	80/20 White Duck Down R.D.S. +PrimaLoft® Silver	600	25 g + back 100 g/m ²		Slim Fit



2 Pastel Blue / Black



1 Black / Fuchsia

3 Light Blue / Black

CAMP Hybrid Jacket Lady

2855

LADY



ALPINISM, SKI MOUNTAINEERING, LIFESTYLE

- Extremely versatile jacket optimized for variable shoulder season weather
- Dual construction combines the benefits of insulation with a softshell
- New dual insulation with duck down and PrimaLoft® for optimal thermal protection
- The body and sleeves use Araneum fabric
- The sides, inner parts sleeve panels, waist band, and hood use windproof FlexTex stretch fabric
- Body front part and sleeves with 600+ fill power duck down insulation
- Body back part with PrimaLoft® Silver 100 g/m² insulates even when wet
- Fixed hood with elasticized edging
- Full-length YKK® #5 zipper with anti-jam system
- 2 zippered external side pockets
- Elasticized waist
- Elasticized windproof cuffs
- Slim fit

Female specific version of the Hybrid Jacket effectively combines the benefits of an insulated jacket with the performance of a softshell. The dual insulated body and sleeves guarantee good thermal insulation while the elasticized fabric side panels, inner sleeves and waist band deliver high levels of dexterity and breathability. Performance is increased by the new differentiated insulation with duck down on the front and PrimaLoft® Silver in the back which is more subject to compression and moisture. The Hybrid Jacket Lady is perfect as an outer layer with a performance fit that works well with a harness or as an insulating layer under a shell in more extreme conditions where the Slim fit reduces the overall profile of the entire layering system. The Hybrid Jacket Lady is also extremely packable when compared with other soft shells thanks to the Araneum fabric shell material.



3 Light Blue / Black



1 Black / Fuchsia

2 Pastel Blue / Black

CAMP Hybrid Vest Lady

2856

LADY



ALPINISM, SKI MOUNTAINEERING, LIFESTYLE

- Extremely versatile vest optimized for variable shoulder season weather
- Dual construction combines the benefits of insulation with a softshell
- New dual insulation with duck down and PrimaLoft® for optimal thermal protection
- Araneum fabric with 600+ fill power duck down insulation on the body front part
- PrimaLoft® Silver 100 g/m² on the body back part insulates even when wet
- The side panels, waist band, and collar use windproof FlexTex stretch fabric
- Full-length YKK® #5 zipper with anti-jam system
- 2 zippered external side pockets
- Elasticized waist
- Slim fit

Female specific version of the Hybrid Vest that effectively combines the benefits of insulation with the performance of a softshell. The dual insulated body guarantees good thermal insulation while the elasticized fabric side panels, waist band, and collar deliver high levels of dexterity and breathability. Performance is increased by the new differentiated insulation with duck down on the front and PrimaLoft® Silver in the back which is more subject to compression and moisture. The Hybrid Vest Lady is perfect as an over layer with a performance fit that works well with a harness or as an insulating layer under a shell in more extreme conditions where the Slim fit reduces the overall profile of the entire layering system. The Hybrid Vest Lady is also extremely packable when compared with other soft shells thanks to the Araneum fabric shell material.

Ref.	Product name	Sizes	Weight			Exterior Fabrics	Filling			Hood	Cut
			Size	g	oz		Type	Filling Power (cuin)	Average weight		
2855	HYBRID JACKET LADY	XS-S-M L-XL	S	375	13.2	FlexTex Araneum	80/20 White Duck Down R.D.S. +PrimaLoft® Silver	600	45 g + back 100 g/m ²	Classic	Slim Fit
2856	HYBRID VEST LADY	XS-S-M L-XL	S	250	8.8	FlexTex Araneum	80/20 White Duck Down R.D.S. +PrimaLoft® Silver	600	20 g + back 100 g/m ²		Slim Fit



1 Black / Lime Punch

CAMP Blade Jacket 2849

ALPINISM, SKI MOUNTAINEERING, MOUNTAINEERING, LIFESTYLE

- PrimaLoft® Silver 133 g/m² insulation
- Araneum fabric is lightweight, breathable and water resistant with a DWR treatment
- T-Lite fabric lining
- Comfortable channeled construction on the interior
- Backside is longer than the front to help keep snow out without restricting mobility
- Adjustable insulated hood with PrimaLoft® Silver 100 g/m² insulation and stretch inserts
- Full-length YKK® #5 zipper with anti-jam system
- 2 zippered external pockets positioned to allow access while wearing a pack and harness
- Outer chest pocket
- 2 elasticized inner pockets
- Separate stuff pocket
- Adjustable elastic cord seals the bottom hem from drafts
- Elasticized windproof cuffs with thumb holes
- Zippered armpits for additional ventilation
- Regular Fit

An extremely technical jacket that is ready for action on the slopes, in the backcountry, and in the mountains. Araneum fabric combines with PrimaLoft® Silver synthetic insulation that maintains loft and delivers warmth even when wet. The entire jacket is cut for active ergonomics with shaped sleeves, a long backside, an innovative hood with stretch panels, and pockets positioned to be accessible while wearing a pack or harness.



1 Black / Lime Punch

CAMP Adrenaline Jacket 2.0 2850

SKI COMP



COMPETITIVE SKI MOUNTAINEERING, SKI MOUNTAINEERING, ALPINISM

- PrimaLoft® Silver 80 g/m² insulation
- Hitex Evo ripstop nylon shell is light, strong, and still highly weather resistant with a DWR treatment
- T-Lite fabric lining
- Backside is longer than the front to help keep snow out without restricting mobility
- Adjustable hidden hood with stretch inserts fits securely over a helmet
- Full-length YKK® #5 zipper with anti-jam system
- 2 external side pockets with YKK® zippers
- Outer chest pocket with YKK® zipper
- Stow-Away Pocket
- Adjustable elasticized waist
- Elasticized cuffs
- Stretch panels on the sides to ensure comfort and mobility
- Slim Fit

The Adrenaline Jacket 2.0 is specifically designed for long, cold ski mountaineering competitions—especially extreme races like the legendary Italian Mezzalama Trophy (the White Marathon) where high altitude and serious mountain conditions require insulated layers for safety. PrimaLoft® Silver 80 g/m² continues to insulate even when it is wet or compressed. Hitex Evo ripstop nylon is waterproof and breathable making it the right choice for variable conditions. Thanks to its Slim Fit construction, the Adrenaline Jacket 2.0 can be used both as a mid-layer under the outer shell or as an external layer.

Ref.	Product name	Sizes	Weight			Exterior Fabrics	Filling			Hood	Cut
			Size	g	oz		Type	Filling Power (cuin)	Average weight		
2849	BLADE JACKET	S-M-L XL-XXL	M	560	19.8	Araneum	PrimaLoft® Silver		133 g/m ² + hood 100 g/m ²	Technical	Regular Fit
2850	ADRENALINE JACKET 2.0	XS-S-M L-XL	M	435	15.4	Hitex Evo	PrimaLoft® Silver		80 g/m ²	Foldable	Slim Fit



1 Black / Lime Punch

CAMP Adrenaline Pant 2.0

2851

SKI COMP



COMPETITIVE SKI MOUNTAINEERING, SKI MOUNTAINEERING, ALPINISM

- Windproof pants with innovative elasticized PrimaLoft® Silver 4 Flex 40 g/m² insulation
- Hitex Evo ripstop nylon fabric is light, strong, and still highly weather resistant with a DWR treatment
- The back side is constructed from stretch fabric with no insulation for packability and breathability
- T-Lite fabric lining
- Full-length YKK® #5 zippers allow the pants to be put on over boots and skis
- Stow-Away Pocket
- Adjustable elasticized waist
- Shaped knees with reinforced lower legs for a performance fit
- Elastic straps with Velcro closures ensure a tight fit around boots

The Adrenaline Light Pant was designed in line with the Adrenaline Jacket 2.0 to deliver warmth, comfort and performance during long distance ski mountaineering competitions—especially extreme races like the legendary Italian Mezzalama Trophy (the White Marathon) where high altitude and serious mountain conditions require insulated layers for safety. Warmth and comfort are ensured by the innovative elasticized PrimaLoft® Silver 4 Flex 40 g/m² insulation that facilitates dynamic movement while maintaining loft. Full-length zippers allow the pants to be put on and stripped off without removing boots or skis and elastic straps and a strong Velcro closure ensure a tight fit around boots.



1 Black / Lime Punch

CAMP Adrenaline Short Pant

2852

SKI COMP



COMPETITIVE SKI MOUNTAINEERING, SKI MOUNTAINEERING

- Lightweight and packable windproof pants featuring innovative elasticized PrimaLoft® Silver 4 Flex 40 g/m² insulation
- Hitex Evo ripstop nylon fabric is light, strong, and still highly weather resistant with a DWR treatment
- The back side is constructed from stretch fabric with no insulation for packability and breathability
- T-Lite fabric lining
- Full-length YKK® #5 zippers allow the pants to be put on over boots and skis
- Fixed internal Stow-Away Pocket
- Adjustable elasticized waist
- Shaped knees for a performance fit
- Adjustable bottom hems with silicone inserts for a tight fit over boots

The Adrenaline Short Pant is cut at the right height to cover the top of the boot—this cuts out extra material for even lighter weight and tighter packability. Boot-high pants are ideal both for training and competitions. The Adrenaline Short Pant ensures warmth where it is needed but also delivers the tightest packability and lightest weight for the function. Warmth and comfort are ensured by the innovative elasticized PrimaLoft® Silver 4 Flex 40 g/m² insulation that facilitates movement while maintaining loft. The back side uses breathable stretch fabric with no insulation to help with temperature regulation and mobility while on the move. The adjustable bottom hem features silicone inserts for a tight fit over boots.

Ref.	Product name	Sizes	Weight			Exterior Fabrics	Filling			Hood	Cut
			Size	g	oz		Type	Filling Power (cuin)	Average weight		
2851	ADRENALINE PANT 2.0	XS-S-M L-XL	M	360	12.7	Hitex Evo Elastic Fabric	PrimaLoft® Silver		40 g/m ²		Slim Fit
2852	ADRENALINE SHORT PANT	XS-S-M L-XL	M	280	9.9	Hitex Evo Elastic Fabric	PrimaLoft® Silver		40 g/m ²		Slim Fit



1 Black

CAMP Active Jacket
2361

ALPINISM, SKI MOUNTAINEERING, ROCK CLIMBING, HIKING, LIFESTYLE

- Lightweight, breathable, windproof, water repellent shell
- Soft stretch fabric for all-day comfort
- Pre-shaped sleeves for ergonomic comfort and performance
- Full-length zipper
- 2 zippered external side pockets
- Zippered outer chest pocket
- Separate pocket case to pack the jacket
- Elasticized waist
- Elasticized cuffs
- Slim Fit

The Active Jacket is a light and breathable no-nonsense shell designed to deliver all-day comfort while on the move in the mountains. The fit is very comfortable thanks to the preshaped sleeves and breathable, windproof, water repellent soft stretch fabric.



1 Black

CAMP Active Vest
2362

ALPINISM, SKI MOUNTAINEERING, ROCK CLIMBING, HIKING, LIFESTYLE

- Lightweight, breathable, windproof, water repellent vest
- Soft stretch fabric for all-day comfort
- Full-length zipper
- 2 zippered external side pockets
- Zippered outer chest pocket
- Separate pocket case to pack the vest
- Elasticized waist
- Slim Fit

Designed to protect the core during mountain activities without holding you back. The Active Vest is very comfortable thanks the breathable, windproof, water repellent soft stretch fabric.

Ref.	Product name	Sizes	Weight			Exterior Fabrics	Filling			Hood	Cut
			Size	g	oz		Type	Filling Power (cuin)	Average weight		
2361	ACTIVE JACKET	S-M-L-XL XXL-XXXL	M	390	13.8	X-Soft					Slim Fit
2362	ACTIVE VEST	S-M-L-XL XXL-XXXL	M	290	10.2	X-Soft					Slim Fit

Essential Sleeping Bags



CAMP
ED Plus Line
2701 - ED 400 Plus
2702 - ED 200 Plus



CAMP
ED Line
2729 - ED 500
2730 - ED 300
2731 - ED 150

Essential Equipment



CAMP
Minima 2 Pro
2902



CAMP
Minima 3 Pro
2905



CAMP
Minima 1 SL
2392



CAMP
Minima 2 SL
2393



CAMP
Minima 3 SL
2394



CAMP
Essential Light Mat
2181



CAMP
Phantom 3.0
2632



CAMP
Ghost
2628

ED 400 Plus
S Green Blue / Lime



ED 400 Plus
D Cobalt Blue / Grey




CAMP ED Plus Line

1st CLASS

ALPINISM, TREKKING

- Superlight and quickly packable
- Features bigger dimensions than the ED Line for extra comfort
- Araneum fabric on the exterior and polyester on the interior combine with high-quality down for super insulation
- Available in 2 different fill weights (400, 200)
- Features a superb combination of warmth, weight and packability

The ED Plus line features the same top-quality construction and materials as the hyperlight ED line, but with bigger dimensions for extra comfort. The Araneum fabric shell interacts with premium grade white goose down for warm, dry insulation. These bags are true energy savers for fast packers who really need maximum performance and comfort with minimal weight and size.



Ref.	Product name	Weight		Length		Shoulder width		Foot width		Stuff Sack Size		Temperature		
		g	oz	cm	in	cm	in	cm	in	cm	in	Comfort (C°)	Limit (C°)	Extreme (C°)
2701	ED 400 PLUS	850	30.0	215	84.7	80	31.5	57	24.4	18x32	7.1x12.6	5	0	-15
2702	ED 200 PLUS	650	22.9	215	84.7	80	31.5	57	24.4	15x28	5.9x11.0	12	8	-4

Ref.	Product name	Filling			Construction	Fabrics		EN 13537
		Type	Weight	Filling Power (cuin)		Exterior	Interior	
2701	ED 400 PLUS	Down	400 g 90/10 GGD R.D.S.	650	Baffle Construction (B.C.)	Araneum 20D	320T Polyester	In Accordance
2702	ED 200 PLUS	Down	200 g 90/10 GGD R.D.S.	650	Stitched through (S.T.)	Araneum 20D	320T Polyester	In Accordance

4 Strawberry Red



8 Black



CAMP ED Line

BEST SELLER

ALPINISM, TREKKING

- A fantastic lightweight and packable sleeping bag line
- Araneum fabric on the exterior and polyester on the interior combine with high-quality down for excellent insulation
- Available in 3 different fill weights (500, 300, 150)
- Baffled construction for the 500 and 300 models, stitched-through construction for the 150 model
- Features a superb combination of warmth, weight, and packability

The ED line combines our best fabrics with our highest-quality down insulation and top-level construction for the very best combination of warmth, weight, and packability. The Araneum fabric shell interacts with premium grade white goose down for warm, dry insulation. The tight-fitting cut further reduces the packed size and maximizes heat retention. For the lightest, fastest adventures, the ED line is the way to go.

ESSENTIAL

Construction

Filling


FILLING POWER
650CUIN

Features



Ref.	Product name	Weight		Length		Shoulder width		Foot width		Stuff Sack Size		Temperature		
		g	oz	cm	in	cm	in	cm	in	cm	in	Comfort (C°)	Limit (C°)	Extreme (C°)
2729	ED 500	870	30.7	205	80.7	75	29.5	55	21.7	17x34	6.7x13.4	4	-1	-17
2730	ED 300	670	23.7	205	80.7	75	29.5	55	21.7	14x33	5.5x13.0	9	4	-10
2731	ED 150	500	17.6	205	80.7	75	29.5	55	21.7	13x28	5.1x11.0	13	10	-3

Ref.	Product name	Filling			Construction	Fabrics		EN 13537
		Type	Weight	Filling Power (cuin)		Exterior	Interior	
2729	ED 500	Down	500 g 90/10 GGD R.D.S.	650	Baffle Construction (B.C.)	Araneum 20D	320T Polyester	In Accordance
2730	ED 300	Down	300 g 90/10 GGD R.D.S.	650	Baffle Construction (B.C.)	Araneum 20D	320T Polyester	In Accordance
2731	ED 150	Down	150 g 90/10 GGD R.D.S.	650	Stitched through (S.T.)	Araneum 20D	320T Polyester	In Accordance



CAMP Minima 2 Pro

2902


NEW '20

1ST CLASS

ALPINISM, TREKKING

- Double wall, compact, superlight two-person tent
- Free standing structure with integrated pole system and fast-clip attachments for quick and easy set up
- Large zip entries on both sides
- Main structure is full netting for maximum ventilation
- Interior features 4 pockets on each side and a lamp holder
- Rain fly is light, strong and completely waterproof
- Rain fly attaches to the poles with Velcro straps and features guy lines that join at a single point for simple, secure lashing
- Rain fly features two large windows and cross venting ports
- Large vestibules on both sides for extra capacity
- Includes compression carrying bag, stakes and additional guy lines

The Minima 2 Pro uses an integrated pole system for a free-standing structure that maintains the features of compact, hyperlight and maximum ventilation that CAMP Essential Range tents are known for. Double wall tents are the best for regulating variable conditions on long through hikes. The main structure is full netting for the best ventilation and features four pockets on each side and a lamp holder. Add the fly and it becomes toasty enough even for light winter camping. The main structure and the fly have large zip entries on both sides. The rain fly is light, strong and completely waterproof. It attaches to the poles with Velcro straps and feature guy lines that join at a single point for simple, secure lashing. Large vestibules on both sides provide the extra capacity needed for hunkering down in inclement weather.



CAMP Minima 3 Pro

2905


NEW '20

ALPINISM, TREKKING

- Double wall, compact, superlight three-person tent
- Free standing structure with integrated pole system and fast-clip attachments for quick and easy set up
- Large zip entries on both sides
- Main structure is full netting for maximum ventilation
- Interior features 4 pockets on each side and a lamp holder
- Rain fly is light, strong and completely waterproof
- Rain fly attaches to the poles with Velcro straps and features guy lines that join at a single point for simple, secure lashing
- Rain fly features two large windows and cross venting ports
- Large vestibules on both sides for extra capacity
- Includes compression carrying bag, stakes and additional guy lines

The Minima 3 Pro uses an integrated pole system for a free-standing structure that maintains the features of compact, hyperlight and maximum ventilation that CAMP Essential Range tents are known for. Double wall tents are the best for regulating variable conditions on long through hikes. The main structure is full netting for the best ventilation and features four pockets on each side and a lamp holder. Add the fly and it becomes toasty enough even for light winter camping. The main structure and the fly have large zip entries on both sides. The rain fly is light, strong and completely waterproof. It attaches to the poles with Velcro straps and feature guy lines that join at a single point for simple, secure lashing. Large vestibules on both sides provide the extra capacity needed for hunkering down in inclement weather.

Ref.	Product name	Weight		Packed size		External dimensions		Internal dimensions		Sleeps	Materials		Water Column		Entrances	Poles material
		g	oz	cm	in	cm	in	cm	in		N°	Fly Sheet	Floor	Fly sheet (mm)		
2902	MINIMA 2 PRO	2100	74.1	50x18	19.7x7.1	228x245x108	89.8x96.5x42.5	220x120x100	86.6x47.2x39.4	2	Nylon Ripstop 30D	70D Nylon 190T/N	2000	5000	2	Alu 7001
2905	MINIMA 3 PRO	2400	84.7	50x20	19.7x7.9	228x290x108	89.8x114.2x42.5	220x160x100	86.6x63x39.4	3	Nylon Ripstop 30D	70D Nylon 190T/N	2000	5000	2	Alu 7001




CAMP Minima 1 SL
2392

ALPINISM, TREKKING

- Double wall, compact, superlight tent
- Just 1.1 kg (2.4 lbs) including poles and stakes!
- Single person fit
- Single opening
- Main structure is full netting for maximum ventilation
- Rain fly is light, strong and completely waterproof
- Assembles with poles and mesh channels
- Easy and fast disassembly
- Includes compression carrying bag and stakes

The Minima 1 SL is one of the lightest double wall single person tents on the market. By reducing the diameter of the poles and switching up materials on the fly, we are able to reduce weight to the absolute minimum. Double wall tents are the best for regulating variable conditions on long through hikes. The main structure is full netting to provide good ventilation. Add the fly and it becomes toasty enough even for light winter camping.

CAMP Minima 1 SL tent poles
0136



CAMP Minima 2 SL
2393

BEST SELLER

ALPINISM, TREKKING


- Double wall, compact, superlight tent
- Just 1.5 kg (3.5 lbs) including poles and stakes!
- Fits two people
- Single opening
- Main structure is full netting for maximum ventilation
- Rain fly is light, strong and completely waterproof
- Assembles with poles and mesh channels
- Easy and fast disassembly
- Includes compression carrying bag and stakes

The Minima 2 SL has enough space for two people. By reducing the diameter of the poles and switching up materials on the fly, we are able to reduce weight to the absolute minimum. Double wall tents are the best for regulating variable conditions on long through hikes. The main structure is full netting to provide good ventilation. Add the fly and it becomes toasty enough even for light winter camping.

CAMP Minima 2 SL tent poles
0139



Ref.	Product name	Weight		Packed size		External dimensions		Internal dimensions		Sleeps	Materials		Water Column		Entrances	Poles material
		g	oz	cm	in	cm	in	cm	in		N°	Fly Sheet	Floor	Fly sheet (mm)		
2392	MINIMA 1 SL	1100	38.8	30x12	11.8x4.7	92x290xh 67	36.2x114.2xh 26.4	80x220xh 63	31.5x86.6xh 24.8	1	Nylon Ripstop 30D	70D Nylon 190T/N	2000	5000	1	Alu 7001
2393	MINIMA 2 SL	1500	52.9	33x16	13.0x6.3	136x310xh 93	53.5x122.0xh 36.6	125x220xh 89	49.2x86.6xh 35.0	2	Nylon Ripstop 30D	70D Nylon 190T/N	2000	5000	1	Alu 7001



CAMP Minima 3 SL 2394

ALPINISM, TREKKING

- Double wall, compact, superlight tent
- Just 2.1 kg (4.1 lbs) including poles and stakes!
- Fits three people
- Single opening
- Main structure is full netting for maximum ventilation
- Rain fly is light, strong and completely waterproof
- Assembles with poles and mesh channels
- Easy and fast disassembly
- Includes compression carrying bag and stakes

The Minima 3 SL completes the Minima SL range with a tent that has enough space for three people. It has the same features as the other SL models to guarantee a high level of performance with minimal weight and space in the pack. Double wall tents are the best for regulating variable conditions on long through hikes. The main structure is full netting to provide good ventilation. Add the fly and it becomes toasty enough even for light winter camping.

CAMP Minima 3 SL tent poles 0763



Ref.	Product name	Weight		Packed size		External dimensions		Internal dimensions		Sleeps	Materials		Water Column		Entrances	Poles material
		g	oz	cm	in	cm	in	cm	in		N°	Fly Sheet	Floor	Fly sheet (mm)		
2394	MINIMA 3 SL	2100	74.1	37x17	14.6x6.7	190x310xh 113	74.8x122.0xh 44.5	180x220xh 109	70.9x86.6xh 42.9	3	Nylon Ripstop 30D	70D Nylon 190T/N	2000	5000	1	Alu 7002

CAMP Essential Light Mat 2181

TREKKING

- Packs down to less than 2% of its inflated size!

The Essential Light Mat is our lightest, most compact mat for hikers who need to cut space and weight everywhere possible. Because there is no foam, it rolls down to less than 2% of its inflated size and the 100% polyamide exterior allows it to be both strong and hyperlight at the same time. Two valves (one plastic, one brass) speed up inflation and deflation.



Ref.	Product name	Weight		Packed size		Dimensions		Main material
		g	oz	cm	in	cm	in	
2181	ESSENTIAL LIGHT MAT	315	11.1	6x24	2.4x9.4	180x45x3	70.9x17.7x1.2	Polyamide + brass valve

CAMP Phantom 3.0

2632

1ST CLASS

HIKING, MULTI-PITCH CLIMBING, LIFESTYLE



3 Lime



2 Light Blue



1 Black



- Lightweight 15-liter pack for mountain excursions
- Packs into a small self-contained pouch that can be carried on the waist when not in use
- New lightweight fabric features a very high tensile strength
- Large main compartment + front zip compartment
- Large side mesh pockets for extra storage and easy access to essentials
- Back panel is constructed from 3D mesh for improved breathability and comfort
- Ergonomic shoulder straps are ventilated with soft mesh padding
- New higher profile waist belt with soft 3D mesh padding and zippered pockets
- Lightweight bungee straps for carrying trekking poles
- External bungee straps for load compression and carrying extra layers
- Available in 3 colors

The Phantom 3.0 is a hyperlight 15-liter pack with a large number of options for additional storage on the exterior. It features a large front zip pocket, two large side mesh pockets, accessory pockets on the waist belt, and a 15-liter main compartment all in a hyperlight package that stows away into a small self-contained pouch when not in use. New hyperlight fabric combines with soft 3D mesh on the shoulder straps and waist belt for the right combination of lightweight, strength, durability, comfort and packability. The waist belt has a new higher profile for additional support and comfort on long outings. External bungee straps can be used to compress loads and carry layers and a simple elastic cord system securely attaches a set of trekking poles.

Ref.	Product name	Volume	Weight		Packed size		Main material
			g	oz	cm	in	
2632	PHANTOM 3.0	15 L	315	11.1	13x20	5.1x7.9	Polyamide



3 Lime



2 Light Blue



1 Black



CAMP Ghost

2628

BEST SELLER

HIKING, LIFESTYLE, MULTI-PITCH CLIMBING

- Hyperlight 15-liter pack stows away into a self-contained pouch that can be carried on the waist when not in use
- New superlight fabric features a very high tensile strength
- Ergonomic shoulder straps constructed from lightweight fabric
- Lightweight bungee straps for carrying trekking poles
- External bungee straps for load compression and carrying extra layers
- Available in 3 colors

A hyperlight and compact pack for carrying the essentials on intense excursions like day hikes or peak bagging. External bungee straps can be used to compress loads and carry layers and a simple elastic cord system securely attaches a set of trekking poles. The new superlight fabric features a very high tensile strength and is coated for extra protection from moisture and abrasion. When not in use, the Ghost packs down into a self-contained pocket that can then be carried around the waist or in the lid of a larger pack.

CAMP Ghost Display 12 pc

2666

Contains 12 pieces of the Ghost pack: 4 of each color.



Ref.	Product name	Volume	Weight		Packed size		Main material
			g	oz	cm	in	
2628	GHOST	15 L	145	5.1	5x14	2.0x5.5	Polyamide

WINTER GLOVES



A good snow year in the Rocky Mountains
© Michael Maili

WINTER GLOVES

Fit = Function. CAMP gloves were originally designed for ski mountaineering, but the beautifully profiled fit combined with innovative, lightweight materials and high-quality construction has propelled them further. As skiers and alpinists push into the mountains, we continue to work on advancing the line in any direction where the superior fit that CAMP gloves have become known for can lead to superior function.

The Collection

Geko Line – Designed for alpinism and ice climbing, Geko gloves guarantee the right blend of warmth, dexterity and durability.

G Line – A diverse line of insulated gloves for those who really live the mountains. The range has been expanded from its roots in ski mountaineering to now include models for other light and fast pursuits.

Mitt'n Line – Maximum protection when the temps become extreme.

Each model has a thermal insulation number from 0 to 4 (0: zero insulation, 1: minimum insulation, 2: medium insulation, 3: high insulation, 4: maximum insulation). This classification is useful for comparing the different models, but should not be considered in absolute terms. Other factors like humidity, wind, sweat, intensity of effort, conditions and physical characteristics of the person can greatly influence the feeling of heat to the hands.



Category leaders



LIGHT&FAST

G Comp Racing
2824



1ST CLASS

Geko Ice Pro
2821



BEST SELLER

G Comp Warm
2826

Geko Line


Ref.	Product name	Size	Weight / Pair Size (L)													
			g	oz												
2821	GEKO ICE PRO	S-M-L-XL-XXL-XXXL	130	4.6	2	•	•	•	•	•	•	•	•	•	•	•
2820	GEKO ICE	S-M-L-XL-XXL-XXXL	170	6.0	3	•	•	•	•	•	•	•	•	•	•	•
2822	GEKO HOT	S-M-L-XL-XXL-XXXL	150	5.3	3	•	•	•	•	•	•	•	•	•	•	•
2823	GEKO TOUCH	S-M-L-XL-XXL-XXXL	95	3.4	2	•			•	•	•	•				•

G Line

Ref.	Product name	Size	Weight / Pair Size (L)													
			g	oz												
2824	G COMP RACING	S-M-L-XL-XXL-XXXL	75	2.6	1	•			•	•	•	•	•			
2825	G COMP WIND	S-M-L-XL-XXL-XXXL	85	3.0	1	•			•	•	•	•	•			
2826	G COMP WARM	XS-S-M-L-XL-XXL-XXXL	105	3.7	2	•			•	•	•	•	•			•
2829	G TECH DRY	S-M-L-XL-XXL-XXXL	115	4.1	2	•	•	•	•	•	•	•	•			
2827	G HOT DRY	S-M-L-XL-XXL-XXXL	135	4.8	3	•	•	•	•	•	•	•	•	•	•	•
2828	G HOT DRY LADY	XS-S-M-L	125	4.4	3	•	•	•	•	•	•	•	•	•	•	•
2833	G PUFF	S-M-L-XL-XXL-XXXL	95	3.4	3	•			•	•	•	•	•			•
2834	G AIR	S-M-L-XL-XXL-XXXL	60	2.1	1	•			•	•	•	•	•			•
2830	G LITE WIND	S-M-L-XL-XXL	80	2.8	1	•			•	•	•	•	•			
2831	G WOOL	XS-S-M-L-XL-XXL	100	3.5	2				•	•	•	•				

Mitt'N Line

Ref.	Product name	Size	Weight / Pair													
			Size	g	oz											
2832	HOT DRY MITT'N	S-M-L-XL-XXL-XXXL	M	135	4.8	3	•	•	•	•	•	•	•	•	•	•
2837	HOTMITT'N	S-M-L	L	195	6.9	4	•									
2836	SUMMITT'N	S-M-L	L	220	7.8	4	•	•	•					•	•	
2835	TEMPEST MITT	S-M-L	M	130	4.6	3	•	•	•	•			•		•	
2838	DRYMITT'N	S-M-L	L	95	3.4	0	•	•								



Thermal insulation

- 0 - No thermal insulation
- 1 - Minimal thermal insulation
- 2 - Medium thermal insulation
- 3 - High thermal insulation
- 4 - Maximum thermal insulation

The perceived warmth and the thermal insulation of the gloves can be influenced by several factors such as humidity, wind, physical conditions, etc.

	THERMAL INSULATION		BREATHABLE		GRIP'R		ETCHED LEATHER
	WINDBREAK		TOUCHSCREEN COMPATIBLE		HANGING LOOP		PRIMALOFT
	WATERPROOF		WRIST LEASH		SWEAT CLOTH		

Geko Line



CAMP
Geko Ice Pro
2821



CAMP
Geko Ice
2820



CAMP
Geko Hot
2822



CAMP
Geko Touch
2823

G Line



CAMP
G Comp Racing
2824



CAMP
G Comp Wind
2825



CAMP
G Comp Warm
2826



CAMP
G Tech Dry
2829



CAMP
G Hot Dry
2827



CAMP
G Hot Dry Lady
2828



CAMP
G Puff
2833



CAMP
G Air
2834



CAMP
G Lite Wind
2830



CAMP
G Wool
2831

Mitt'N Line



CAMP
Hot Dry Mitt'N
2832



CAMP
Hotmitt'N
2837



CAMP
Summitt'N
2836



CAMP
Tempest Mitt
2835



CAMP
Drymitt'N
2838

Technical features on CAMP gloves



* Features vary by model



Black

CAMP Geko Ice Pro

2821

1ST CLASS



ICE CLIMBING, MIXED CLIMBING, ALPINISM

- DRYZONE® waterproof/breathable membrane protects from moisture and wind
- PrimaLoft® Gold 60g/m² insulation on the main body
- Super strong Pittards Armortan® leather with no insulation is used on the palm and fingers to optimize grip
- Shaped fingers are gusseted at the knuckles for exceptional dexterity, comfort and grip
- Conductor pads on the thumb and index finger work with touch phones or tablets
- Elastic wrist leashes and clippable hanging loops

The Geko Ice Pro is an innovative glove designed to deliver a solid grip on ice tools and warm, dry protection from the elements. They are ideal for steep ice climbing, dry-tooling and technical mixed terrain. Super strong Pittards Armortan® leather with no insulation on the palms and fingers features a special treatment to optimize grip in all kinds of conditions. The fit of the Geko Ice Pro is optimized with shaped fingers and box construction for exceptional dexterity. PrimaLoft® Gold 60 g/m² insulation on the main body and the waterproof/breathable DRYZONE® membrane combine to deliver a high level of protection from the elements.



Black / Fluo Yellow

CAMP Geko Ice

2820



ALPINISM, ICE CLIMBING, MOUNTAINEERING

- No-Slip construction technology bonds the layers in the palm for a precise grip
- DRYZONE® waterproof/breathable membrane protects from moisture and wind
- PrimaLoft® Gold 100 g/m² insulation on the back and PrimaLoft® Grip Control 100 g/m² on the palm
- Water repellent premium goatskin leather on the palms (no substances containing chrome have been used in the tanning of the leather)
- Elasticized outer material delivers a precise fit for the whole hand
- Sherpa faux fur lining increases warmth and minimizes movement inside the glove
- Shaped fingers are gusseted at the knuckles for exceptional dexterity, comfort and grip
- Conductor pads on the thumb and index finger work with touch phones or tablets
- Elastic wrist leashes and clippable hanging loops

The Geko Ice uses the most advanced technologies and materials to create an extremely precise cold-weather glove that has been specifically designed for technical ice climbing and alpinism. The palm is built with No-Slip construction technology that bonds the layers of the lining, insulation, and leather palm for a precise grip on ice tools. The DRYZONE® waterproof/breathable membrane protects from moisture and wind. PrimaLoft® Gold insulation on the back and PrimaLoft® Grip Control on the palm combine with the Sherpa faux fur inner lining for exceptional warmth and comfort even when wet. The fingers are shaped and gusseted at the knuckles for exceptional dexterity and the elasticized outer material delivers a snug fit without inhibiting warmth or freedom of movement.

Ref.	Product name	Size	Weight / Pair Size (L)										
			g	oz									
2821	GEKO ICE PRO	S-M-L-XL-XXL-XXXL	130	4.6	2	•	•	•	•	•	•	•	•
2820	GEKO ICE	S-M-L-XL-XXL-XXXL	170	6.0	3	•	•	•	•	•	•	•	•



Black / Orange

CAMP Geko Hot
2822



ALPINISM, ICE CLIMBING, SKI MOUNTAINEERING

- The perfect combination of performance, warmth and dexterity
- DRYZONE® waterproof/breathable membrane protects from moisture and wind
- Primaloft® Gold 133 g/m² insulation on the back and Primaloft® Grip Control 60 g/m² on the palm
- Soft and supple leather palms are grippy and durable
- Conductor pads on the thumb and index finger work with touch phones or tablets
- Elastic wrist leashes and clippable hanging loops

Insulated gloves designed for technical ice climbing, alpinism, and advanced mountaineering. The new Geko Hot delivers the same dry thermal insulation climbers have come to love, but now features the waterproof/breathable DRYZONE® membrane for extra protection from moisture and wind. Soft and supple leather main palms are reinforced at wear points for maximum durability over time. The Geko Hot uses box construction and features differentiated insulation with Primaloft® Gold and Primaloft® Grip Control for a precise fit without restricting dexterity.



Black

CAMP Geko Touch
2823



SKI MOUNTAINEERING

- Soft elasticized gloves with synthetic leather palms
- Primaloft® Gold 60 g/m² insulation on the back and Primaloft® Grip Control 60 g/m² on the palm
- Conductor pads on the thumb and index finger work with touch phones or tablets
- Elastic wrist leashes

Light and breathable gloves with special conductor pads on the thumb and index finger that work with touch phones and tablets. Elasticized outer fabric is soft, dexterous and provides protection from the wind. Variable insulation with Primaloft® Gold on the back and Primaloft® Grip Control on the palm delivers the optimal combination of warmth and dexterity.

Ref.	Product name	Size	Weight / Pair Size (L)										
			g	oz									
2822	GEKO HOT	S-M-L-XL-XXL-XXXL	150	5.3	3	•	•	•	•	•	•	•	•
2823	GEKO TOUCH	S-M-L-XL-XXL-XXXL	95	3.4	2	•	•	•	•	•	•	•	•



Black / Orange

CAMP G Comp Racing
2824

LIGHT&FAST SKI COMP



COMPETITIVE SKI MOUNTAINEERING, SKI MOUNTAINEERING

- Superlight Windmit'N hides in a pocket on the wrist to be pulled out for protection from wind and cold
- Synthetic leather palm is punched and anti-slip treated for maximum breathability and grip
- Snug fit with a pre-shaped palm and externally sewn fingers for a true performance fit
- Outer material is elasticized microfiber for a precise fit
- Grip'R pads on the palm for extra grip
- Terry wipe on the back of the thumb
- Conductor pads on the thumb and index finger work with touch phones or tablets
- Elastic wrist leashes

The G Comp Racing uses sophisticated construction and materials to create the ultimate ski mountaineering competition glove. The snug fit features a pre-shaped palm and externally sewn fingers for a true performance fit. Punched synthetic leather palm with anti-slip treatment and Grip'R pads help facilitate the technical maneuvers specific to randonee racing. Like our other popular race gloves, the G Comp Racing also features the hidden Windmit'N that can be pulled out of a pocket on the wrist for extra protection from the wind and cold.

NOTE. Help ensure the longevity of the Windmit'N by always removing them when working with bindings and skins.



Black / Orange

CAMP G Comp Wind
2825

SKI COMP



SKI MOUNTAINEERING, COMPETITIVE SKI MOUNTAINEERING

- Versatile, fast-drying synthetic gloves for cold-weather aerobic activities
- The superlight Windmit'N hides in a pocket on the wrist to be pulled out for protection from the wind and cold
- Durable synthetic leather palm
- Grip'R pads on the palm for extra grip
- Reinforcements between the thumb and index finger ensure strength and durability
- Terry wipe on the back of the thumb
- Conductor pads on the thumb and index finger work with touch phones or tablets
- Elastic wrist leashes and clippable hanging loops

The G Comp Wind is an ideal glove for ski mountaineering races, spring ski tours and cold-weather aerobics. The glove is constructed from soft, dexterous, breathable fabric for great comfort and temperature regulation when on the move. For pre-dawn starts and alpine ridges where the fingers need more protection, simply pull out the hidden Windmit'N. The coated ripstop nylon Windmit'N covers the fingers and thumb while leaving the palm exposed for good grip. Grip'R pads on the palm assist with grip, dexterity and fine motor control, and reinforcements between the thumb and index finger ensure strength and durability.

NOTE. Help ensure the longevity of the Windmit'N by always removing them when working with bindings and skins.

Ref.	Product name	Size	Weight / Pair Size (L)												
			g	oz											
2824	G COMP RACING	S-M-L-XL-XXL-XXXL	75	2.6	1	•		•	•	•	•	•	•	•	
2825	G COMP WIND	S-M-L-XL-XXL-XXXL	85	3.0	1	•		•	•	•	•	•	•	•	



Black / Lime

CAMP G Comp Warm 2826

BEST SELLER **SKI COMP**



SKI MOUNTAINEERING, COMPETITIVE SKI MOUNTAINEERING

- Soft, dexterous, breathable gloves designed for cold-weather aerobic activities
- The special PrimaLoft® 60 g/m² insulated Warmit'N hides in a pocket on the wrist ready to be pulled out for extra protection from the wind and cold
- Grip'R pads on the palm for extra grip
- Reinforcements between the thumb and index finger ensure strength and durability
- Soft terry wipe on the back of the thumb
- Conductor pads on the thumb and index finger work with touch phones or tablets
- Elastic wrist leashes and clippable hanging loops

Building on the popularity of the G Comp Wind, the G Comp Warm adds extra protection with the special Warmit'N – a lightweight overmitt with a ripstop nylon shell and PrimaLoft® 60 g/m² insulation for a high level of defense from the wind and cold. The Warmit'N stows away in a sleeve on the wrist when not in use. Simply pull it out and over (the palm remains exposed for grip and dexterity) when the fingers need more protection. The addition of the Warmit'N gives a level of versatility that other gloves simply cannot achieve. The base glove is designed to provide the right level of protection without overheating during aerobic use. Grip'R pads on the palm assist with grip, dexterity and fine motor control, and reinforcements between the thumb and index finger ensure strength and durability.

NOTE. Help ensure the longevity of the Warmit'N by always removing it when working with bindings and skins.



Black / Blue

CAMP G Tech Dry 2829

SKI MOUNTAINEERING, ALPINISM, ALPINE SKIING

- Lightweight ski mountaineering gloves with stretch-fit technology for technical use in the mountains
- DRYZONE® waterproof and breathable membrane provides protection from moisture and wind
- Neoprene wristband with Velcro closure for a snug fit
- Grip'R pads on the palm for extra grip
- Reinforcements between the thumb and index finger ensure strength and durability
- Terry wipe on the back of the thumb
- Conductor pads on the thumb and index finger work with touch phones or tablets
- Elastic wrist leashes and clippable hanging loops

The G Tech Dry is a lightweight softshell wind and waterproof glove designed for high-level ski mountaineering and backcountry adventures. The DRYZONE® waterproof and breathable membrane is ideally suited to the complex stitching and dexterity demands of gloves designed for technical users. Grip'R pads on the palm assist with grip, dexterity and fine motor control. Reinforcements between the thumb and index finger ensure strength and durability.

Ref.	Product name	Size	Weight / Pair Size (L)														
			g	oz													
2826	G COMP WARM	XS-S-M-L-XL-XXL-XXXL	105	3.7	2	•		•	•	•	•	•	•	•	•	•	•
2829	G TECH DRY	S-M-L-XL-XXL-XXXL	115	4.1	2	•	•	•	•	•	•	•	•	•	•	•	•



Black / Yellow

CAMP G Hot Dry
2827



SKI MOUNTAINEERING, ALPINE SKIING, MOUNTAINEERING

- Waterproof, insulated, cold-weather gloves designed for ski mountaineering
- DRYZONE® waterproof and breathable membrane provides protection from moisture and wind
- PrimaLoft® 100 g/m² insulation
- Neoprene wristband with Velcro closure for a snug fit
- Padded knuckles for extra protection
- Grip'R pads on the palm for extra grip
- Reinforcements between the thumb and index finger ensure strength and durability
- Terry wipe on the back of the thumb
- Conductor pads on the thumb and index finger work with touch phones or tablets
- Elastic wrist leashes and clippable hanging loops

The G Hot Dry is a high-performance insulated glove for ski mountaineering and alpine skiing. PrimaLoft® 100 g/m² insulation keeps hands warm and dry without compromising comfort or dexterity. The DRYZONE® waterproof and breathable membrane is ideally suited to the complex stitching and dexterity demands of gloves designed for technical users. Leather reinforcements between the thumb and index finger ensure strength and durability and Grip'R patches on the palm assist with grip and dexterity.



Black / Fuchsia

CAMP G Hot Dry Lady
2828



LADY

SKI MOUNTAINEERING, ALPINE SKIING, MOUNTAINEERING

- G Hot Dry Gloves with extra insulation and a profiled fit for women
- DRYZONE® waterproof/breathable membrane provides protection from moisture and wind
- PrimaLoft® 100 g/m² insulation
- Neoprene wristband with Velcro closure for a snug fit
- Padded knuckles for extra protection
- Grip'R pads on the palm for extra grip
- Reinforcements between the thumb and index finger ensure strength and durability
- Terry wipe on the back of the thumb
- Conductor pads on the thumb and index finger work with touch phones or tablets
- Elastic wrist leashes and clippable hanging loops

The women's version of the G Hot Dry has extra insulation to make backcountry days more enjoyable for women prone to cold hands. PrimaLoft® 100 g/m² insulation keeps hands warm and dry without compromising comfort or dexterity. The DRYZONE® waterproof and breathable membrane is ideally suited to the complex stitching and dexterity demands of gloves designed for technical users. Leather reinforcements between the thumb and index finger ensure strength and durability and Grip'R patches on the palm assist with grip and dexterity.

Ref.	Product name	Size	Weight / Pair Size (L)													
			g	oz												
2827	G HOT DRY	S-M-L-XL-XXL-XXXL	135	4.8	3	•	•	•	•	•	•	•	•	•	•	•
2828	G HOT DRY LADY	XS-S-M-L	125	4.4	3	•	•	•	•	•	•	•	•	•	•	•



CAMP G Puff 2833

SKI MOUNTAINEERING, MOUNTAINEERING, HIKING, LIFESTYLE



Black

- Versatile gloves with a high level of insulation for protection from the cold in variable conditions
- Windproof fabric with PrimaLoft® 133 g/m² insulation on the main body and palm
- DRYZONE® waterproof/breathable membrane provides protection from moisture and wind
- Polyurethane inserts on the palms increase grip and durability
- Conductor pads on the thumb and index finger work with touch phones or tablets
- Elastic wrist leashes and clippable hanging loops
- Compact carrying pouch included

Lightweight, extremely packable gloves designed to be carried in their tight carrying pouch so they remain super compact when not in use. PrimaLoft® 133 g/m² insulation on the main body and palm combines with windproof fabric and the DRYZONE® waterproof/breathable membrane to provide a high level of protection from the elements.



CAMP G Air 2834

SKI MOUNTAINEERING, MOUNTAINEERING, HIKING, LIFESTYLE



Black / Lime

- Hyperlight gloves designed for maximum precision during intense aerobic activity
- Windproof main body and super breathable palms feature PrimaLoft® 60 g/m² insulation
- Silicone inserts on the palm and fingers for exceptional grip
- Precision fit guarantees maximum sensitivity
- Conductor pads on the thumb and index finger work with touch phones or tablets

A hyperlight glove designed for technical aerobic activities in the cold. The precision fit guarantees maximum sensitivity. The main body is windproof for protection from the elements while the palm remains unlined for super breathability. PrimaLoft® 60 g/m² insulation delivers a basic level of dry warmth while maintaining a high level of breathability. Silicone inserts on the palm and fingers for exceptional grip.

Ref.	Product name	Size	Weight / Pair Size (L)										
			g	oz									
2833	G PUFF	S-M-L-XL-XXL-XXXL	95	3.4	3	•		•	•	•			•
2834	G AIR	S-M-L-XL-XXL-XXXL	60	2.1	1	•		•	•	•			•



Black

CAMP G Lite Wind
2830

MOUNTAINEERING, SKI MOUNTAINEERING, ALPINISM, HIKING

- Fast-drying stretch fleece gloves with a windproof membrane
- Reinforcements on the palm and thumb
- Grip'R pads on middle, ring and little fingers for extra grip
- Conductor pads on the thumb and index finger work with touch phones or tablets
- Elastic wrist leashes and clippable hanging loops

The G Lite Wind is an extremely breathable stretch fleece windproof glove with Grip'R patches on the fingers to assist with grip and conductor pads on the thumb and index finger to work with touch phones or tablets.



Grey

CAMP G Wool
2831

MOUNTAINEERING, SKI MOUNTAINEERING, ALPINISM, HIKING, LIFESTYLE

- Knitted wool/nylon blend glove with a soft fleece lining
- Grip'R pads for extra grip
- Conductor pads on the thumb and index finger work with touch phones or tablets
- Elastic wrist leashes

A modern interpretation of a timeless classic. Wool is a great material for gloves as it delivers warmth even when wet. The synthetic elements of nylon are woven into the fabric to help maintain the structure and shape of the gloves as they go from wet to dry with use over time. Soft fleece lining provides extra warmth and comfort and Grip'R pads improve grip.

Ref.	Product name	Size	Weight / Pair Size (L)												
			g	oz											
2830	G LITE WIND	S-M-L-XL-XXL	80	2.8	1	•		•	•	•		•			
2831	G WOOL	XS-S-M-L-XL-XXL	100	3.5	2			•	•	•	•				



CAMP Hot Dry Mitt'N
2832

SKI MOUNTAINEERING, MOUNTAINEERING



Black / Yellow

- Hybrid construction: mitten with separated fingers inside
- DRYZONE® waterproof/breathable membrane for protection from moisture and wind
- PrimaLoft® 133 g/m² insulation on the main body and PrimaLoft® 100 g/m² on the palm
- Neoprene wristband with Velcro closure for a snug fit
- Grip'R pads for secure grip
- Reinforcements between the thumb and index finger ensure strength and durability
- Terry wipe on the back of the thumb
- Elastic wrist leashes

The Hot Dry Mit'N is an innovative product featuring hybrid construction with a mitten on the exterior and separated fingers on the inside for better comfort and grip. This means it delivers a much higher level of thermal performance than a glove but still allows for some of the sensitivity and grip we can only get from gloves. The Hot Dry Mit'N is completely insulated with PrimaLoft® 133 g/m² on the main body and 100 g/m² on the palm and lined with the waterproof and breathable DRYZONE® membrane for excellent protection even in wet conditions. Leather reinforcements on the palms ensure strength and durability and Grip'R inserts provide a secure grip.

CAMP Hotmitt'N
2837

MOUNTAINEERING, HIGH ALTITUDE, ALPINISM



Black / Red

- Windproof gloves with premium down insulation
- Soft inner lining further increases warmth
- 3D pre-shaped construction for a precise fit
- Polyurethane palm for extra durability
- Easy Open-Close system on the wrist to lock in warmth
- Complete with stuff sack

Compact insulated mittens designed for high-altitude mountaineering. The Hotmitt'n features premium down insulation for great warmth and temperature regulation. The windproof fabric adds an extra layer of protection against the extreme conditions typical of the high peaks. Complete with stuff sack for packability.



Ref.	Product name	Size	Weight / Pair										
			Size	g	oz								
2832	HOT DRY MITT'N	S-M-L-XL-XXL-XXXL	M	135	4.8	3	•	•	•	•	•	•	•
2837	HOTMITT'N	S-M-L	L	195	6.9	4	•						



Black / Lime



CAMP Summitt'N
2836



MOUNTAINEERING, HIGH ALTITUDE, ALPINISM

- Technical mittens designed to deliver maximum protection from extreme cold and severe weather in the mountains
- Simple and secure Open-Close system maximizes thermal insulation and allows the mittens to be easily closed and opened at the wrist even while wearing the gloves
- DRYZONE® waterproof and breathable membrane for protection from moisture and wind
- 3D pre-shaped construction for a precise fit
- Soft and supple goatskin palms are grippy and durable
- PrimaLoft® Gold 500 g/m² on the main body and PrimaLoft® Gold 200 g/m² on the palm for a high level of insulation even in wet conditions

The Summitt'N was designed to deliver maximum protection from extreme cold and severe weather in the mountains thanks to PrimaLoft® Gold 500 g/m² on the main body and PrimaLoft® Gold 200 g/m² on the palm and the DRYZONE® membrane that lines the entire glove for extra protection from moisture and wind. The palms are reinforced with goatskin inserts for good grip and durability. The simple and secure Open-Close system on the cuff maximizes thermal insulation by creating a solid seal against the jacket and can be easily closed or opened even while wearing gloves.



Black / Lime



CAMP Tempest Mitt
2835



SKI MOUNTAINEERING, MOUNTAINEERING, ALPINISM

- Light and packable overmitt designed to deliver a high level of performance for ski mountaineering and technical mountaineering
- Simple and secure Open-Close system maximizes thermal insulation and allows the mittens to be easily closed and opened at the wrist even while wearing the gloves
- DRYZONE® waterproof and breathable membrane for protection from moisture and wind
- Palm and thumb use super grip fabric for dexterity and grip
- PrimaLoft® Gold 60 g/m² insulation in the main body delivers the best thermal efficiency in extreme conditions
- PrimaLoft® Gold Eco Grip 100 g/m² insulation in the palm is designed specifically to improve dexterity and grip
- Elastic wrist leashes
- Terry wipe on the back of the thumb
- Separate stuff pocket for storage

The Tempest Mitt is a light and compact overmitt designed to lock warmth in and keep extreme weather out. The DRYZONE® waterproof/breathable membrane blocks moisture and wind and the differentiated high-level PrimaLoft® Gold insulation layers deliver the optimal blend of insulation and dexterity. PrimaLoft® Gold 60 g/m² insulation in the main body delivers the best thermal efficiency in extreme conditions. PrimaLoft® Gold Eco Grip 100 g/m² insulation in the palm is designed specifically to improve dexterity and grip. The simple and secure Open-Close system on the wrist allows the mittens to be put on and taken off with ease and closes securely on the wrist to lock in warmth.

Ref.	Product name	Size	Weight / Pair										
			Size	g									oz
2836	SUMMITT'N	S-M-L	L	220	7.8	4	•	•	•	•	•	•	•
2835	TEMPEST MITT	S-M-L	M	130	4.6	3	•	•	•	•	•	•	•



Black / Blue

CAMP Drymitt'N
2838

SKI MOUNTAINEERING, ALPINISM, TREKKING

- Waterproof fabric combines with taped seams for maximum protection from moisture
- 3D pre-shaped construction for a precise fit
- Polyurethane palm for extra durability
- Internal silicone patches prevent the mitten from sliding over gloves
- Complete with stuff sack

Compact weatherproof mittens feature taped seams and waterproof fabric to help keep warmth in and weather out. The Drymitt'N is instrumental in keeping your base gloves or mittens dry and warm in wet conditions. Complete with stuff sack for packability.

Ref.	Product name	Size	Weight / Pair										
			Size	g	oz								
2838	DRYMITT'N	S-M-L	L	95	3,4	0	•	•					

SNOW GEAR



Robert Antonioli and Matteo Eydallin fight for first place in crazy weather at the Mezzalama 2019
© Stefano Jeantet

Today, ski mountaineering is practiced by two groups: Enthusiasts and competitors. Each group has valid, soulful reasons for going into the snow-covered hills and C.A.M.P. has understood those reasons for over a century. Located in the mountain village of Premana, Italy, C.A.M.P.'s global headquarters are surrounded by some of the best ski mountaineering in the Alps. Ski mountaineering is an opportunity to be immersed in nature, to challenge yourself, to test new gear, and to discover those steep and deep lines that just bring a smile to your face. C.A.M.P. not only shares this all-consuming passion, we have been at the forefront of its development with a complete range of ingenious equipment ranging from packs to shovels, probes, skins and gloves.



ISMF. The ISMF is the International Ski Mountaineering Federation that governs the rising sport of competitive ski mountaineering (or randonee racing) whereby racers navigate big mountain courses with a blend of transport methods including skinning uphill, technical downhill skiing, boot packs, even using crampons to ascend steep fixed lines on exposed ridges. Rando racers are an advanced breed of mountain athletes able to push hard over long distances with skis as their mode of transport. Certain pieces of safety and rescue gear are mandatory in nearly every race because the courses are usually routed through avalanche prone terrain. The ISMF Pool Member logo next to a piece of gear in the C.A.M.P. catalog indicates that the gear has been designed to meet the extreme demands of the most intense randonee racers while still meeting the standards set by the ISMF. Examples in the Snow Tools category include the Crest shovels and Carbon Fiber Avy Probe. Look in other categories like packs, crampons, axes, helmets and gloves for more gear that has been designed to this spec.

Avalanche Shovels



CAMP
Crest
1894



CAMP
Crest Touring
1728



CAMP
ALU Tele
0156



CAMP
ALU Fix
0153

Probes



CAMP
Carbon Fiber
Avalanche Probe
1281



CAMP
Pioneer
0769

Category leaders



LIGHT&FAST
Crest
1894



LIGHT&FAST **1st CLASS**
Carbon fiber
avalanche probe
1281



BEST SELLER
Pioneer
0769



CAMP Crest
1894

LIGHT&FAST SKI COMP



SKI MOUNTAINEERING, COMPETITIVE SKI MOUNTAINEERING

- The lightest shovel with a handle that is ISMF certified for ski mountaineering competitions
- Handle slides into blade for packability
- Fast deployment by simply pulling on handle
- Includes carrying bag equipped with straps for lashing to a pack

In competitions where a real shovel is mandatory gear, the Crest is the only way to go. The polypropylene blade is not as rigid as other plastic blades to prevent bouncing. The aluminum alloy shaft is contoured for a solid grip and good rigidity. Four slots on the blade allow for use as a snow anchor or emergency stretcher when combined with skis. Best of all, this handled shovel is almost as light as some models without handles!



CAMP Crest Touring
1728

SKI MOUNTAINEERING



- ABS blade is less prone to bouncing than Lexan
- Handle features spring glide extension for fast and easy extraction
- Includes carrying bag equipped with straps for lashing to a pack

A natural extension of the hyperlight Crest shovel with upgrades like a shaft that extends to nearly two feet and a super strong ABS blade that does not deform under the pressure of clearing away avy debris. The aluminum alloy shaft is contoured for a solid grip and good rigidity, and a special spring glide system allows for particularly fast and easy extraction. Four slots on the blade allow for use as a snow anchor or emergency stretcher when combined with skis.

Ref.	Product name	Weight		Shaft length		Blade dimensions		Material
		g	oz	cm	in	cm	in	
1894	CREST	259	9.1	35	13.8	20x20	9.5x11.0	Polypropylene
1728	CREST TOURING	400	14.1	35-58	13.8-22.8	20x20	9.5x11.0	ABS



CAMP ALU Tele
0156

MOUNTAINEERING, SKI MOUNTAINEERING, ALPINISM

- Thick 1.4-in (36mm) oval shaft and large plastic T-grip for a secure grip
- Handle slides into blade for packability
- Fast deployment by pulling on handle
- Includes carrying bag equipped with straps for lashing to a pack

The durable and lightweight 6061 T6 aluminum alloy blade has a smooth surface and epoxy coating to minimize snow sticking. Four holes in the blade permit use as a snow anchor and rigging of a shoulder sling. The telescoping 6005 aluminum alloy shaft extends to 66 cm (26 inches) for efficient digging.



CAMP ALU Fix
0153

BEST SELLER

MOUNTAINEERING, SKI MOUNTAINEERING, ALPINISM

- Thick 1.4-in (36mm) oval shaft and large plastic T-grip for a secure grip
- Handle slides into blade for packability
- Fast deployment by pulling on handle
- Includes carrying bag equipped with straps for lashing to a pack

The durable and lightweight 6061 T6 aluminum alloy blade has a smooth surface and epoxy coating to minimize snow sticking. Four holes in the blade permit use as a snow anchor and rigging of a shoulder sling. The fixed shaft has the benefit of simplicity and helps reduce weight.

Ref.	Product name	Weight		Shaft length		Blade dimensions		Material
		g	oz	cm	in	cm	in	
0156	ALU TELE	668	23.6	40-66	15.8-26.0	22x25	8.7x9.8	Aluminum
0153	ALU FIX	563	19.9	38	15.0	22x25	8.7x9.8	Aluminum



CAMP Carbon Fiber Avalanche Probe
1281


LIGHT&FAST **1ST CLASS** **SKI COMP**



SKI MOUNTAINEERING, COMPETITIVE SKI MOUNTAINEERING

- One of the world's lightest avalanche probes!
- Marked every 5 cm for measuring depth
- Complete with bright orange carrying bag

One of the world's lightest avy probes even at the ISMF required minimum length of 240 cm! Six 11 mm carbon fiber sections fold to a compact length of 40 cm (16 inches). Tapered aluminum alloy ferrules increase stiffness and self-align for fast deployment. A tug and cinch of the strong 2 mm Dyneema® pull cord quickly and securely assembles the probe.



CAMP Pioneer
0769

BEST SELLER



SKI MOUNTAINEERING

- Unique button lock system for fast and secure assembly
- Steel pull cord with anti-wear coating for smooth action and long-term durability
- Marked every 5 cm for measuring depth
- Carrying bag included

A robust avalanche probe constructed from 6 interlocking 12 mm aluminum alloy segments for a total length of 240 cm. Segments are marked every 5 cm for measuring depth. The unique button lock system is optimized for rapid deployment and the steel pull cord has an anti-wear coating for long-term durability and smooth action during assembly. Carrying bag included.


Ref.	Product name	Weight		Length		Segments		Material Cord	Markings
		g	oz			N°	Length		
1281	CARBON FIBER AVALANCHE PROBE	130	4.6	240 cm	94.5 in	6	40 cm 15.8 in	Dyneema® 2 mm	•
0769	PIONEER	255	9.0	240 cm	94.5 in	6	40 cm 15.8 in	Steel 1.25 mm	•

PROMOTIONALS



CAMP CAMP Institutional Male T-Shirt
0862

Sizes: S-M-L-XL



1 White



4 Light Blue

NEW '20

CAMP CAMP Polyester Male T-Shirt
2558

Sizes: S-M-L-XL-XXL



1 Sky Blue / White



2 Dark Orange / Sky Blue

CAMP CAMP Institutional Female T-Shirt
0863

NEW '20 **LADY**

Sizes: XS-S-M-L



3 Violet

CAMP CAMP Polyester Female T-Shirt
2559

LADY

Sizes: XS-S-M-L-XL



1 Sky Blue / Dark Pink

CAMP CAMP Male Energy T-Shirt
0861

NEW '20

Sizes: S-M-L-XL



3 Night Blue

CAMP Hoodie CAMP
2555

NEW '20

Sizes: XS-S-M-L-XL-XXL



1 Dark Blue / Light Blue



2 Green / Lime

CAMP Promo Hat CAMP
2553

UPDATED '20



1 Black



2 Light Blue

CAMP CAMP Hat
0069



1 Grey



3 Light Blue



2 Lime

CAMP Winter Headband

- 084603 Light Blue
- 084604 Black
- 084605 White



Light Blue



Black



White

CAMP Summer Headband

- 084501



Fluo Green

CAMP Multipurpose Band

- 083903 Black
- 083904 Blue
- 083905 Orange




Black



Blue



Orange



CAMP Webbing Belt

- 0019



CAMP Micro Sling

- 0727



CAMP Pear

- 1107** 50 mm
- 1105** 60 mm
- 1106** 80 mm



CAMP "D"

- 1100** 50 mm
- 1102** 60 mm
- 1104** 70 mm
- 1109** 80 mm



CAMP "D" Lock

- 1499** 60 mm
- 1344** 70 mm
- 1424** 80 mm



CAMP "D" wire gate

- 1001** 60 mm
- 1006** 75 mm



CAMP Harness Display

0054



Sit Harnesses

CAMP Metal Display

0077



Junior Harness

CAMP Metal Display

0085



C.A.M.P. Testimonials & Partners

CLIMBING-MOUNTAINEERING



Alessandro Bau (Ita)



Yann Borgnet (Fra)



Janja Garnbret (Slo)



Stefano Ghisolfi (Ita)



Tamara Lunger (Ita)



Simone Moro (Ita)



Rob Pizem (Usa)



Martin Riegler (Ita)



Florian Riegler (Ita)



Marcin Yeti Tomaszewsky (Pol)



Denis Urubko (Rus)

Allfrey David (Usa)
 Angeloz Didier (Fra)
 Arnold Mike (Usa)
 Bacci David (Ita)
 Bennett Scott (Usa)
 Berlioz Matthieu (Fra)
 Bohin Sébastien (Fra)
 Bonhomme Paul (Fra)
 Bono Katie (Usa)
 Brenna Cristian (Ita)
 Cararach Soler Roger (Spa)
 Carnati Stefano (Ita)
 Caserini Elisabetta (Ita)
 Cesa Christian (Ita)
 Clavel Arnaud (Ita)
 Cornamusi Alessio (Ita)
 Čujić Borna (Cro)
 De Jesús Martín Lucas (Spa)
 De Zaiacomio Matteo (Ita)
 Erdmann Ben (Usa)
 Flemming Jenn (Usa)
 Frigerio Martina (Ita)
 Fowles Wes (Usa)
 Ghisolfi Claudia (Ita)
 Gianola Luca (Ita)
 Giglio Matteo (Ita)
 Gollo Asja (Ita)
 Gotta Alberto (Ita)
 Gross Josh (Usa)
 Hadley Nathan (Usa)

Haładaj Mateusz (Pol)
 Herrington Blake (Usa)
 Huey Jesse (Usa)
 Janin Rudi (Ita)
 Joly Yoann (Fra)
 Kaplina Julia (Rus)
 Kazbekova Ievgeniia (Ukr)
 Kempney Tyler (Usa)
 Kling Josh (Usa)
 Krivosheitev Evgeny (Ukr)
 Lasagabaster Ander (Spa)
 Libera Rossano (Ita)
 Lichter Justin (Usa)
 Lochner Leonie (Ger)
 Marčič Nejc (Slo)
 Marlier Ezio (Ita)
 Maureau Stéphanie (Fra)
 Miller Delaney (Usa)
 Montgomery Aaron (Usa)
 Nicolini Franco (Ita)
 Oprandi Omar (Ita)
 Osteyee Ian (Usa)
 Passini Luca (Ita)
 Porter Jed (Usa)
 Pozzoli Giovanna (Ita)
 Raether Andy (Usa)
 Ravanel Marc (Fra)
 Ravier Cristian (Fra)
 Rinn Michael (Ger)
 Rogora Laura (Ita)

Roth Cody (Usa)
 Rudigier Max (Aut)
 Rueck Ben (Usa)
 Salamanca Fernandez Angel Luis (Spa)
 Sauter Libby (Usa)
 Selak Gregor (Slo)
 Shapiro Jeff (Usa)
 Smiley Mark (Usa)
 Smith Nate (Usa)
 Sorkin Madaleine (Usa)
 Stitzinger Luis (Ger)
 Strazar Luka (Slo)
 Tardivel Pierre (Fra)
 Tentori Simone (Ita)
 Tepfer Max (Usa)
 Tomatis Giorgio (Ita)
 Vassilopoulos Kyle (Usa)
 Vennon Bisharat Jen (Usa)
 Vidmar Maja (Slo)
 Virat Julia (Fra)
 Von Melle Alix (Ger)
 Warne Amity (Usa)
 Wörthl Michael (Ger)
 Watson Sarah (Usa)
 Zangrilli Fabrizio (Usa)
 Zariquiey Bibiana (Spa)
 Žumer Martin (Slo)

SKI MOUNTAINEERING



Robert Antonioli (Ita)



Lorna Bonnel (Fra)



Nicolò Canclini (Ita)



Matteo Eydallin (Ita)



Davide Magnini (Ita)



Elena Nicolini (Ita)



Federico Nicolini (Ita)



Anton Palzer (Ger)

Anderson Sierra (Usa)
 Barazzuol Filippo (Ita)
 Beccari Filippo (Ita)
 Bertolina Samantha (Ita)
 Boffelli William (Ita)
 Brown Jon (Usa)
 Chamoux Benjamin (Fra)
 Compagnoni Giulia (Ita)
 Confortola Stefano (Ita)
 David Clémence (Fra)
 Ellmenreich Baptiste (Fra)
 Felicetti Giorgia (Ita)
 Gaston John (Usa)

Herrmann Jakob (Aut)
 Hiatt Jari (Usa)
 Huber Joseph (Ger)
 Juillaguet Swann (Fra)
 Knopf Stefan (Ger)
 Kremer Stevie (Usa)
 Kuhar Nejc (Slo)
 Lanfranchi Pietro (Ita)
 LaRochelle Nikki (Usa)
 Lautenbacher Toni (Ger)
 Murada Giulia (Ita)
 Sbalbi Tony (Fra)
 Sci Club Albosaggia (Ita)

Sci Club Alta Valtellina (Ita)
 Sci Club Val Tartano (Ita)
 Senk Anze (Slo)
 Shehan Joel (Usa)
 Smith Bryan (Usa)
 Sostizzo Matteo (Ita)
 Staberg Grace (Usa)
 Taam Max (Usa)
 Valmassoi Martina (Ita)
 Viret Léo (Fra)
 Wickenhauser Bryan (Usa)
 Young Jessie (Usa)
 Zulian Ivo (Ita)

GROUPS

Access Fund (Usa)
 American Alpine Club (Usa)
 American Mountain Guides Association (Usa)
 Aspen Alpine Guides (Usa)
 Colorado Mountain Club (Usa)
 Colorado Mountain School (Usa)
 Ensa - École Nationale des sports de montagne (Fra)
 Gruppo Ragni della Grignetta (Ita)
 Guais del Picu (Spa)

Guide alpine Cortina (Ita)
 Guide alpine Mountain Experience (Ita)
 Guide alpine Orizzonti Verticali (Ita)
 Mangia Trekking (Ita)
 Mazamas (Usa)
 Mountain Education Development (Usa)
 Muntania Outdoors (Spa)
 Sierra Mountain Guides (Usa)
 Team Tecnica-CAMP-Ceramiq (Fra)



ÉCOLE NATIONALE DES SPORTS DE MONTAGNE



WARNING!

Climbing, caving, via ferrata and other "vertical" sports for which CAMP and CASSIN products can be used are potentially dangerous. If you use our equipment, you are responsible for learning the proper use of the equipment and proper climbing techniques, and accept all risk inherent in these activities. The weights indicated in this workbook may be subject to change due to manufacturing tolerance limits, to the integral nature of raw materials used, and to climate and storage conditions. Products made of textile and plastic materials are more subject to weight variations. Technical specifications may change without notice.

Photo credits: Jeremiah Watt, Klaus Dell'Orto, Maurizio Torri, Aleš Cesen, Brook Hayer, Frederik Marmstater, Christopher Gibisch, Roger Cararach Soler, Dag Larson, Nejc Marcic, Enrico Veronese, Giovanni Danielli, Andy Wickstrom, Jeff Rueppel, Yann Borgnet, Leo Wattedled, Matteo Pavana, Francesco Tremolada, Giacomo Meneghello, Michael Maili, Stefano Jeantet, Liqen Media - Adri Martinez

Products photo: Mario Spreafico, Luca Lozza

Graphic project: PrePrint - Lecco

Printing: printed in Italy, June 2019

Cover photo: Rob Pizem on the first ascent of Ambidextral, 5.12, in the Utah desert - © Jeremiah Watt



Ben Rueck preparing for another day on the project on the Parriott Mesa, Utah
© Jeff Rueppel



are brands of the **CAMP GROUP**

CAMP S.p.A.

CONFEZIONE ARTICOLI MONTAGNA PREMANA

Via Roma, 23 - 23834 Premana (LC) - ITALY
Tel. +39 0341 890117 - Fax +39 0341 818010
www.camp.it - contact@camp.it

workbook 2020 2952 ENG



Luka Strazar on lead during the first ascent of the huge North Face of Latok 1 (7145 m, Karakorum) - © Aleš Česen